

## ARCLG140: Conservation in Practice: Preventive Conservation

View Online



6: Handling, packing and shipping. (n.d.). In National Park Service - Museum Management Program. <http://www.cr.nps.gov/museum/publications/MHI/mushbkl.html>

Ambrose, T., & Paine, C. (1993). Unit 23: Museum Showcases. In *Museum basics: Vol. Heritage: Care-Preservation-Management Series* (pp. 82–84). ICOM in conjunction with Routledge.  
<https://contentstore.cla.co.uk//secure/link?id=0971e468-5136-e711-80c9-005056af4099>

Anon. (n.d.-a). Working Knowledge: Emergency Planning. *Museum Practice*, Spring 2005, 43–59.

Art and Archaeology Technical Abstracts. (n.d.).

Ashley-Smith et al, J. (1994). Let's be honest - realistic environmental parameters. In *Preventive conservation: practice, theory and research : preprints of the contributions to the Ottawa Congress, 12-16 September 1994* (pp. 28–31). International Institute for Conservation of Historic and Artistic Works.

Ashley-Smith, J. (1999). Light entertainment. In *Risk assessment for object conservation* (pp. 226–245). Butterworth-Heinemann.  
<https://contentstore.cla.co.uk//secure/link?id=eb25d828-6936-e711-80c9-005056af4099>

Ashley-Smith, J. (2000). Museum lighting – who is it for? *Museum Practice*, 14, 46–48.  
<https://contentstore.cla.co.uk//secure/link?id=80652d4e-4b36-e711-80c9-005056af4099>

Ashley-Smith, J., Derbyshire, A., & Pretzel, B. (2002). The continuing development of a practical lighting policy for works of art on paper and other object types at the Victoria and Albert Museum. In *13th Triennial Meeting, Rio de Janeiro, 22-27 September 2002: preprints* (pp. 3–8). James & James.

Blades, Nigel & Museums Association. (2000). Guidelines on pollution control in museum buildings. Museums Association. <http://eprints.ucl.ac.uk/2443/1/2443.pdf>

Bratasz, L., Jakiela, S., & Kozlowski, R. (2005). Allowable thresholds in dynamic changes of microclimate for wooden cultural objects: monitoring in situ and modelling. In *ICOM Committee for Conservation: 14th triennial meeting, The Hague, 12-16 September 2005 ; preprints* (pp. 582–589). James & James, Earthscan.

Brimblecombe, Peter. (n.d.). Wool and reduced sulphur gases in museum air. *Studies in Conservation*, 37(1), 53–60.

- <http://www.ingentaconnect.com/content/maney/sic/1992/00000037/00000001/art00006;jsessionid=13nhvfdevgn7u.alice>
- Brimblecombe, Peter. (2003). The effects of air pollution on the built environment: Vol. Air pollution reviews. Imperial College Press.
- Brommelle, N. S. (1964). The Russell and Abney Report on the Action of Light on Water Colours. *Studies in Conservation*, 9(4). <https://doi.org/10.2307/1505213>
- Brown, J. P. (1993). What can psychrometric data tell us? In *Electronic environmental monitoring in museums: Vol. Conservation monograph series* (pp. 37–59). Archetype.
- BROWN, J., & Rose, W. B. (1997). Development of humidity recommendations in museums and moisture control in buildings.
- Bullock, L., & Saunders, D. (1999). Measurement of cumulative exposure using Blue Wool standards. In 12th triennial meeting, Lyon, 29- August-3 September 1999 (pp. 21–26). James & James (Science Publishers) Ltd.
- Camuffo, Dario. (1998). *Microclimate for cultural heritage: Vol. Developments in atmospheric science*. Elsevier.
- Canadian Conservation Institute | Institut canadien de conservation. (n.d.).
- Cassar, M. (1994). The environmental performance of showcases. *Preventive Conservation: Practice, Theory and Research : Preprints of the Contributions to the Ottawa Congress, 12-16 September 1994*, 171–173.
- Cassar, May. (1994). *Environmental management: guidelines for museums and galleries*. Routledge.
- Cassar, May, Hutchings, Jeremy, & Great Britain. (2000). *Relative humidity and temperature pattern book: a guide to understanding and using data on the museum environment*. Museums & Galleries Commission.
- Conservation Bibliography (BCIN) Réseau d'information sur la conservation. (n.d.).
- Conservation OnLine. (n.d.).
- Conservation : the GCI newsletter, Newsletter 19.1 Spring 2004. (n.d.).
- Corr, Susan. (2000). *Caring for collections: a manual of preventive conservation: Vol. Heritage Council of Ireland series*. Heritage Council:, Institute for the Conservation of Artistic and Historic Works in Ireland.
- Daniel, V. (n.d.). Papers from the 5th International Conference on Biodeterioration of Cultural Property, Sydney, 2001. *AICCM Bulletin*, 28. [http://www.amonline.net.au/pdf/ICBCP5\\_papers.pdf](http://www.amonline.net.au/pdf/ICBCP5_papers.pdf)
- Dorge, Valerie & Jones, Sharon L. (1999). *Building an emergency plan: a guide for museums and other cultural institutions*. Getty Conservation Institute.

- [http://www.getty.edu/conservation/publications\\_resources/pdf\\_publications/emergency.html](http://www.getty.edu/conservation/publications_resources/pdf_publications/emergency.html)
- East Midlands Museums Service. (1991). Museum & records office emergency manual. East Midlands Museums Service.
- Emergency Response and Salvage Wheel. (n.d.).
- Erhardt, D., & Mecklenburg, M. (1994). Relative humidity re-examined. In *Preventive conservation: practice, theory and research : preprints of the contributions to the Ottawa Congress, 12-16 September 1994* (pp. 32-38). International Institute for Conservation of Historic and Artistic Works.
- Florian, Mary-Lou E. (1997). *Heritage eaters: insects & fungi in heritage collections*. James & James.
- Florian, Mary-Lou E. (2002). *Fungal facts: solving fungal problems in heritage collections*. Archetype.
- Ganiaris, H., & Sully, D. (1998). Showcase construction: Materials and methods used at the museum of London. *The Conservator*, 22(1), 57-67.  
<https://doi.org/10.1080/01410096.1998.9995128>
- Getty Conservation Institute. (n.d.).
- GREEN, LR ; THICKETT, D. (n.d.). TESTING MATERIALS FOR USE IN THE STORAGE AND DISPLAY OF ANTIQUITIES - A REVISED METHODOLOGY. *Studies in Conservation*, 40(3), 145-152.
- Grzywacz, C. M., & Tennent, N. H. (1994). Pollution monitoring in storage and display cabinets: carbonyl pollutant levels in relation to artifact deterioration. In *Preventive conservation: practice, theory and research : preprints of the contributions to the Ottawa Congress, 12-16 September 1994* (pp. 164-170). International Institute for Conservation of Historic and Artistic Works.
- Grzywacz, Cecily M. (2006). *Monitoring for gaseous pollutants in museum environments: Vol. Tools for conservation*. Getty Publications.
- Guichen, Gaël de & International Centre for the Study of the Preservation and the Restoration of Cultural Property. (1984). *Climate in museums: measurement = Climat dans le musée : mesure: Vol. ICCROM technical notes = Notes techniques de l'ICCROM* (2nd ed., rev). ICCROM.
- Hatchfield, P. B., & Carpenter, J. M. (1986). The problem of formaldehyde in museum collections. *International Journal of Museum Management and Curatorship*, 5(2), 183-188.  
[https://doi.org/10.1080/0260-4779\(86\)90048-8](https://doi.org/10.1080/0260-4779(86)90048-8)
- Hatchfield, Pamela. (2002). *Pollutants in the museum environment: practical strategies for problem solving in design, exhibition and storage*. Archetype.
- Hunter, J. (1994). Museum Disaster Preparedness Planning. In *Care of collections: Vol.*

Leicester readers in museum studies (pp. 272–288). Routledge.

<http://www.vlebooks.com/vleweb/product/openreader?id=UCL&isbn=9780203974711>

Jones, B. G. (1994). Experiencing Loss. In *Care of collections: Vol. Leicester readers in museum studies* (pp. 240–245). Routledge.

Kingsley, Helen & 2001, A Pest Odyssey (Conference). (2001). *Integrated pest management for collections: proceedings of 2001: a Pest Odyssey*. James & James.

Lavédrine, Bertrand, Gandolfo, Jean-Paul, Monod, Sibylle, & Getty Conservation Institute. (2003). *A guide to the preventive conservation of photograph collections*. Getty Conservation Institute.

Lee, L. R., Thickett, D., & British Museum. (1996). *Selection of materials for the storage or display of museum objects: Vol. Occasional paper / British Museum. Department of Conservation* [British Museum].

[http://www.britishmuseum.org/pdf/OP\\_111%20selection\\_of\\_materials\\_for\\_the\\_storage\\_or\\_display\\_of\\_museum\\_objects.pdf](http://www.britishmuseum.org/pdf/OP_111%20selection_of_materials_for_the_storage_or_display_of_museum_objects.pdf)

LightCheck : Technical Specifications. (n.d.).

Lloyd, H., Grossi, C. M., & Brimblecombe, P. (2011). Low-technology dust monitoring for historic collections. *Journal of the Institute of Conservation*, 34(1), 104–114.

<https://doi.org/10.1080/19455224.2011.566131>

Lloyd, H., Lithgow, K., Brimblecombe, P., Yoon, Y. H., Frame, K., & Knight, B. (2002). The effects of visitor activity on dust in historic collections. *The Conservator*, 26(1), 72–84.

<https://doi.org/10.1080/01410096.2002.9995179>

Long, Jane S., Heritage Preservation (Organization), & Heritage Emergency National Task Force (U.S.). (2006). *Field guide to emergency response*. Heritage Preservation.

Mecklenburg, M. (2007a). *Determining the Acceptable Ranges of Relative Humidity and Temperature in Museums and Galleries, Part 1, Structural Response to Relative Humidity*. Smithsonian Conservation Institute. <http://si-pddr.si.edu/dspace/handle/10088/7056>

Mecklenburg, M. (2007b). *Determining the Acceptable Ranges of Relative Humidity and Temperature in Museums and Galleries, Part 2, Structural Response to Temperature*. Smithsonian Conservation Institute. <http://si-pddr.si.edu/dspace/handle/10088/7055>

Mecklenburg, M., Tumosa, C. S., & Erhardt, D. (1998). Structural response of painted wood surfaces to changes in ambient relative humidity. In *Painted wood: history and conservation* (pp. 464–483). Getty Conservation Institute.

[http://www.getty.edu/conservation/publications\\_resources/pdf\\_publications/pdf/paintedwood6.pdf](http://www.getty.edu/conservation/publications_resources/pdf_publications/pdf/paintedwood6.pdf)

Michalski, S. (n.d.-a). *Agent of Deterioration: Incorrect Relative Humidity*.

<http://www.cci-icc.gc.ca/caringfor-prendresoindex/articles/10agents/chap10-eng.aspx>

Michalski, S. (n.d.-b). *Agent of Deterioration: Light, Ultraviolet and Infrared*.

<http://www.cci-icc.gc.ca/caringfor-prendresoindes/articles/10agents/chap08-eng.aspx>

Michalski, S. (2007). The ideal climate, risk management, the ASHRAE chapter, proofed fluctuations and toward a full risk analysis model. Experts' Roundtable on Sustainable Climate Management Strategies. *Alternative Climate Controls for Historic Buildings*, 1–19. [http://www.getty.edu/conservation/our\\_projects/science/climate/paper\\_michalski.pdf](http://www.getty.edu/conservation/our_projects/science/climate/paper_michalski.pdf)

National Park Service. (n.d.-b). Handling, packing and shipping. In *Museum Handbook, Part 1: Museum Collections* (web edition). <http://www.cr.nps.gov/museum/publications/MHI/mushbkl.html>

National Park Service - Museum Management Program. (n.d.-c). *Museum Handbook, Part 1: Museum Collections*.

Padfield, T. (2007). The potential and limits for passive air conditioning of museums, stores and archives. In T. Padfield & K. Borchersen (Eds.), *Museum microclimates: conference on preventive conservation held in Copenhagen 19-23 November 2007* (pp. 191–198). National Museum of Denmark. <http://www.conservaionphysics.org/musmic/musmicbuf.pdf>

Padfield, T. (n.d.). *Conservation physics*.

Padfield, T. (2005). How to keep for a while what you want to keep for ever.

Padfield, T. (2007). Why keep climate records and how to keep them. In T. Padfield & K. Borchersen (Eds.), *Museum microclimates: conference on preventive conservation held in Copenhagen 19-23 November 2007* (pp. 157–163). Museum of Denmark. [http://natmus.dk/fileadmin/user\\_upload/natmus/bevaringsafdelingen/billeder/far/Museum\\_Microclimate/Contributions\\_to\\_the\\_conference/padfield.pdf](http://natmus.dk/fileadmin/user_upload/natmus/bevaringsafdelingen/billeder/far/Museum_Microclimate/Contributions_to_the_conference/padfield.pdf)

Pinniger, David. (2001). *Pest management in museums, archives and historic houses*. Archetype.

Pinniger, David & Collections Trust. (2008). *Pest management: a practical guide*. Collections Trust.

Pretzel, B. (n.d.). Predicting risks to artefacts from indoor climates (pp. 1–10). <http://icom-cc-publications-online.org/PublicationDetail.aspx?cid=a9501bf3-e5ef-43ae-93d6-e80014fdf922>

Pye, E. (2001). Issues in practice: conservation procedures. In *Caring for the past: issues in conservation for archaeology and museums* (pp. 121–132). James & James.

Raychaudhuri, Michele R. (n.d.). Formaldehyde Oxidation and Lead Corrosion. *Studies in Conservation*, 45(4), 226–232. <http://www.ingentaconnect.com/content/maney/sic/2000/00000045/00000004/art00002>

Research - Environment - Shedding light on cultural heritage. (n.d.).

Richard, Mervin, Merrill, Ross M., Mecklenburg, Marion F., & National Gallery of Art (U.S.). (1991). *Art in transit: handbook for packing and transporting paintings*. National Gallery of Art

Art.

[http://si-pddr.si.edu/dspace/bitstream/10088/8127/1/mci\\_Art\\_in\\_Transit\\_Handbook\\_for\\_Packing\\_and\\_Transporting\\_Paintings.pdf](http://si-pddr.si.edu/dspace/bitstream/10088/8127/1/mci_Art_in_Transit_Handbook_for_Packing_and_Transporting_Paintings.pdf)

Robinet, Laurianne ; Thickett, David. (n.d.). A New Methodology for Accelerated Corrosion Testing. *Studies in Conservation*, 48(4), 263-268.

Römich, H., Martin, G., Lavedrine, B., & Bacci, M. (n.d.). LightCheck®: A New Tool in Preventive Conservation. *V & A Conservation Journal*, 47, 17-18.

<http://www.vam.ac.uk/content/journals/conservation-journal/issue-47/lightcheck-a-new-tool-in-preventive-conservation/>

Rose, Carolyn L., Torres, Amparo R. de, & Society for the Preservation of Natural History Collections. (1992a). *Storage of natural history collections: ideas and practical solutions*. Society for the Preservation of Natural History Collections.

Rose, Carolyn L., Torres, Amparo R. de, & Society for the Preservation of Natural History Collections. (1992b). *Storage of natural history collections: ideas and practical solutions*. Society for the Preservation of Natural History Collections.

Roy, Ashok, Smith, Perry, International Institute for Conservation of Historic and Artistic Works, & International Institute for Conservation of Historic and Artistic Works. (1994). *Preventive conservation: practice, theory and research : preprints of the contributions to the Ottawa Congress, 12-16 September 1994*. International Institute for Conservation of Historic and Artistic Works.

Schaeffer, Terry T. (2001). *Effects of light on materials in collections: data on photoflash and related sources: Vol. Research in conservation*. Getty Conservation Institute.

Selwitz, Charles, Maekawa, Shin, & Getty Conservation Institute. (1998). *Inert gases in the control of museum insect pests: Vol. Research in conservation*. Getty Conservation Institute.

Staniforth, S. (1992). Control and measurement of the environment. In *Manual of curatorship: a guide to museum practice* (pp. 234-245). Butterworth-Heinemann.

Staniforth, S. (1994). Light and environmental measurement in National Trust houses. In *Care of collections: Vol. Leicester readers in museum studies* (pp. 117-122). Routledge.

Stanley, B., Xavier-Rowe, A., & Knight, B. (2003). Displaying the wernher collection: A pragmatic approach to display cases. *The Conservator*, 27(1), 34-46.  
<https://doi.org/10.1080/01410096.2003.9995188>

Stirlic, M., & et al. (2010). Test for compatibility with organic heritage materials - a proposed procedure. *E-Preservation Science*, 7, 78-86.  
<http://www.morana-rtd.com/e-preservation-science/2010/Strlic-15-05-2010.pdf>

Stolow, Nathan. (1987a). *Conservation and exhibitions: packing, transport, storage and environmental considerations: Vol. Butterworths series in conservation and museology*. Butterworths.

Stolow, Nathan. (1987b). Conservation and exhibitions: packing, transport, storage and environmental considerations: Vol. Butterworths series in conservation and museology. Butterworths.

Susan Bradley. (2005). Preventive Conservation Research and Practice at the British Museum. *Journal of the American Institute for Conservation*, Vol. 44(No. 3), 159–173.

Tetreault, J. (2003). Guidelines for pollutant concentrations in museums. *CCI Newsletter*, 31. <http://www.cci-icc.gc.ca/cci-icc/about-afpropos/nb/nb31/pollutants-eng.aspx>

Tetreault, Jean & Canadian Conservation Institute. (2003). Airborne pollutants in museums, galleries, and archives: risk assessment, control strategies, and preservation management. Canadian Conservation Institute.

The Emergency Response and Salvage Wheel: Newsletter 12.2 Summer 1997. (n.d.).

The Fitzwilliam Museum : Conserving Ancient Egypt. (n.d.).  
<http://www.fitzmuseum.cam.ac.uk/dept/ant/egypt/conservation/>

The Heritage Health Index. (n.d.).

The IMPACT pollution model. (n.d.).

Thomson, G. (1986). Light Part I. In *The museum environment: Vol. Butterworth series in conservation and museology* (2nd ed, pp. 2–64). Butterworths in association with the International Institute for Conservation of Historic and Artistic Works.  
<https://contentstore.cla.co.uk//secure/link?id=ea25d828-6936-e711-80c9-005056af4099>

Thomson, Garry & International Institute for Conservation of Historic and Artistic Works. (1986). *The museum environment: Vol. Butterworth series in conservation and museology* (2nd ed, pp. 130–162). Butterworths in association with the International Institute for Conservation of Historic and Artistic Works.

Thomson, Garry & International Institute for Conservation of Historic and Artistic Works. (1994). *The museum environment: Vol. Butterworth-Heinemann series in conservation and museology* (2nd ed). Butterworth-Heinemann.

Waller, R. (1995). Risk management applied to preventive conservation. In *Storage of natural history collections: a preventive conservation approach* (pp. 21–28). Society for the Preservation of Natural History Collections. <http://www.museum-sos.org/>

Waller, R. (1999). Internal pollutants, risk assessment and conservation priorities. In 12th triennial meeting, Lyon, 29- August-3 September 1999 (pp. 113–118). James & James (Science Publishers) Ltd.

Waller, R. Robert. (n.d.). Cultural property risk analysis model: development and application to preventive conservation at the Canadian Museum of Nature: Vol. Göteborg studies in conservation. *Acta Universitatis Gothoburgensis*.

Watkinson, D., & Lewis, M. (2004). ss Great Britain iron hull: modelling corrosion to define storage relative humidity. In *Metal 04: = Actes de la Conférence internationale sur la*

conservation des métaux (pp. 88–103). National Museum of Australia.  
<http://ssgreatbritain.org/sites/default/files/kcfinder/files/brunel-institute/modelling-corrosion.pdf>

Watkinson, David, Neal, Virginia, United Kingdom Institute for Conservation of Historic and Artistic Works, Rescue (Trust), & Museum of London. (1998a). First aid for finds (3rd ed). RESCUE - The British Archaeological Trust; Archaeology Section of the UKIC; The Museum of London.

Watkinson, David, Neal, Virginia, United Kingdom Institute for Conservation of Historic and Artistic Works, Rescue (Trust), & Museum of London. (1998b). First aid for finds (3rd ed). RESCUE - The British Archaeological Trust; Archaeology Section of the UKIC; The Museum of London.