

## ARCLG140: Conservation in Practice: Preventive Conservation

View Online



---

'6: Handling, packing and shipping.' (no date) in National Park Service - Museum Management Program. Available at:  
<http://www.cr.nps.gov/museum/publications/MHI/mushbkl.html>.

Ambrose, T. and Paine, C. (1993) 'Unit 23: Museum Showcases', in Museum basics. London: ICOM in conjunction with Routledge, pp. 82–84. Available at:  
<https://contentstore.cla.co.uk//secure/link?id=0971e468-5136-e711-80c9-005056af4099>.  
Anon (no date) 'Working Knowledge: Emergency Planning', Museum practice, (Spring 2005), pp. 43–59.

Art and Archaeology Technical Abstracts (no date).

Ashley-Smith et al, J. (1994) 'Let's be honest - realistic environmental parameters', in Preventive conservation: practice, theory and research : preprints of the contributions to the Ottawa Congress, 12-16 September 1994. London: International Institute for Conservation of Historic and Artistic Works, pp. 28–31.

Ashley-Smith, J. (1999) 'Light entertainment.', in Risk assessment for object conservation. Oxford: Butterworth-Heinemann, pp. 226–245. Available at:

<https://contentstore.cla.co.uk//secure/link?id=eb25d828-6936-e711-80c9-005056af4099>.  
Ashley-Smith, J. (2000) 'Museum lighting – who is it for?', Museum practice, 14, pp. 46–48. Available at:

<https://contentstore.cla.co.uk//secure/link?id=80652d4e-4b36-e711-80c9-005056af4099>.

Ashley-Smith, J., Derbyshire, A. and Pretzel, B. (2002) 'The continuing development of a practical lighting policy for works of art on paper and other object types at the Victoria and Albert Museum', in 13th Triennial Meeting, Rio de Janeiro, 22-27 September 2002: preprints. London: James & James, pp. 3–8.

Blades, Nigel and Museums Association (2000) Guidelines on pollution control in museum buildings. London: Museums Association. Available at:  
<http://eprints.ucl.ac.uk/2443/1/2443.pdf>.

Bratasz, L., Jakiela, S. and Kozlowski, R. (2005) 'Allowable thresholds in dynamic changes of microclimate for wooden cultural objects: monitoring in situ and modelling', in ICOM Committee for Conservation: 14th triennial meeting, The Hague, 12-16 September 2005 ; preprints. London: James & James, Earthscan, pp. 582–589.

Brimblecombe, Peter (2003) The effects of air pollution on the built environment. London: Imperial College Press.

Brimblecombe, Peter (no date) 'Wool and reduced sulphur gases in museum air', *Studies in Conservation*, 37(1), pp. 53–60. Available at:  
<http://www.ingentaconnect.com/content/maney/sic/1992/00000037/00000001/art00006;jsessionid=13nhvfdevgn7u.alice>.

Brommelle, N.S. (1964) 'The Russell and Abney Report on the Action of Light on Water Colours', *Studies in Conservation*, 9(4). Available at: <https://doi.org/10.2307/1505213>.

BROWN, J. and Rose, W.B. (1997) *Development of humidity recommendations in museums and moisture control in buildings*.

Brown, J.P. (1993) 'What can psychrometric data tell us?', in *Electronic environmental monitoring in museums*. Denbigh, Clwyd, Wales: Archetype, pp. 37–59.

Bullock, L. and Saunders, D. (1999) 'Measurement of cumulative exposure using Blue Wool standards', in 12th triennial meeting, Lyon, 29- August-3 September 1999. London: James & James (Science Publishers) Ltd, pp. 21–26.

Camuffo, Dario (1998) *Microclimate for cultural heritage*. Amsterdam: Elsevier.

Canadian Conservation Institute | Institut canadien de conservation (no date).

Cassar, M. (1994) 'The environmental performance of showcases', *Preventive conservation: practice, theory and research : preprints of the contributions to the Ottawa Congress, 12-16 September 1994*, pp. 171–173.

Cassar, May (1994) *Environmental management: guidelines for museums and galleries*. London: Routledge.

Cassar, May, Hutchings, Jeremy, and Great Britain (2000) *Relative humidity and temperature pattern book: a guide to understanding and using data on the museum environment*. London: Museums & Galleries Commission.

Conservation Bibliography (BCIN) Réseau d'information sur la conservation (no date).

Conservation OnLine (no date).

Conservation : the GCI newsletter, Newsletter 19.1 Spring 2004 (no date).

Corr, Susan (2000) *Caring for collections: a manual of preventive conservation*. [Ireland]: Heritage Council., Institute for the Conservation of Artistic and Historic Works in Ireland.

Daniel, V. (no date) 'Papers from the 5th International Conference on Biodeterioration of Cultural Property, Sydney, 2001', *AICCM bulletin [Preprint]*, (28). Available at:  
[http://www.amonline.net.au/pdf/ICBCP5\\_papers.pdf](http://www.amonline.net.au/pdf/ICBCP5_papers.pdf).

Dorge, Valerie and Jones, Sharon L. (1999) *Building an emergency plan: a guide for museums and other cultural institutions*. Los Angeles: Getty Conservation Institute. Available at:  
[http://www.getty.edu/conservation/publications\\_resources/pdf\\_publications/emergency.html](http://www.getty.edu/conservation/publications_resources/pdf_publications/emergency.html).

East Midlands Museums Service (1991) Museum & records office emergency manual. Nottingham: East Midlands Museums Service.

Emergency Response and Salvage Wheel (no date).

Erhardt, D. and Mecklenburg, M. (1994) 'Relative humidity re-examined', in Preventive conservation: practice, theory and research : preprints of the contributions to the Ottawa Congress, 12-16 September 1994. London: International Institute for Conservation of Historic and Artistic Works, pp. 32-38.

Florian, Mary-Lou E. (1997) Heritage eaters: insects & fungi in heritage collections. London: James & James.

Florian, Mary-Lou E. (2002) Fungal facts: solving fungal problems in heritage collections. London: Archetype.

Ganiaris, H. and Sully, D. (1998) 'Showcase construction: Materials and methods used at the museum of London', *The Conservator*, 22(1), pp. 57-67. Available at: <https://doi.org/10.1080/01410096.1998.9995128>.

Getty Conservation Institute (no date).

GREEN, LR ; THICKETT, D (no date) 'TESTING MATERIALS FOR USE IN THE STORAGE AND DISPLAY OF ANTIQUITIES - A REVISED METHODOLOGY', *Studies in Conservation*, 40(3), pp. 145-152.

Grzywacz, Cecily M. (2006) Monitoring for gaseous pollutants in museum environments. Los Angeles, Calif: Getty Publications.

Grzywacz, C.M. and Tennent, N.H. (1994) 'Pollution monitoring in storage and display cabinets: carbonyl pollutant levels in relation to artifact deterioration', in Preventive conservation: practice, theory and research : preprints of the contributions to the Ottawa Congress, 12-16 September 1994. London: International Institute for Conservation of Historic and Artistic Works, pp. 164-170.

Guichen, Gaël de and International Centre for the Study of the Preservation and the Restoration of Cultural Property (1984) Climate in museums: measurement = Climat dans le musée : mesure. 2nd ed., rev. Rome: ICCROM.

Hatchfield, Pamela (2002) Pollutants in the museum environment: practical strategies for problem solving in design, exhibition and storage. London: Archetype.

Hatchfield, P.B. and Carpenter, J.M. (1986) 'The problem of formaldehyde in museum collections', *International Journal of Museum Management and Curatorship*, 5(2), pp. 183-188. Available at: [https://doi.org/0260-4779\(86\)90048-8](https://doi.org/0260-4779(86)90048-8).

Hunter, J. (1994) 'Museum Disaster Preparedness Planning', in Care of collections. London: Routledge, pp. 272-288. Available at: <http://www.vlebooks.com/vleweb/product/openreader?id=UCL&isbn=9780203974711>

Jones, B.G. (1994) 'Experiencing Loss', in *Care of collections*. London: Routledge, pp. 240–245.

Kingsley, Helen and 2001, *A Pest Odyssey (Conference) (2001) Integrated pest management for collections: proceedings of 2001: a Pest Odyssey*. London: James & James.

Lavédrine, Bertrand et al. (2003) *A guide to the preventive conservation of photograph collections*. Los Angeles: Getty Conservation Institute.

Lee, L. R., Thickett, D., and British Museum (1996) *Selection of materials for the storage or display of museum objects*. London: Department of Conservation [British Museum].

Available at:

[http://www.britishmuseum.org/pdf/OP\\_111%20selection\\_of\\_materials\\_for\\_the\\_storage\\_or\\_display\\_of\\_museum\\_objects.pdf](http://www.britishmuseum.org/pdf/OP_111%20selection_of_materials_for_the_storage_or_display_of_museum_objects.pdf).

LightCheck: Technical Specifications (no date).

Lloyd, H. et al. (2002) 'The effects of visitor activity on dust in historic collections', *The Conservator*, 26(1), pp. 72–84. Available at:

<https://doi.org/10.1080/01410096.2002.9995179>.

Lloyd, H., Grossi, C.M. and Brimblecombe, P. (2011) 'Low-technology dust monitoring for historic collections', *Journal of the Institute of Conservation*, 34(1), pp. 104–114. Available at: <https://doi.org/10.1080/19455224.2011.566131>.

Long, Jane S., Heritage Preservation (Organization), and Heritage Emergency National Task Force (U.S.) (2006) *Field guide to emergency response*. [Washington, D.C.?]: Heritage Preservation.

Mecklenburg, M. (2007a) *Determining the Acceptable Ranges of Relative Humidity and Temperature in Museums and Galleries, Part 1, Structural Response to Relative Humidity*. Smithsonian Conservation Institute. Available at:

<http://si-pddr.si.edu/dspace/handle/10088/7056>.

Mecklenburg, M. (2007b) *Determining the Acceptable Ranges of Relative Humidity and Temperature in Museums and Galleries, Part 2, Structural Response to Temperature*. Smithsonian Conservation Institute. Available at:

<http://si-pddr.si.edu/dspace/handle/10088/7055>.

Mecklenburg, M., Tumosa, C.S. and Erhardt, D. (1998) 'Structural response of painted wood surfaces to changes in ambient relative humidity', in *Painted wood: history and conservation*. Los Angeles: Getty Conservation Institute, pp. 464–483. Available at: [http://www.getty.edu/conservation/publications\\_resources/pdf\\_publications/pdf/paintedwood6.pdf](http://www.getty.edu/conservation/publications_resources/pdf_publications/pdf/paintedwood6.pdf).

Michalski, S. (2007) 'The ideal climate, risk management, the ASHRAE chapter, proofed fluctuations and toward a full risk analysis model', *Experts' Roundtable on Sustainable Climate Management Strategies. Alternative Climate Controls for Historic Buildings*, pp. 1–19. Available at:

[http://www.getty.edu/conservation/our\\_projects/science/climate/paper\\_michalski.pdf](http://www.getty.edu/conservation/our_projects/science/climate/paper_michalski.pdf).

- Michalski, S. (no date a) Agent of Deterioration: Incorrect Relative Humidity. Available at: <http://www.cci-icc.gc.ca/caringfor-prendresoindes/articles/10agents/chap10-eng.aspx>.
- Michalski, S. (no date b) Agent of Deterioration: Light, Ultraviolet and Infrared. Available at: <http://www.cci-icc.gc.ca/caringfor-prendresoindes/articles/10agents/chap08-eng.aspx>.
- National Park Service (no date) 'Handling, packing and shipping', in Museum Handbook, Part 1: Museum Collections (web edition). Available at: <http://www.cr.nps.gov/museum/publications/MHI/mushbkl.html>.
- National Park Service - Museum Management Program (no date) Museum Handbook, Part 1: Museum Collections.
- Padfield, T. (2007) 'The potential and limits for passive air conditioning of museums, stores and archives', in T. Padfield and K. Borchersen (eds) Museum microclimates: conference on preventive conservation held in Copenhagen 19-23 November 2007. National Museum of Denmark, pp. 191-198. Available at: <http://www.conservationphysics.org/musmic/musmicbuf.pdf>.
- Padfield, T. (2005) How to keep for a while what you want to keep for ever.
- Padfield, T. (2007) 'Why keep climate records and how to keep them', in T. Padfield and K. Borchersen (eds) Museum microclimates: conference on preventive conservation held in Copenhagen 19-23 November 2007. Museum of Denmark, pp. 157-163. Available at: [http://natmus.dk/fileadmin/user\\_upload/natmus/bevaringsafdelingen/billeder/far/Museum\\_Microclimate/Contributions\\_to\\_the\\_conference/padfield.pdf](http://natmus.dk/fileadmin/user_upload/natmus/bevaringsafdelingen/billeder/far/Museum_Microclimate/Contributions_to_the_conference/padfield.pdf).
- Padfield, T. (no date) Conservation physics.
- Pinniger, David (2001) Pest management in museums, archives and historic houses. London: Archetype.
- Pinniger, David and Collections Trust (2008) Pest management: a practical guide. Cambridge: Collections Trust.
- Pretzel, B. (no date) 'Predicting risks to artefacts from indoor climates'. Available at: <http://icom-cc-publications-online.org/PublicationDetail.aspx?cid=a9501bf3-e5ef-43ae-93d6-e80014fdf922>.
- Pye, E. (2001) 'Issues in practice: conservation procedures', in Caring for the past: issues in conservation for archaeology and museums. London: James & James, pp. 121-132.
- Raychaudhuri, Michele R. (no date) 'Formaldehyde Oxidation and Lead Corrosion', Studies in Conservation, 45(4), pp. 226-232. Available at: <http://www.ingentaconnect.com/content/maney/sic/2000/00000045/00000004/art00002>. Research - Environment - Shedding light on cultural heritage (no date).
- Richard, Mervin et al. (1991) Art in transit: handbook for packing and transporting paintings. Washington: National Gallery of Art. Available at: [http://si-pddr.si.edu/dspace/bitstream/10088/8127/1/mci\\_Art\\_in\\_Transit\\_Handbook\\_for\\_Packing\\_and\\_Transporting\\_Paintings.pdf](http://si-pddr.si.edu/dspace/bitstream/10088/8127/1/mci_Art_in_Transit_Handbook_for_Packing_and_Transporting_Paintings.pdf).

Robinet, Laurianne ; Thickett, David (no date) 'A New Methodology for Accelerated Corrosion Testing', *Studies in Conservation*, 48(4), pp. 263–268.

Römich, H. et al. (no date) 'LightCheck®: A New Tool in Preventive Conservation', *V & A conservation journal*, (47), pp. 17–18. Available at:  
<http://www.vam.ac.uk/content/journals/conservation-journal/issue-47/lightcheck-a-new-tool-in-preventive-conservation/>.

Rose, Carolyn L., Torres, Amparo R. de, and Society for the Preservation of Natural History Collections (1992a) *Storage of natural history collections: ideas and practical solutions*. Pittsburgh, Pa: Society for the Preservation of Natural History Collections.

Rose, Carolyn L., Torres, Amparo R. de, and Society for the Preservation of Natural History Collections (1992b) *Storage of natural history collections: ideas and practical solutions*. Pittsburgh, Pa: Society for the Preservation of Natural History Collections.

Roy, Ashok et al. (1994) *Preventive conservation: practice, theory and research : preprints of the contributions to the Ottawa Congress, 12-16 September 1994*. London: International Institute for Conservation of Historic and Artistic Works.

Schaeffer, Terry T. (2001) *Effects of light on materials in collections: data on photoflash and related sources*. Los Angeles: Getty Conservation Institute.

Selwitz, Charles, Maekawa, Shin, and Getty Conservation Institute (1998) *Inert gases in the control of museum insect pests*. Los Angeles, Calif: Getty Conservation Institute.

Staniforth, S. (1992) 'Control and measurement of the environment', in *Manual of curatorship: a guide to museum practice*. Boston: Butterworth-Heinemann, pp. 234–245.

Staniforth, S. (1994) 'Light and environmental measurement in National Trust houses', in *Care of collections*. London: Routledge, pp. 117–122.

Stanley, B., Xavier-Rowe, A. and Knight, B. (2003) 'Displaying the wernher collection: A pragmatic approach to display cases', *The Conservator*, 27(1), pp. 34–46. Available at:  
<https://doi.org/10.1080/01410096.2003.9995188>.

Stirlic, M. and et al. (2010) 'Test for compatibility with organic heritage materials - a proposed procedure', *e-Preservation Science*, 7, pp. 78–86. Available at:  
<http://www.morana-rtd.com/e-preservation-science/2010/Strlic-15-05-2010.pdf>.

Stolow, Nathan (1987a) *Conservation and exhibitions: packing, transport, storage and environmental considerations*. London: Butterworths.

Stolow, Nathan (1987b) *Conservation and exhibitions: packing, transport, storage and environmental considerations*. London: Butterworths.

Susan Bradley (2005) 'Preventive Conservation Research and Practice at the British Museum', *Journal of the American Institute for Conservation*, Vol. 44(No. 3), pp. 159–173.  
Tetreault, J. (2003) 'Guidelines for pollutant concentrations in museums', *CCI Newsletter*, 31. Available at:  
<http://www.cci-icc.gc.ca/cci-icc/about-apos/nb/nb31/pollutants-eng.aspx>.

Tetreault, Jean and Canadian Conservation Institute (2003) Airborne pollutants in museums, galleries, and archives: risk assessment, control strategies, and preservation management. Ottawa: Canadian Conservation Institute.

The Emergency Response and Salvage Wheel: Newsletter 12.2 Summer 1997 (no date).

The Fitzwilliam Museum : Conserving Ancient Egypt (no date). Available at:  
<http://www.fitzmuseum.cam.ac.uk/dept/ant/egypt/conservation/>.

The Heritage Health Index (no date).

The IMPACT pollution model (no date).

Thomson, G. (1986) 'Light Part I', in The museum environment. 2nd ed. London: Butterworths in association with the International Institute for Conservation of Historic and Artistic Works, pp. 2-64. Available at:

<https://contentstore.cla.co.uk//secure/link?id=ea25d828-6936-e711-80c9-005056af4099>.

Thomson, Garry and International Institute for Conservation of Historic and Artistic Works (1986) The museum environment. 2nd ed. London: Butterworths in association with the International Institute for Conservation of Historic and Artistic Works, pp. 130-162.

Thomson, Garry and International Institute for Conservation of Historic and Artistic Works (1994) The museum environment. 2nd ed. London: Butterworth-Heinemann.

Waller, R. (1995) 'Risk management applied to preventive conservation', in Storage of natural history collections: a preventive conservation approach. Pittsburgh, Pa: Society for the Preservation of Natural History Collections, pp. 21-28. Available at:

<http://www.museum-sos.org/>.

Waller, R. (1999) 'Internal pollutants, risk assessment and conservation priorities', in 12th triennial meeting, Lyon, 29- August-3 September 1999. London: James & James (Science Publishers) Ltd, pp. 113-118.

Waller, R. Robert (no date) Cultural property risk analysis model: development and application to preventive conservation at the Canadian Museum of Nature. Göteborg: Acta Universitatis Gothoburgensis.

Watkinson, D. and Lewis, M. (2004) 'ss Great Britain iron hull: modelling corrosion to define storage relative humidity', in Metal 04: = Actes de la Conférence internationale sur la conservation des métaux. [Canberra]: National Museum of Australia, pp. 88-103. Available at:

<http://ssgreatbritain.org/sites/default/files/kcfinder/files/brunel-institute/modelling-corrosion.pdf>.

Watkinson, David et al. (1998a) First aid for finds. 3rd ed. Hertford: RESCUE - The British Archaeological Trust; Archaeology Section of the UKIC; The Museum of London.

Watkinson, David et al. (1998b) First aid for finds. 3rd ed. Hertford: RESCUE - The British Archaeological Trust; Archaeology Section of the UKIC; The Museum of London.