

PSYC2206: Clinical and Health Psychology

[View Online](#)

[1]

Andrews, B. and Brewin, C.R. 1990. Attributions of Blame for Marital Violence: A Study of Antecedents and Consequences. *Journal of Marriage and the Family*. 52, 3 (Aug. 1990), 757-767. DOI:<https://doi.org/10.2307/352940>.

[2]

Andrews, B. and Brown, G.W. 1988. Social support, onset of depression and personality. *Social Psychiatry and Psychiatric Epidemiology*. 23, 2 (Jun. 1988), 99-108. DOI:<https://doi.org/10.1007/BF01788429>.

[3]

Apkarian, A.V. et al. 2011. Pain and the brain: Specificity and plasticity of the brain in clinical chronic pain. *PAIN*. 152, 3 (Mar. 2011), S49-S64. DOI:<https://doi.org/10.1016/j.pain.2010.11.010>.

[4]

Beck, A.T. and Clark, D.A. 1997. An information processing model of anxiety: Automatic and strategic processes. *Behaviour Research and Therapy*. 35, 1 (Jan. 1997), 49-58. DOI:[https://doi.org/10.1016/S0005-7967\(96\)00069-1](https://doi.org/10.1016/S0005-7967(96)00069-1).

[5]

Bennett, Paul 2000. *Hospital Issues. Introduction to clinical health psychology*. Open University Press. 83-101.

[6]

Bensing, J.M. and Verhaak, P.F.M. 2004. Communication in medical encounters. Health psychology. BPS Blackwell. 261–287.

[7]

Berna, C. et al. 2010. Induction of Depressed Mood Disrupts Emotion Regulation Neurocircuitry and Enhances Pain Unpleasantness. Biological Psychiatry. 67, 11 (Jun. 2010), 1083–1090. DOI:<https://doi.org/10.1016/j.biopsych.2010.01.014>.

[8]

Bisson et. al., J.I. 2007. Psychological treatments for chronic post-traumatic stress disorder: Systematic review and meta-analysis. The British Journal of Psychiatry. 190, 2 (Feb. 2007), 97–104. DOI:<https://doi.org/10.1192/bjp.bp.106.021402>.

[9]

Bonanno, G.A. et al. 2007. What predicts psychological resilience after disaster? The role of demographics, resources, and life stress. Journal of Consulting and Clinical Psychology. 75, 5 (2007), 671–682. DOI:<https://doi.org/10.1037/0022-006X.75.5.671>.

[10]

Brewin, C.R. 1996. Theoretical Foundations of Cognitive - Behavior Therapy for Anxiety and Depression. Annual Review of Psychology. 47, 1 (Feb. 1996), 33–57. DOI:<https://doi.org/10.1146/annurev.psych.47.1.33>.

[11]

Brewin, C.R. and Holmes, E.A. 2003. Psychological theories of posttraumatic stress disorder. Clinical Psychology Review. 23, 3 (May 2003), 339–376. DOI:[https://doi.org/10.1016/S0272-7358\(03\)00033-3](https://doi.org/10.1016/S0272-7358(03)00033-3).

[12]

Brown, G.W. et al. 1995. Loss, humiliation and entrapment among women developing depression: a patient and non-patient comparison. Psychological Medicine. 25, 01 (Jan. 1995), 7–21. DOI:<https://doi.org/10.1017/S003329170002804X>.

[13]

Brown, G.W. et al. 1986. Social support, self-esteem and depression. *Psychological Medicine*. 16, 04 (Nov. 1986), 813-831. DOI:<https://doi.org/10.1017/S0033291700011831>.

[14]

Bushnell, M.C. et al. 2013. Cognitive and emotional control of pain and its disruption in chronic pain. *Nature Reviews Neuroscience*. 14, 7 (May 2013), 502-511. DOI:<https://doi.org/10.1038/nrn3516>.

[15]

Butler, S. et al. 2011. A Randomized Controlled Trial of Multisystemic Therapy and a Statutory Therapeutic Intervention for Young Offenders. *Journal of the American Academy of Child & Adolescent Psychiatry*. 50, 12 (Dec. 2011), 1220-1235.e2. DOI:<https://doi.org/10.1016/j.jaac.2011.09.017>.

[16]

de C Williams, A.C. and Craig, K.D. 2006. A science of pain expression? *Pain*. 125, 3 (Dec. 2006), 202-203. DOI:<https://doi.org/10.1016/j.pain.2006.08.004>.

[17]

Chadwick, P. and Croker, H. 2005. Obesity management - Worth the effort? *The Psychologist*. 18, 4 (2005), 220-223.

[18]

Clark, L.A. 2007. Assessment and Diagnosis of Personality Disorder: Perennial Issues and an Emerging Reconceptualization. *Annual Review of Psychology*. 58, 1 (Jan. 2007), 227-257. DOI:<https://doi.org/10.1146/annurev.psych.57.102904.190200>.

[19]

Cohen, S. and Wills, T.A. 1985. Stress, social support, and the buffering hypothesis.

Psychological Bulletin. 98, 2 (1985), 310–357.

[20]

Coid et. al., J. 2006. Prevalence and correlates of personality disorder in Great Britain. The British Journal of Psychiatry. 188, 5 (May 2006), 423–431.
DOI:<https://doi.org/10.1192/bjp.188.5.423>.

[21]

Conner, M. and Norman, P. 2005. Predicting health behaviour: research and practice with social cognition models. Open University Press.

[22]

Constance L. Hammen 1997. Depression. Psychology Press.

[23]

Coyne, J.C. et al. 1987. Living with a depressed person. Journal of Consulting and Clinical Psychology. 55, 3 (1987), 347–352. DOI:<https://doi.org/10.1037/0022-006X.55.3.347>.

[24]

Crisp et. al., A.H. 2000. Stigmatisation of people with mental illnesses. The British Journal of Psychiatry. 177, 1 (Jul. 2000), 4–7. DOI:<https://doi.org/10.1192/bjp.177.1.4>.

[25]

Crossley, Michele L. 2000. Chapter 5. Rethinking health psychology. Open University Press.

[26]

Davey, G. 2014. Psychopathology: research, assessment and treatment in clinical psychology. British Psychological Society and John Wiley & Sons Ltd.

[27]

Davey, Graham 1997. *Phobias: a handbook of theory, research, and treatment*. Wiley.

[28]

Davis, R. et al. 2015. Theories of behaviour and behaviour change across the social and behavioural sciences: a scoping review. *Health Psychology Review*. 9, 3 (Aug. 2015), 323–344. DOI:<https://doi.org/10.1080/17437199.2014.941722>.

[29]

DeVries, J.H. et al. 2004. Persistent poor glycaemic control in adult Type 1 diabetes. A closer look at the problem. *Diabetic Medicine*. 21, 12 (Dec. 2004), 1263–1268. DOI:<https://doi.org/10.1111/j.1464-5491.2004.01386.x>.

[30]

Dobson, K.S. et al. 2008. Randomized trial of behavioral activation, cognitive therapy, and antidepressant medication in the prevention of relapse and recurrence in major depression. *Journal of Consulting and Clinical Psychology*. 76, 3 (2008), 468–477. DOI:<https://doi.org/10.1037/0022-006X.76.3.468>.

[31]

Eccleston C. 2011. A normal psychology of chronic pain. *The Psychologist*, (2011).

[32]

Fairburn, C.G. et al. 1999. A cognitive behavioural theory of anorexia nervosa. *Behaviour Research and Therapy*. 37, 1 (Jan. 1999), 1–13. DOI:[https://doi.org/10.1016/S0005-7967\(98\)00102-8](https://doi.org/10.1016/S0005-7967(98)00102-8).

[33]

Fairburn, C.G. and Harrison, P.J. 2003. Eating disorders. *The Lancet*. 361, 9355 (Feb. 2003), 407–416. DOI:[https://doi.org/10.1016/S0140-6736\(03\)12378-1](https://doi.org/10.1016/S0140-6736(03)12378-1).

[34]

Farrington, David P. and Loeber, Rolf 1999. Serious & violent juvenile offenders: risk factors and successful interventions. SAGE.

[35]

Fisher, E. et al. 2014. Systematic Review and Meta-Analysis of Psychological Therapies for Children With Chronic Pain. *Journal of Pediatric Psychology*. 39, 8 (Sep. 2014), 763–782. DOI:<https://doi.org/10.1093/jpepsy/jsu008>.

[36]

Folkman, S. and Greer, S. 2000. Promoting psychological well-being in the face of serious illness: when theory, research and practice inform each other. *Psycho-Oncology*. 9, 1 (Jan. 2000), 11–19. DOI:[https://doi.org/10.1002/\(SICI\)1099-1611\(200001/02\)9:1<11::AID-PON424>3.0.CO;2-Z](https://doi.org/10.1002/(SICI)1099-1611(200001/02)9:1<11::AID-PON424>3.0.CO;2-Z).

[37]

Fonagy, Peter 2002. What works for whom?: A critical review of treatments for children and adolescents. Guilford Press.

[38]

French, D. 2010. Introduction. *Health psychology*. BPS Blackwell. 1–10.

[39]

Frick, P.J. and Viding, E. 2009. Antisocial behavior from a developmental psychopathology perspective. *Development and Psychopathology*. 21, 04 (Nov. 2009), 1111–1131. DOI:<https://doi.org/10.1017/S0954579409990071>.

[40]

Gibbons et. al., R.D. 2012. Benefits From Antidepressants. *Archives of General Psychiatry*. 69, 6 (Jun. 2012), 572–579. DOI:<https://doi.org/10.1001/archgenpsychiatry.2011.2044>.

[41]

Gilbert, P. 2005. Evolution and depression: issues and implications. *Psychological Medicine*. 36, 03 (Oct. 2005), 287–297. DOI:<https://doi.org/10.1017/S0033291705006112>.

[42]

Gonder-Frederick, L.A. et al. 2002. Diabetes and behavioral medicine: The second decade. *Journal of Consulting and Clinical Psychology*. 70, 3 (2002), 611–625. DOI:<https://doi.org/10.1037/0022-006X.70.3.611>.

[43]

Grilo, Carlos 2006. *Eating and weight disorders*. Psychology Press.

[44]

Hadjistavropoulos, T. et al. 2011. A biopsychosocial formulation of pain communication. *Psychological Bulletin*. 137, 6 (Nov. 2011), 910–939. DOI:<https://doi.org/10.1037/a0023876>.

[45]

Hammersley, R. 2010. *Alcohol and Drug Use*. Health psychology. BPS Blackwell. 73–83.

[46]

Hammersley, R. 2010. *Alcohol and Drug Use*. Health psychology. BPS Blackwell. 73–83.

[47]

Hawton, Keith 1989. *Cognitive behaviour therapy for psychiatric problems: a practical guide*. Oxford University Press.

[48]

Henggeler, S.W. 2011. Efficacy Studies to Large-Scale Transport: The Development and Validation of Multisystemic Therapy Programs. *Annual Review of Clinical Psychology*. 7, 1

(Apr. 2011), 351–381. DOI:<https://doi.org/10.1146/annurev-clinpsy-032210-104615>.

[49]

Henggeler, S.W. et al. 1992. Family preservation using multisystemic therapy: An effective alternative to incarcerating serious juvenile offenders. *Journal of Consulting and Clinical Psychology*. 60, 6 (1992), 953–961.

[50]

Ismail, K. et al. 2004. Systematic review and meta-analysis of randomised controlled trials of psychological interventions to improve glycaemic control in patients with type 2 diabetes. *The Lancet*. 363, 9421 (May 2004), 1589–1597.
DOI:[https://doi.org/10.1016/S0140-6736\(04\)16202-8](https://doi.org/10.1016/S0140-6736(04)16202-8).

[51]

Jeffery et. al., R.W. 2000. Long-term maintenance of weight loss: Current status. *Health Psychology*. 19, 1 (Suppl.) (2000), 5–16.

[52]

Keogh, E. et al. 2010. e-Health and chronic pain management: Current status and developments. *Pain*. 151, 1 (Oct. 2010), 18–21.
DOI:<https://doi.org/10.1016/j.pain.2010.07.014>.

[53]

Leeuw, M. et al. 2007. The Fear-Avoidance Model of Musculoskeletal Pain: Current State of Scientific Evidence. *Journal of Behavioral Medicine*. 30, 1 (Jan. 2007), 77–94.
DOI:<https://doi.org/10.1007/s10865-006-9085-0>.

[54]

Legrain, V. et al. 2009. A neurocognitive model of attention to pain: Behavioral and neuroimaging evidence. *Pain*. 144, 3 (Aug. 2009), 230–232.
DOI:<https://doi.org/10.1016/j.pain.2009.03.020>.

[55]

Leventhal, H. et al. 1980. The common sense representation of illness danger. Pergamon.

[56]

Littell, J.H. 2005. Lessons from a systematic review of effects of multisystemic therapy. *Children and Youth Services Review*. 27, 4 (Apr. 2005), 445–463.
DOI:<https://doi.org/10.1016/j.childyouth.2004.11.009>.

[57]

Littell, J.H. 2006. The case for Multisystemic Therapy: Evidence or orthodoxy? *Children and Youth Services Review*. 28, 4 (Apr. 2006), 458–472.
DOI:<https://doi.org/10.1016/j.childyouth.2005.07.002>.

[58]

Marks, D. 2011. *Health psychology: theory, research and practice*. SAGE.

[59]

McCracken, L.M. et al. 2004. Acceptance and change in the context of chronic pain. *Pain*. 109, 1–2 (May 2004), 4–7. DOI:<https://doi.org/10.1016/j.pain.2004.02.006>.

[60]

McNally, R.J. 1990. Psychological approaches to panic disorder: A review. *Psychological Bulletin*. 108, 3 (1990), 403–419.

[61]

Melzack, R. and Wall, P.D. 1965. Pain Mechanisms: A New Theory. *Science*. 150, 3699 (Nov. 1965), 971–979.

[62]

Michie, S. et al. 2011. The behaviour change wheel: A new method for characterising and designing behaviour change interventions. *Implementation Science*. 6, 1 (Dec. 2011). DOI:<https://doi.org/10.1186/1748-5908-6-42>.

[63]

Moffitt, T.E. et al. 1996. Childhood-onset versus adolescent-onset antisocial conduct problems in males: Natural history from ages 3 to 18 years. *Development and Psychopathology*. 8, 02 (Mar. 1996), 399–424. DOI:<https://doi.org/10.1017/S0954579400007161>.

[64]

Morley, S. et al. 2013. Examining the evidence about psychological treatments for chronic pain: Time for a paradigm shift? *Pain*. 154, 10 (Oct. 2013), 1929–1931. DOI:<https://doi.org/10.1016/j.pain.2013.05.049>.

[65]

Morley, S. et al. 1999. Systematic review and meta-analysis of randomized controlled trials of cognitive behaviour therapy and behaviour therapy for chronic pain in adults, excluding headache. *Pain*. 80, 1–2 (Mar. 1999), 1–13. DOI:[https://doi.org/10.1016/S0304-3959\(98\)00255-3](https://doi.org/10.1016/S0304-3959(98)00255-3).

[66]

Myers, L.B. et al. 2004. *Coping*. Health psychology. BPS Blackwell. 141–157.

[67]

Nazroo, J.Y. et al. 1998. Gender Differences in the Prevalence of Depression: Artefact, Alternative Disorders, Biology or Roles? *Sociology of Health and Illness*. 20, 3 (May 1998), 312–330. DOI:<https://doi.org/10.1111/1467-9566.00104>.

[68]

Newman, S. et al. 2004. Self-management interventions for chronic illness. *The Lancet*. 364, 9444 (Oct. 2004), 1523–1537. DOI:[https://doi.org/10.1016/S0140-6736\(04\)17277-2](https://doi.org/10.1016/S0140-6736(04)17277-2).

[69]

Nock, M.K. et al. 2006. Prevalence, subtypes, and correlates of DSM-IV conduct disorder in the National Comorbidity Survey Replication. *Psychological Medicine*. 36, 05 (May 2006), 699–710. DOI:<https://doi.org/10.1017/S0033291706007082>.

[70]

Ogden, J. 2012. *Health psychology*. Open University Press.

[71]

Ogden, J. 2007. *Health psychology: a textbook*. Open University Press/McGraw-Hill Education.

[72]

Patterson, G.R. et al. 1989. A developmental perspective on antisocial behavior. *American Psychologist*. 44, 2 (1989), 329–335.

[73]

Peters, J.C. et al. 2002. From instinct to intellect: the challenge of maintaining healthy weight in the modern world. *Obesity Reviews*. 3, 2 (May 2002), 69–74. DOI:<https://doi.org/10.1046/j.1467-789X.2002.00059.x>.

[74]

Pickard, H. 2011. Responsibility Without Blame: Empathy and the Effective Treatment of Personality Disorder. *Philosophy, Psychiatry, & Psychology*. 18, 3 (2011), 209–224. DOI:<https://doi.org/10.1353/ppp.2011.0032>.

[75]

Pincus, T. and Morley, S. 2001. Cognitive processing bias in chronic pain: a review and integration. *Psychological Bulletin*. 127, 5 (2001), 599–617.

[76]

Powell, Graham E. and Lindsay, S. J. E. 2007. The handbook of clinical adult psychology. Routledge.

[77]

Powell, Graham E. and Lindsay, S. J. E. 2007. The handbook of clinical adult psychology. Routledge.

[78]

Rachman, S. 2013. Anxiety. Psychology Press.

[79]

de Ridder, D. 2004. Chronic Illness. Health psychology. BPS Blackwell. 207–233.

[80]

Salmon, Peter 2000. Clinical Communication: partnership and opposition. Psychology of medicine and surgery: a guide for psychologists, counsellors, nurses and doctors. Wiley.

[81]

Sullivan, M.D. 2001. Finding pain between minds and bodies. The Clinical Journal of Pain. 17, 2 (2001), 146–156.

[82]

Taylor, S.E. 2015. Health psychology. McGraw-Hill Education.

[83]

Taylor, S.E. 2015. Health psychology. McGraw-Hill Education.

[84]

Tighe, A. et al. 2012. Multisystemic therapy for young offenders: Families' experiences of therapeutic processes and outcomes. *Journal of Family Psychology*. 26, 2 (2012), 187–197. DOI:<https://doi.org/10.1037/a0027120>.

[85]

Toye, F. et al. 2013. A meta-ethnography of patients' experience of chronic non-malignant musculoskeletal pain. *Health Services and Delivery Research*. 1, 12 (Nov. 2013), 1–190. DOI:<https://doi.org/10.3310/hsdr01120>.

[86]

Tracey, I. 2008. Imaging pain. *British journal of anaesthesia*. 101, 1 (2008), 32–39. DOI:<https://doi.org/10.1093/bja/aen102>.

[87]

Trull, T.J. 2001. Relationships of Borderline Features to Parental Mental Illness, Childhood Abuse, Axis I Disorder, and Current Functioning. *Journal of Personality Disorders*. 15, 1 (Feb. 2001), 19–32. DOI:<https://doi.org/10.1521/pedi.15.1.19.18647>.

[88]

Vitousek, K. et al. 1998. Enhancing motivation for change in treatment-resistant eating disorders. *Clinical Psychology Review*. 18, 4 (Jun. 1998), 391–420. DOI:[https://doi.org/10.1016/S0272-7358\(98\)00012-9](https://doi.org/10.1016/S0272-7358(98)00012-9).

[89]

Vogele, C. 2004. Hospitalisation and stressful medical procedures. *Health psychology*. BPS Blackwell. 288–304.

[90]

WAKEFIELD, J. 1999. The concept of disorder as a foundation for the DSM's theory-neutral nosology: response to Follette and Houts, part 2. *Behaviour Research and Therapy*. 37, 10 (Oct. 1999), 1001–1027. DOI:[https://doi.org/10.1016/S0005-7967\(98\)00193-4](https://doi.org/10.1016/S0005-7967(98)00193-4).

[91]

Wall, P. 1999. Pain: the science of suffering. Weidenfeld & Nicolson.

[92]

Wardle, J. 2005. The triple whammy. *The Psychologist*. 18, 4 (2005), 216–219.

[93]

Werner, A. and Malterud, K. 2003. It is hard work behaving as a credible patient: encounters between women with chronic pain and their doctors. *Social Science & Medicine*. 57, 8 (Oct. 2003), 1409–1419. DOI:[https://doi.org/10.1016/S0277-9536\(02\)00520-8](https://doi.org/10.1016/S0277-9536(02)00520-8).

[94]

West, R. and Shiffman, S. 2004. Smoking cessation. Health Press.

[95]

White, Craig A. 2001. Chapter 1. Cognitive behaviour therapy for chronic medical problems: a guide to assesment and treatment in practice. John Wiley.

[96]

Widiger, T.A. et al. 2009. An integrative dimensional classification of personality disorder. *Psychological Assessment*. 21, 3 (2009), 243–255.

[97]

Wikstrom, P.-O.H. and Loeber, R. 2000. Do Disadvantaged Neighborhoods Cause Well-Adjusted Children to Become Adolescent Delinquents? A Study of Male Juvenile Serious Offending, Individual Risk and Protective Factors, and Neighborhood Context. *Criminology*. 38, 4 (Nov. 2000), 1109–1142. DOI:<https://doi.org/10.1111/j.1745-9125.2000.tb01416.x>.

[98]

Williams ACdeC 2011. Pain – the patient's viewpoint. *The Psychologist*, 26 (2011), 426–427.

[99]

Zeidan, F. et al. 2012. Mindfulness meditation-related pain relief: Evidence for unique brain mechanisms in the regulation of pain. *Neuroscience Letters*. 520, 2 (Jun. 2012), 165–173. DOI:<https://doi.org/10.1016/j.neulet.2012.03.082>.

[100]

BPS document.