

PSYC2206: Clinical and Health Psychology

[View Online](#)

Andrews, B. and Brewin, C.R. (1990) 'Attributions of Blame for Marital Violence: A Study of Antecedents and Consequences', *Journal of Marriage and the Family*, 52(3), pp. 757-767. Available at: <https://doi.org/10.2307/352940>.

Andrews, B. and Brown, G.W. (1988) 'Social support, onset of depression and personality', *Social Psychiatry and Psychiatric Epidemiology*, 23(2), pp. 99-108. Available at: <https://doi.org/10.1007/BF01788429>.

Apkarian, A.V., Hashmi, J.A. and Baliki, M.N. (2011) 'Pain and the brain: Specificity and plasticity of the brain in clinical chronic pain', *PAIN*, 152(3), pp. S49-S64. Available at: <https://doi.org/10.1016/j.pain.2010.11.010>.

Beck, A.T. and Clark, D.A. (1997) 'An information processing model of anxiety: Automatic and strategic processes', *Behaviour Research and Therapy*, 35(1), pp. 49-58. Available at: [https://doi.org/10.1016/S0005-7967\(96\)00069-1](https://doi.org/10.1016/S0005-7967(96)00069-1).

Bennett, Paul (2000) 'Hospital Issues', in *Introduction to clinical health psychology*. Buckingham, Pa: Open University Press, pp. 83-101. Available at: <https://contentstore.cla.co.uk/secure/link?id=27c95d56-eb15-f011-81a2-842121568115>.

Bensing, J.M. and Verhaak, P.F.M. (2004) 'Communication in medical encounters', in *Health psychology*. Malden, Mass: BPS Blackwell, pp. 261-287. Available at: <https://contentstore.cla.co.uk/secure/link?id=7f44c5f2-6e22-eb11-80cd-005056af4099>.

Berna, C. et al. (2010) 'Induction of Depressed Mood Disrupts Emotion Regulation Neurocircuitry and Enhances Pain Unpleasantness', *Biological Psychiatry*, 67(11), pp. 1083-1090. Available at: <https://doi.org/10.1016/j.biopsych.2010.01.014>.

Bisson et. al., J.I. (2007) 'Psychological treatments for chronic post-traumatic stress disorder: Systematic review and meta-analysis', *The British Journal of Psychiatry*, 190(2), pp. 97-104. Available at: <https://doi.org/10.1192/bjp.bp.106.021402>.

Bonanno, G.A. et al. (2007) 'What predicts psychological resilience after disaster? The role of demographics, resources, and life stress.', *Journal of Consulting and Clinical Psychology*, 75(5), pp. 671-682. Available at: <https://doi.org/10.1037/0022-006X.75.5.671>.

'BPS document' (no date). Available at: [http://dcp.bps.org.uk/document-download-area/document-download\\$.cfm?file_uuid=1B292E21-7E96-C67F-D61AA2A6FC6FB7D1](http://dcp.bps.org.uk/document-download-area/document-download$.cfm?file_uuid=1B292E21-7E96-C67F-D61AA2A6FC6FB7D1).

Brewin, C.R. (1996) 'Theoretical Foundations of Cognitive - Behavior Therapy for Anxiety

and Depression', *Annual Review of Psychology*, 47(1), pp. 33–57. Available at: <https://doi.org/10.1146/annurev.psych.47.1.33>.

Brewin, C.R. and Holmes, E.A. (2003) 'Psychological theories of posttraumatic stress disorder', *Clinical Psychology Review*, 23(3), pp. 339–376. Available at: [https://doi.org/10.1016/S0272-7358\(03\)00033-3](https://doi.org/10.1016/S0272-7358(03)00033-3).

Brown, G.W. et al. (1986) 'Social support, self-esteem and depression', *Psychological Medicine*, 16(04), pp. 813–831. Available at: <https://doi.org/10.1017/S0033291700011831>.

Brown, G.W., Harris, T.O. and Hepworth, C. (1995) 'Loss, humiliation and entrapment among women developing depression: a patient and non-patient comparison', *Psychological Medicine*, 25(01), pp. 7–21. Available at: <https://doi.org/10.1017/S003329170002804X>.

Bushnell, M.C., Čeko, M. and Low, L.A. (2013) 'Cognitive and emotional control of pain and its disruption in chronic pain', *Nature Reviews Neuroscience*, 14(7), pp. 502–511. Available at: <https://doi.org/10.1038/nrn3516>.

Butler, S. et al. (2011) 'A Randomized Controlled Trial of Multisystemic Therapy and a Statutory Therapeutic Intervention for Young Offenders', *Journal of the American Academy of Child & Adolescent Psychiatry*, 50(12), pp. 1220–1235.e2. Available at: <https://doi.org/10.1016/j.jaac.2011.09.017>.

de C Williams, A.C. and Craig, K.D. (2006) 'A science of pain expression?', *Pain*, 125(3), pp. 202–203. Available at: <https://doi.org/10.1016/j.pain.2006.08.004>.

Chadwick, P. and Croker, H. (2005) 'Obesity management - Worth the effort?', *The Psychologist*, 18(4), pp. 220–223. Available at: <https://search.proquest.com/docview/211832071?accountid=14511>.

Clark, L.A. (2007) 'Assessment and Diagnosis of Personality Disorder: Perennial Issues and an Emerging Reconceptualization', *Annual Review of Psychology*, 58(1), pp. 227–257. Available at: <https://doi.org/10.1146/annurev.psych.57.102904.190200>.

Cohen, S. and Wills, T.A. (1985) 'Stress, social support, and the buffering hypothesis', *Psychological Bulletin*, 98(2), pp. 310–357. Available at: http://ovidsp.tx.ovid.com/sp-3.32.2a/ovidweb.cgi?&S=MALHFPJCPGDDEJDINCDKOCFBOMJKAA00&Link+Set=S.sh.27%7c1%7csl_10&Counter5=CRS_view_found_article%7c00006823-198509000-00006%7cyrovft%7covftdb%7cyrovfta&Counter5Data=00006823-198509000-00006%7cyrovft%7covftdb%7cyrovfta.

Coid et. al., J. (2006) 'Prevalence and correlates of personality disorder in Great Britain', *The British Journal of Psychiatry*, 188(5), pp. 423–431. Available at: <https://doi.org/10.1192/bjp.188.5.423>.

Conner, M. and Norman, P. (2005) *Predicting health behaviour: research and practice with social cognition models*. 2nd ed. Maidenhead: Open University Press. Available at: <https://www.dawsonera.com/abstract/9780335224593>.

Constance L. Hammen (1997) *Depression*. Hove, East Sussex, [England]: Psychology Press.

Coyne, J.C. et al. (1987) 'Living with a depressed person.', *Journal of Consulting and Clinical Psychology*, 55(3), pp. 347–352. Available at: <https://doi.org/10.1037/0022-006X.55.3.347>.

Crisp et. al., A.H. (2000) 'Stigmatisation of people with mental illnesses', *The British Journal of Psychiatry*, 177(1), pp. 4–7. Available at: <https://doi.org/10.1192/bjp.177.1.4>.

Crossley, Michele L. (2000) 'Chapter 5', in *Rethinking health psychology*. Buckingham: Open University Press.

Davey, G. (2014) *Psychopathology: research, assessment and treatment in clinical psychology*. Second edition. [United Kingdom]: British Psychological Society and John Wiley & Sons Ltd.

Davey, Graham (1997) *Phobias: a handbook of theory, research, and treatment*. Chichester: Wiley.

Davis, R. et al. (2015) 'Theories of behaviour and behaviour change across the social and behavioural sciences: a scoping review', *Health Psychology Review*, 9(3), pp. 323–344. Available at: <https://doi.org/10.1080/17437199.2014.941722>.

DeVries, J.H., Snoek, F.J. and Heine, R.J. (2004) 'Persistent poor glycaemic control in adult Type 1 diabetes. A closer look at the problem', *Diabetic Medicine*, 21(12), pp. 1263–1268. Available at: <https://doi.org/10.1111/j.1464-5491.2004.01386.x>.

Dobson, K.S. et al. (2008) 'Randomized trial of behavioral activation, cognitive therapy, and antidepressant medication in the prevention of relapse and recurrence in major depression.', *Journal of Consulting and Clinical Psychology*, 76(3), pp. 468–477. Available at: <https://doi.org/10.1037/0022-006X.76.3.468>.

Eccleston C. (2011) 'A normal psychology of chronic pain', *The Psychologist*. Available at: <https://thepsychologist.bps.org.uk/volume-24/edition-6/normal-psychology-chronic-pain>.

Fairburn, C.G. and Harrison, P.J. (2003) 'Eating disorders', *The Lancet*, 361(9355), pp. 407–416. Available at: [https://doi.org/10.1016/S0140-6736\(03\)12378-1](https://doi.org/10.1016/S0140-6736(03)12378-1).

Fairburn, C.G., Shafran, R. and Cooper, Z. (1999) 'A cognitive behavioural theory of anorexia nervosa', *Behaviour Research and Therapy*, 37(1), pp. 1–13. Available at: [https://doi.org/10.1016/S0005-7967\(98\)00102-8](https://doi.org/10.1016/S0005-7967(98)00102-8).

Farrington, David P. and Loeber, Rolf (1999) *Serious & violent juvenile offenders: risk factors and successful interventions*. Thousand Oaks, Calif: SAGE.

Fisher, E. et al. (2014) 'Systematic Review and Meta-Analysis of Psychological Therapies for Children With Chronic Pain', *Journal of Pediatric Psychology*, 39(8), pp. 763–782. Available at: <https://doi.org/10.1093/jpepsy/jsu008>.

Folkman, S. and Greer, S. (2000) 'Promoting psychological well-being in the face of serious illness: when theory, research and practice inform each other', *Psycho-Oncology*, 9(1), pp. 11–19. Available at:

[https://doi.org/10.1002/\(SICI\)1099-1611\(200001/02\)9:1<11::AID-PON424>3.0.CO;2-Z](https://doi.org/10.1002/(SICI)1099-1611(200001/02)9:1<11::AID-PON424>3.0.CO;2-Z).

Fonagy, Peter (2002) What works for whom?: A critical review of treatments for children and adolescents. New York: Guilford Press.

French, D. (2010) 'Introduction', in Health psychology. 2nd ed. Chichester: BPS Blackwell, pp. 1–10. Available at:
<https://contentstore.cla.co.uk/secure/link?id=745f0511-7122-eb11-80cd-005056af4099>.

Frick, P.J. and Viding, E. (2009) 'Antisocial behavior from a developmental psychopathology perspective', Development and Psychopathology, 21(04), pp. 1111–1131. Available at:
<https://doi.org/10.1017/S0954579409990071>.

Gibbons et. al., R.D. (2012) 'Benefits From Antidepressants', Archives of General Psychiatry, 69(6), pp. 572–579. Available at:
<https://doi.org/10.1001/archgenpsychiatry.2011.2044>.

Gilbert, P. (2005) 'Evolution and depression: issues and implications', Psychological Medicine, 36(03), pp. 287–297. Available at: <https://doi.org/10.1017/S0033291705006112>.

Gonder-Frederick, L.A., Cox, D.J. and Ritterband, L.M. (2002) 'Diabetes and behavioral medicine: The second decade.', Journal of Consulting and Clinical Psychology, 70(3), pp. 611–625. Available at: <https://doi.org/10.1037/0022-006X.70.3.611>.

Grilo, Carlos (2006) Eating and weight disorders. Hove: Psychology Press.

Hadjistavropoulos, T. et al. (2011) 'A biopsychosocial formulation of pain communication.', Psychological Bulletin, 137(6), pp. 910–939. Available at:
<https://doi.org/10.1037/a0023876>.

Hammersley, R. (2010a) 'Alcohol and Drug Use', in Health psychology. 2nd ed. Chichester: BPS Blackwell, pp. 73–83. Available at:
<https://contentstore.cla.co.uk/secure/link?id=06bbaa0a-b322-eb11-80cd-005056af4099>.

Hammersley, R. (2010b) 'Alcohol and Drug Use', in Health psychology. 2nd ed. Chichester: BPS Blackwell, pp. 73–83. Available at:
<https://contentstore.cla.co.uk/secure/link?id=06bbaa0a-b322-eb11-80cd-005056af4099>.

Hawton, Keith (1989) Cognitive behaviour therapy for psychiatric problems: a practical guide. Oxford: Oxford University Press.

Henggeler, S.W. (2011) 'Efficacy Studies to Large-Scale Transport: The Development and Validation of Multisystemic Therapy Programs', Annual Review of Clinical Psychology, 7(1), pp. 351–381. Available at: <https://doi.org/10.1146/annurev-clinpsy-032210-104615>.

Henggeler, S.W., Melton, G.B. and Smith, L.A. (1992) 'Family preservation using multisystemic therapy: An effective alternative to incarcerating serious juvenile offenders', Journal of Consulting and Clinical Psychology, 60(6), pp. 953–961. Available at:
http://ovidsp.tx.ovid.com/sp-3.32.2a/ovidweb.cgi?&S=AOKPFPHPDDFJCKNCDKFEGCFHEGAA00&Link+Set=S.sh.72.74%7c16%7csl_10.

Ismail, K., Winkley, K. and Rabe-Hesketh, S. (2004) 'Systematic review and meta-analysis of randomised controlled trials of psychological interventions to improve glycaemic control in patients with type 2 diabetes', *The Lancet*, 363(9421), pp. 1589–1597. Available at: [https://doi.org/10.1016/S0140-6736\(04\)16202-8](https://doi.org/10.1016/S0140-6736(04)16202-8).

Jeffery et. al., R.W. (2000) 'Long-term maintenance of weight loss: Current status', *Health Psychology*, 19(1 (Suppl.)), pp. 5–16. Available at: <http://ovidsp.ovid.com/ovidweb.cgi?T=JS&CSC=Y&NEWS=N&PAGE=fulltext&AN=00003615-200001001-00002&LSLINK=80&D=ovft>.

Keogh, E., Rosser, B.A. and Eccleston, C. (2010) 'e-Health and chronic pain management: Current status and developments', *Pain*, 151(1), pp. 18–21. Available at: <https://doi.org/10.1016/j.pain.2010.07.014>.

Leeuw, M. et al. (2007) 'The Fear-Avoidance Model of Musculoskeletal Pain: Current State of Scientific Evidence', *Journal of Behavioral Medicine*, 30(1), pp. 77–94. Available at: <https://doi.org/10.1007/s10865-006-9085-0>.

Legrain, V. et al. (2009) 'A neurocognitive model of attention to pain: Behavioral and neuroimaging evidence', *Pain*, 144(3), pp. 230–232. Available at: <https://doi.org/10.1016/j.pain.2009.03.020>.

Leventhal, H., Meyer, D. and Nerenz, D. (1980) 'The common sense representation of illness danger', in: New York: Pergamon.

Littell, J.H. (2005) 'Lessons from a systematic review of effects of multisystemic therapy', *Children and Youth Services Review*, 27(4), pp. 445–463. Available at: <https://doi.org/10.1016/j.childyouth.2004.11.009>.

Littell, J.H. (2006) 'The case for Multisystemic Therapy: Evidence or orthodoxy?', *Children and Youth Services Review*, 28(4), pp. 458–472. Available at: <https://doi.org/10.1016/j.childyouth.2005.07.002>.

Marks, D. (2011) *Health psychology: theory, research and practice*. 3rd ed. London: SAGE.

McCracken, L.M. et al. (2004) 'Acceptance and change in the context of chronic pain', *Pain*, 109(1–2), pp. 4–7. Available at: <https://doi.org/10.1016/j.pain.2004.02.006>.

McNally, R.J. (1990) 'Psychological approaches to panic disorder: A review', *Psychological Bulletin*, 108(3), pp. 403–419. Available at: https://ucl.primo.exlibrisgroup.com/permalink/44UCL_INST/18kagqf/cdi_proquest_journals_203490418.

Melzack, R. and Wall, P.D. (1965) 'Pain Mechanisms: A New Theory', *Science*, 150(3699), pp. 971–979. Available at: <http://www.jstor.org/stable/1717891>.

Michie, S., van Stralen, M.M. and West, R. (2011) 'The behaviour change wheel: A new method for characterising and designing behaviour change interventions', *Implementation Science*, 6(1). Available at: <https://doi.org/10.1186/1748-5908-6-42>.

Moffitt, T.E. et al. (1996) 'Childhood-onset versus adolescent-onset antisocial conduct

problems in males: Natural history from ages 3 to 18 years', *Development and Psychopathology*, 8(02), pp. 399–424. Available at: <https://doi.org/10.1017/S0954579400007161>.

Morley, S., Eccleston, C. and Williams, A. (1999) 'Systematic review and meta-analysis of randomized controlled trials of cognitive behaviour therapy and behaviour therapy for chronic pain in adults, excluding headache', *Pain*, 80(1–2), pp. 1–13. Available at: [https://doi.org/10.1016/S0304-3959\(98\)00255-3](https://doi.org/10.1016/S0304-3959(98)00255-3).

Morley, S., Williams, A. and Eccleston, C. (2013) 'Examining the evidence about psychological treatments for chronic pain: Time for a paradigm shift?', *Pain*, 154(10), pp. 1929–1931. Available at: <https://doi.org/10.1016/j.pain.2013.05.049>.

Myers, L.B., Newman, S.P. and Enomoto, K. (2004) 'Coping', in *Health psychology*. Malden, Mass: BPS Blackwell, pp. 141–157.

Nazroo, J.Y., Edwards, A.C. and Brown, G.W. (1998) 'Gender Differences in the Prevalence of Depression: Artefact, Alternative Disorders, Biology or Roles?', *Sociology of Health and Illness*, 20(3), pp. 312–330. Available at: <https://doi.org/10.1111/1467-9566.00104>.

Newman, S., Steed, L. and Mulligan, K. (2004) 'Self-management interventions for chronic illness', *The Lancet*, 364(9444), pp. 1523–1537. Available at: [https://doi.org/10.1016/S0140-6736\(04\)17277-2](https://doi.org/10.1016/S0140-6736(04)17277-2).

Nock, M.K. et al. (2006) 'Prevalence, subtypes, and correlates of DSM-IV conduct disorder in the National Comorbidity Survey Replication', *Psychological Medicine*, 36(05), pp. 699–710. Available at: <https://doi.org/10.1017/S0033291706007082>.

Ogden, J. (2007) *Health psychology: a textbook*. 4th ed. Maidenhead: Open University Press/McGraw-Hill Education.

Ogden, J. (2012) *Health psychology*. 5th ed. Maidenhead: Open University Press. Available at: <https://www.dawsonera.com/abstract/9780335243846>.

Patterson, G.R., DeBaryshe, B.D. and Ramsey, E. (1989) 'A developmental perspective on antisocial behavior', *American Psychologist*, 44(2), pp. 329–335. Available at: http://ovidsp.tx.ovid.com/sp-3.32.2a/ovidweb.cgi?&S=AOKPFPHFPDDFJCKNCDKFEGCFHEGAA00&Link+Set=S.sh.104.109%7c34%7csl_10.

Peters, J.C. et al. (2002) 'From instinct to intellect: the challenge of maintaining healthy weight in the modern world', *Obesity Reviews*, 3(2), pp. 69–74. Available at: <https://doi.org/10.1046/j.1467-789X.2002.00059.x>.

Pickard, H. (2011) 'Responsibility Without Blame: Empathy and the Effective Treatment of Personality Disorder', *Philosophy, Psychiatry, & Psychology*, 18(3), pp. 209–224. Available at: <https://doi.org/10.1353/ppp.2011.0032>.

Pincus, T. and Morley, S. (2001) 'Cognitive processing bias in chronic pain: a review and integration', *Psychological Bulletin*, 127(5), pp. 599–617. Available at: <http://ovidsp.ovid.com/ovidweb.cgi?T=JS&CSC=Y&NEWS=N&PAGE=fulltext&AN=00006823-200109000-00002&LSLINK=80&D=ovft>.

Powell, Graham E. and Lindsay, S. J. E. (2007a) *The handbook of clinical adult psychology*. 3rd ed. London: Routledge.

Powell, Graham E. and Lindsay, S. J. E. (2007b) *The handbook of clinical adult psychology*. 3rd ed. London: Routledge.

Rachman, S. (2013) *Anxiety*. 3rd ed. Hove, East Sussex: Psychology Press. Available at: <https://doi.org/10.4324/9780203554494>.

de Ridder, D. (2004) 'Chronic Illness', in *Health psychology*. Malden, Mass: BPS Blackwell, pp. 207–233.

Salmon, Peter (2000) 'Clinical Communication: partnership and opposition', in *Psychology of medicine and surgery: a guide for psychologists, counsellors, nurses and doctors*. Chichester: Wiley. Available at: <https://contentstore.cla.co.uk/secure/link?id=91e21ee8-3520-f011-81a2-de36721ebb7e>.

Sullivan, M.D. (2001) 'Finding pain between minds and bodies', *The Clinical Journal of Pain*, 17(2), pp. 146–156. Available at: <http://ovidsp.ovid.com/ovidweb.cgi?T=JS&CSC=Y&NEWS=N&PAGE=fulltext&AN=00002508-200106000-00007&LSLINK=80&D=ovft>.

Taylor, S.E. (2015a) *Health psychology*. 9th ed. New York, NY: McGraw-Hill Education.

Taylor, S.E. (2015b) *Health psychology*. 9th ed. New York, NY: McGraw-Hill Education.

Tighe, A. et al. (2012) 'Multisystemic therapy for young offenders: Families' experiences of therapeutic processes and outcomes.', *Journal of Family Psychology*, 26(2), pp. 187–197. Available at: <https://doi.org/10.1037/a0027120>.

Toye, F. et al. (2013) 'A meta-ethnography of patients' experience of chronic non-malignant musculoskeletal pain', *Health Services and Delivery Research*, 1(12), pp. 1–190. Available at: <https://doi.org/10.3310/hsdr01120>.

Tracey, I. (2008) 'Imaging pain', *British journal of anaesthesia*, 101(1), pp. 32–39. Available at: <https://doi.org/10.1093/bja/aen102>.

Trull, T.J. (2001) 'Relationships of Borderline Features to Parental Mental Illness, Childhood Abuse, Axis I Disorder, and Current Functioning', *Journal of Personality Disorders*, 15(1), pp. 19–32. Available at: <https://doi.org/10.1521/pedi.15.1.19.18647>.

Vitousek, K., Watson, S. and Wilson, G.T. (1998) 'Enhancing motivation for change in treatment-resistant eating disorders', *Clinical Psychology Review*, 18(4), pp. 391–420. Available at: [https://doi.org/10.1016/S0272-7358\(98\)00012-9](https://doi.org/10.1016/S0272-7358(98)00012-9).

Vogele, C. (2004) 'Hospitalisation and stressful medical procedures', in *Health psychology*. Malden, Mass: BPS Blackwell, pp. 288–304.

WAKEFIELD, J. (1999) 'The concept of disorder as a foundation for the DSM's theory-neutral nosology: response to Follette and Houts, part 2', *Behaviour Research and Therapy*, 37(10), pp. 1001–1027. Available at: [https://doi.org/10.1016/S0005-7967\(98\)00193-4](https://doi.org/10.1016/S0005-7967(98)00193-4).

Wall, P. (1999) *Pain: the science of suffering*. London: Weidenfeld & Nicolson.

Wardle, J. (2005) 'The triple whammy', *The Psychologist*, 18(4), pp. 216–219. Available at: <https://search.proquest.com/docview/211746959?accountid=14511>.

Werner, A. and Malterud, K. (2003) 'It is hard work behaving as a credible patient: encounters between women with chronic pain and their doctors', *Social Science & Medicine*, 57(8), pp. 1409–1419. Available at: [https://doi.org/10.1016/S0277-9536\(02\)00520-8](https://doi.org/10.1016/S0277-9536(02)00520-8).

West, R. and Shiffman, S. (2004) *Smoking cessation*. Oxford: Health Press.

White, Craig A. (2001) 'Chapter 1', in *Cognitive behaviour therapy for chronic medical problems: a guide to assesment and treatment in practice*. Chichester: John Wiley.

Widiger, T.A., Livesley, W.J. and Clark, L.A. (2009) 'An integrative dimensional classification of personality disorder', *Psychological Assessment*, 21(3), pp. 243–255. Available at: <https://oce-ovid-com.libproxy.ucl.ac.uk/article/00012030-200909000-00002/HTML>.

Wikstrom, P.-O.H. and Loeber, R. (2000) 'Do Disadvantaged Neighborhoods Cause Well-Adjusted Children to Become Adolescent Delinquents? A Study of Male Juvenile Serious Offending, Individual Risk and Protective Factors, and Neighborhood Context', *Criminology*, 38(4), pp. 1109–1142. Available at: <https://doi.org/10.1111/j.1745-9125.2000.tb01416.x>.

Williams ACdeC (2011) 'Pain – the patient's viewpoint', *The Psychologist*(26), pp. 426–427.

Zeidan, F. et al. (2012) 'Mindfulness meditation-related pain relief: Evidence for unique brain mechanisms in the regulation of pain', *Neuroscience Letters*, 520(2), pp. 165–173. Available at: <https://doi.org/10.1016/j.neulet.2012.03.082>.