

PSYC2206: Clinical and Health Psychology

[View Online](#)

[1]

G. Davey, Psychopathology: research, assessment and treatment in clinical psychology, Second edition., vol. BPS textbooks in psychology. [United Kingdom]: British Psychological Society and John Wiley & Sons Ltd, 2014.

[2]

A. H. Crisp et. al., 'Stigmatisation of people with mental illnesses', The British Journal of Psychiatry, vol. 177, no. 1, pp. 4-7, Jul. 2000, doi: 10.1192/bjp.177.1.4.

[3]

J. WAKEFIELD, 'The concept of disorder as a foundation for the DSM's theory-neutral nosology: response to Follette and Houts, part 2', Behaviour Research and Therapy, vol. 37, no. 10, pp. 1001-1027, Oct. 1999, doi: 10.1016/S0005-7967(98)00193-4.

[4]

R. D. Gibbons et. al., 'Benefits From Antidepressants', Archives of General Psychiatry, vol. 69, no. 6, pp. 572-579, Jun. 2012, doi: 10.1001/archgenpsychiatry.2011.2044.

[5]

Constance L. Hammen, Depression. Hove, East Sussex, [England]: Psychology Press, 1997.

[6]

G. W. Brown, T. O. Harris, and C. Hepworth, 'Loss, humiliation and entrapment among women developing depression: a patient and non-patient comparison', *Psychological Medicine*, vol. 25, no. 01, pp. 7–21, Jan. 1995, doi: 10.1017/S003329170002804X.

[7]

B. Andrews and C. R. Brewin, 'Attributions of Blame for Marital Violence: A Study of Antecedents and Consequences', *Journal of Marriage and the Family*, vol. 52, no. 3, pp. 757–767, Aug. 1990, doi: 10.2307/352940.

[8]

B. Andrews and G. W. Brown, 'Social support, onset of depression and personality', *Social Psychiatry and Psychiatric Epidemiology*, vol. 23, no. 2, pp. 99–108, Jun. 1988, doi: 10.1007/BF01788429.

[9]

G. W. Brown, B. Andrews, T. Harris, Z. Adler, and L. Bridge, 'Social support, self-esteem and depression', *Psychological Medicine*, vol. 16, no. 04, pp. 813–831, Nov. 1986, doi: 10.1017/S0033291700011831.

[10]

S. Cohen and T. A. Wills, 'Stress, social support, and the buffering hypothesis', *Psychological Bulletin*, vol. 98, no. 2, pp. 310–357, 1985 [Online]. Available: http://ovidsp.tx.ovid.com/sp-3.32.2a/ovidweb.cgi?&S=MALHFPJCPGDDEJDINCDKOCFBOMJKAA00&Link+Set=S.sh.27%7c1%7csl_10&Counter5=CRS_view_found_article%7c00006823-198509000-00006%7cyrovft%7covftdb%7cyrovfta&Counter5Data=00006823-198509000-00006%7cyrovft%7covftdb%7cyrovfta

[11]

J. C. Coyne, R. C. Kessler, M. Tal, J. Turnbull, C. B. Wortman, and J. F. Greden, 'Living with a depressed person.', *Journal of Consulting and Clinical Psychology*, vol. 55, no. 3, pp. 347–352, 1987, doi: 10.1037/0022-006X.55.3.347.

[12]

P. Gilbert, 'Evolution and depression: issues and implications', *Psychological Medicine*, vol.

36, no. 03, pp. 287–297, Oct. 2005, doi: 10.1017/S0033291705006112.

[13]

J. Y. Nazroo, A. C. Edwards, and G. W. Brown, 'Gender Differences in the Prevalence of Depression: Artefact, Alternative Disorders, Biology or Roles?', *Sociology of Health and Illness*, vol. 20, no. 3, pp. 312–330, May 1998, doi: 10.1111/1467-9566.00104.

[14]

J. I. Bisson et. al., 'Psychological treatments for chronic post-traumatic stress disorder: Systematic review and meta-analysis', *The British Journal of Psychiatry*, vol. 190, no. 2, pp. 97–104, Feb. 2007, doi: 10.1192/bjp.bp.106.021402.

[15]

G. A. Bonanno, S. Galea, A. Bucciarelli, and D. Vlahov, 'What predicts psychological resilience after disaster? The role of demographics, resources, and life stress.', *Journal of Consulting and Clinical Psychology*, vol. 75, no. 5, pp. 671–682, 2007, doi: 10.1037/0022-006X.75.5.671.

[16]

C. R. Brewin and E. A. Holmes, 'Psychological theories of posttraumatic stress disorder', *Clinical Psychology Review*, vol. 23, no. 3, pp. 339–376, May 2003, doi: 10.1016/S0272-7358(03)00033-3.

[17]

A. T. Beck and D. A. Clark, 'An information processing model of anxiety: Automatic and strategic processes', *Behaviour Research and Therapy*, vol. 35, no. 1, pp. 49–58, Jan. 1997, doi: 10.1016/S0005-7967(96)00069-1.

[18]

S. Rachman, *Anxiety*, 3rd ed., vol. *Clinical psychology : a modular course*. Hove, East Sussex: Psychology Press, 2013 [Online]. Available: <https://doi.org/10.4324/9780203554494>

[19]

C. R. Brewin, 'Theoretical Foundations of Cognitive - Behavior Therapy for Anxiety and Depression', *Annual Review of Psychology*, vol. 47, no. 1, pp. 33-57, Feb. 1996, doi: 10.1146/annurev.psych.47.1.33.

[20]

Davey, Graham, *Phobias: a handbook of theory, research, and treatment*. Chichester: Wiley, 1997.

[21]

R. J. McNally, 'Psychological approaches to panic disorder: A review', *Psychological Bulletin*, vol. 108, no. 3, pp. 403-419, 1990 [Online]. Available: https://ucl.primo.exlibrisgroup.com/permalink/44UCL_INST/18kagqf/cdi_proquest_journals_203490418

[22]

'BPS document'. [Online]. Available: [http://dcp.bps.org.uk/document-download-area/document-download\\$.cfm?file_uuid=1B292E21-7E96-C67F-D61AA2A6FC6FB7D1](http://dcp.bps.org.uk/document-download-area/document-download$.cfm?file_uuid=1B292E21-7E96-C67F-D61AA2A6FC6FB7D1)

[23]

T. J. Trull, 'Relationships of Borderline Features to Parental Mental Illness, Childhood Abuse, Axis I Disorder, and Current Functioning', *Journal of Personality Disorders*, vol. 15, no. 1, pp. 19-32, Feb. 2001, doi: 10.1521/pedi.15.1.19.18647.

[24]

H. Pickard, 'Responsibility Without Blame: Empathy and the Effective Treatment of Personality Disorder', *Philosophy, Psychiatry, & Psychology*, vol. 18, no. 3, pp. 209-224, 2011, doi: 10.1353/ppp.2011.0032.

[25]

T. A. Widiger, W. J. Livesley, and L. A. Clark, 'An integrative dimensional classification of personality disorder', *Psychological Assessment*, vol. 21, no. 3, pp. 243-255, 2009 [Online].

Available:

<https://oce-ovid-com.libproxy.ucl.ac.uk/article/00012030-200909000-00002/HTML>

[26]

L. A. Clark, 'Assessment and Diagnosis of Personality Disorder: Perennial Issues and an Emerging Reconceptualization', *Annual Review of Psychology*, vol. 58, no. 1, pp. 227–257, Jan. 2007, doi: 10.1146/annurev.psych.57.102904.190200.

[27]

J. Coid et. al., 'Prevalence and correlates of personality disorder in Great Britain', *The British Journal of Psychiatry*, vol. 188, no. 5, pp. 423–431, May 2006, doi: 10.1192/bjp.188.5.423.

[28]

G. R. Patterson, B. D. DeBaryshe, and E. Ramsey, 'A developmental perspective on antisocial behavior', *American Psychologist*, vol. 44, no. 2, pp. 329–335, 1989 [Online]. Available: http://ovidsp.tx.ovid.com/sp-3.32.2a/ovidweb.cgi?&S=AOKPFPHFPPDDFJCKNCDKFEGCFHEGAA00&Link+Set=S.sh.104.109%7c34%7csl_10

[29]

S. W. Henggeler, G. B. Melton, and L. A. Smith, 'Family preservation using multisystemic therapy: An effective alternative to incarcerating serious juvenile offenders', *Journal of Consulting and Clinical Psychology*, vol. 60, no. 6, pp. 953–961, 1992 [Online]. Available: http://ovidsp.tx.ovid.com/sp-3.32.2a/ovidweb.cgi?&S=AOKPFPHFPPDDFJCKNCDKFEGCFHEGAA00&Link+Set=S.sh.72.74%7c16%7csl_10

[30]

T. E. Moffitt, A. Caspi, N. Dickson, P. Silva, and W. Stanton, 'Childhood-onset versus adolescent-onset antisocial conduct problems in males: Natural history from ages 3 to 18 years', *Development and Psychopathology*, vol. 8, no. 02, pp. 399–424, Mar. 1996, doi: 10.1017/S0954579400007161.

[31]

Farrington, David P. and Loeber, Rolf, *Serious & violent juvenile offenders: risk factors and successful interventions*. Thousand Oaks, Calif: SAGE, 1999.

[32]

P.-O. H. Wikstrom and R. Loeber, 'Do Disadvantaged Neighborhoods Cause Well-Adjusted Children to Become Adolescent Delinquents? A Study of Male Juvenile Serious Offending, Individual Risk and Protective Factors, and Neighborhood Context', *Criminology*, vol. 38, no. 4, pp. 1109–1142, Nov. 2000, doi: 10.1111/j.1745-9125.2000.tb01416.x.

[33]

Fonagy, Peter, *What works for whom?: A critical review of treatments for children and adolescents*. New York: Guilford Press, 2002.

[34]

J. H. Littell, 'Lessons from a systematic review of effects of multisystemic therapy', *Children and Youth Services Review*, vol. 27, no. 4, pp. 445–463, Apr. 2005, doi: 10.1016/j.chidyouth.2004.11.009.

[35]

J. H. Littell, 'The case for Multisystemic Therapy: Evidence or orthodoxy?', *Children and Youth Services Review*, vol. 28, no. 4, pp. 458–472, Apr. 2006, doi: 10.1016/j.chidyouth.2005.07.002.

[36]

M. K. Nock, A. E. Kazdin, E. Hiripi, and R. C. Kessler, 'Prevalence, subtypes, and correlates of DSM-IV conduct disorder in the National Comorbidity Survey Replication', *Psychological Medicine*, vol. 36, no. 05, pp. 699–710, May 2006, doi: 10.1017/S0033291706007082.

[37]

P. J. Frick and E. Viding, 'Antisocial behavior from a developmental psychopathology perspective', *Development and Psychopathology*, vol. 21, no. 04, pp. 1111–1131, Nov. 2009, doi: 10.1017/S0954579409990071.

[38]

S. W. Henggeler, 'Efficacy Studies to Large-Scale Transport: The Development and Validation of Multisystemic Therapy Programs', *Annual Review of Clinical Psychology*, vol. 7, no. 1, pp. 351–381, Apr. 2011, doi: 10.1146/annurev-clinpsy-032210-104615.

[39]

S. Butler, G. Baruch, N. Hickey, and P. Fonagy, 'A Randomized Controlled Trial of Multisystemic Therapy and a Statutory Therapeutic Intervention for Young Offenders', *Journal of the American Academy of Child & Adolescent Psychiatry*, vol. 50, no. 12, pp. 1220–1235.e2, Dec. 2011, doi: 10.1016/j.jaac.2011.09.017.

[40]

A. Tighe, N. Pistrang, L. Casdagli, G. Baruch, and S. Butler, 'Multisystemic therapy for young offenders: Families' experiences of therapeutic processes and outcomes.', *Journal of Family Psychology*, vol. 26, no. 2, pp. 187–197, 2012, doi: 10.1037/a0027120.

[41]

Hawton, Keith, *Cognitive behaviour therapy for psychiatric problems: a practical guide*, vol. Oxford medical publications. Oxford: Oxford University Press, 1989.

[42]

K. S. Dobson et al., 'Randomized trial of behavioral activation, cognitive therapy, and antidepressant medication in the prevention of relapse and recurrence in major depression.', *Journal of Consulting and Clinical Psychology*, vol. 76, no. 3, pp. 468–477, 2008, doi: 10.1037/0022-006X.76.3.468.

[43]

Powell, Graham E. and Lindsay, S. J. E., *The handbook of clinical adult psychology*, 3rd ed. London: Routledge, 2007.

[44]

Powell, Graham E. and Lindsay, S. J. E., *The handbook of clinical adult psychology*, 3rd ed. London: Routledge, 2007.

[45]

Grilo, Carlos, Eating and weight disorders, vol. Clinical psychology, a modular course. Hove: Psychology Press, 2006.

[46]

C. G. Fairburn, R. Shafran, and Z. Cooper, 'A cognitive behavioural theory of anorexia nervosa', Behaviour Research and Therapy, vol. 37, no. 1, pp. 1-13, Jan. 1999, doi: 10.1016/S0005-7967(98)00102-8.

[47]

C. G. Fairburn and P. J. Harrison, 'Eating disorders', The Lancet, vol. 361, no. 9355, pp. 407-416, Feb. 2003, doi: 10.1016/S0140-6736(03)12378-1.

[48]

K. Vitousek, S. Watson, and G. T. Wilson, 'Enhancing motivation for change in treatment-resistant eating disorders', Clinical Psychology Review, vol. 18, no. 4, pp. 391-420, Jun. 1998, doi: 10.1016/S0272-7358(98)00012-9.

[49]

D. French, 'Introduction', in Health psychology, 2nd ed., Chichester: BPS Blackwell, 2010, pp. 1-10 [Online]. Available: <https://contentstore.cla.co.uk/secure/link?id=745f0511-7122-eb11-80cd-005056af4099>

[50]

J. Ogden, Health psychology, 5th ed. Maidenhead: Open University Press, 2012 [Online]. Available: <https://www.dawsonera.com/abstract/9780335243846>

[51]

M. Conner and P. Norman, Predicting health behaviour: research and practice with social cognition models, 2nd ed. Maidenhead: Open University Press, 2005 [Online]. Available: <https://www.dawsonera.com/abstract/9780335224593>

[52]

S. Michie, M. M. van Stralen, and R. West, 'The behaviour change wheel: A new method for characterising and designing behaviour change interventions', *Implementation Science*, vol. 6, no. 1, Dec. 2011, doi: 10.1186/1748-5908-6-42.

[53]

R. Davis, R. Campbell, Z. Hildon, L. Hobbs, and S. Michie, 'Theories of behaviour and behaviour change across the social and behavioural sciences: a scoping review', *Health Psychology Review*, vol. 9, no. 3, pp. 323-344, Aug. 2015, doi: 10.1080/17437199.2014.941722.

[54]

D. Marks, *Health psychology: theory, research and practice*, 3rd ed. London: SAGE, 2011.

[55]

R. Hammersley, 'Alcohol and Drug Use', in *Health psychology*, 2nd ed., Chichester: BPS Blackwell, 2010, pp. 73-83 [Online]. Available: <https://contentstore.cla.co.uk/secure/link?id=06bbaa0a-b322-eb11-80cd-005056af4099>

[56]

P. Chadwick and H. Croker, 'Obesity management - Worth the effort?', *The Psychologist*, vol. 18, no. 4, pp. 220-223, 2005 [Online]. Available: <https://search.proquest.com/docview/211832071?accountid=14511>

[57]

R. W. Jeffery et. al., 'Long-term maintenance of weight loss: Current status', *Health Psychology*, vol. 19, no. 1 (Suppl.), pp. 5-16, 2000 [Online]. Available: <http://ovidsp.ovid.com/ovidweb.cgi?T=JS&CSC=Y&NEWS=N&PAGE=fulltext&AN=00003615-200001001-00002&LSLINK=80&D=ovft>

[58]

J. C. Peters, H. R. Wyatt, W. T. Donahoo, and J. O. Hill, 'From instinct to intellect: the challenge of maintaining healthy weight in the modern world', *Obesity Reviews*, vol. 3, no. 2, pp. 69–74, May 2002, doi: 10.1046/j.1467-789X.2002.00059.x.

[59]

J. Wardle, 'The triple whammy', *The Psychologist*, vol. 18, no. 4, pp. 216–219, 2005
[Online]. Available: <https://search.proquest.com/docview/211746959?accountid=14511>

[60]

L. A. Gonder-Frederick, D. J. Cox, and L. M. Ritterband, 'Diabetes and behavioral medicine: The second decade.', *Journal of Consulting and Clinical Psychology*, vol. 70, no. 3, pp. 611–625, 2002, doi: 10.1037/0022-006X.70.3.611.

[61]

S. Newman, L. Steed, and K. Mulligan, 'Self-management interventions for chronic illness', *The Lancet*, vol. 364, no. 9444, pp. 1523–1537, Oct. 2004, doi: 10.1016/S0140-6736(04)17277-2.

[62]

J. H. DeVries, F. J. Snoek, and R. J. Heine, 'Persistent poor glycaemic control in adult Type 1 diabetes. A closer look at the problem', *Diabetic Medicine*, vol. 21, no. 12, pp. 1263–1268, Dec. 2004, doi: 10.1111/j.1464-5491.2004.01386.x.

[63]

K. Ismail, K. Winkley, and S. Rabe-Hesketh, 'Systematic review and meta-analysis of randomised controlled trials of psychological interventions to improve glycaemic control in patients with type 2 diabetes', *The Lancet*, vol. 363, no. 9421, pp. 1589–1597, May 2004, doi: 10.1016/S0140-6736(04)16202-8.

[64]

R. West and S. Shiffman, *Smoking cessation*, vol. Fast facts. Oxford: Health Press, 2004.

[65]

R. Hammersley, 'Alcohol and Drug Use', in *Health psychology*, 2nd ed., Chichester: BPS Blackwell, 2010, pp. 73–83 [Online]. Available: <https://contentstore.cla.co.uk/secure/link?id=06bbaa0a-b322-eb11-80cd-005056af4099>

[66]

M. D. Sullivan, 'Finding pain between minds and bodies', *The Clinical Journal of Pain*, vol. 17, no. 2, pp. 146–156, 2001 [Online]. Available: <http://ovidsp.ovid.com/ovidweb.cgi?T=JS&CSC=Y&NEWS=N&PAGE=fulltext&AN=00002508-200106000-00007&LSLINK=80&D=ovft>

[67]

A. V. Apkarian, J. A. Hashmi, and M. N. Baliki, 'Pain and the brain: Specificity and plasticity of the brain in clinical chronic pain', *PAIN*, vol. 152, no. 3, pp. S49–S64, Mar. 2011, doi: 10.1016/j.pain.2010.11.010.

[68]

M. Leeuw, M. E. J. B. Goossens, S. J. Linton, G. Crombez, K. Boersma, and J. W. S. Vlaeyen, 'The Fear-Avoidance Model of Musculoskeletal Pain: Current State of Scientific Evidence', *Journal of Behavioral Medicine*, vol. 30, no. 1, pp. 77–94, Jan. 2007, doi: 10.1007/s10865-006-9085-0.

[69]

V. Legrain, S. V. Damme, C. Eccleston, K. D. Davis, D. A. Seminowicz, and G. Crombez, 'A neurocognitive model of attention to pain: Behavioral and neuroimaging evidence', *Pain*, vol. 144, no. 3, pp. 230–232, Aug. 2009, doi: 10.1016/j.pain.2009.03.020.

[70]

R. Melzack and P. D. Wall, 'Pain Mechanisms: A New Theory', *Science*, vol. 150, no. 3699, pp. 971–979, Nov. 1965 [Online]. Available: <http://www.jstor.org/stable/1717891>

[71]

C. Berna, S. Leknes, E. A. Holmes, R. R. Edwards, G. M. Goodwin, and I. Tracey, 'Induction of Depressed Mood Disrupts Emotion Regulation Neurocircuitry and Enhances Pain Unpleasantness', *Biological Psychiatry*, vol. 67, no. 11, pp. 1083–1090, Jun. 2010, doi: 10.1016/j.biopsych.2010.01.014.

[72]

P. Wall, *Pain: the science of suffering*. London: Weidenfeld & Nicolson, 1999.

[73]

T. Pincus and S. Morley, 'Cognitive processing bias in chronic pain: a review and integration', *Psychological Bulletin*, vol. 127, no. 5, pp. 599–617, 2001 [Online]. Available: <http://ovidsp.ovid.com/ovidweb.cgi?T=JS&CSC=Y&NEWS=N&PAGE=fulltext&AN=00006823-200109000-00002&LSLINK=80&D=ovft>

[74]

I. Tracey, 'Imaging pain', *British journal of anaesthesia*, vol. 101, no. 1, pp. 32–39, 2008, doi: 10.1093/bja/aen102.

[75]

A. C. de C Williams and K. D. Craig, 'A science of pain expression?', *Pain*, vol. 125, no. 3, pp. 202–203, Dec. 2006, doi: 10.1016/j.pain.2006.08.004.

[76]

Eccleston C., 'A normal psychology of chronic pain', vol. *The Psychologist*, 2011 [Online]. Available: <https://thepsychologist.bps.org.uk/volume-24/edition-6/normal-psychology-chronic-pain>

[77]

Williams ACdeC, 'Pain – the patient's viewpoint', vol. *The Psychologist*, no. 26, pp. 426–427, 2011.

[78]

L. M. McCracken, J. W. Carson, C. Eccleston, and F. J. Keefe, 'Acceptance and change in the context of chronic pain', *Pain*, vol. 109, no. 1-2, pp. 4-7, May 2004, doi: 10.1016/j.pain.2004.02.006.

[79]

T. Hadjistavropoulos et al., 'A biopsychosocial formulation of pain communication.', *Psychological Bulletin*, vol. 137, no. 6, pp. 910-939, Nov. 2011, doi: 10.1037/a0023876.

[80]

A. Werner and K. Malterud, 'It is hard work behaving as a credible patient: encounters between women with chronic pain and their doctors', *Social Science & Medicine*, vol. 57, no. 8, pp. 1409-1419, Oct. 2003, doi: 10.1016/S0277-9536(02)00520-8.

[81]

S. Morley, C. Eccleston, and A. Williams, 'Systematic review and meta-analysis of randomized controlled trials of cognitive behaviour therapy and behaviour therapy for chronic pain in adults, excluding headache', *Pain*, vol. 80, no. 1-2, pp. 1-13, Mar. 1999, doi: 10.1016/S0304-3959(98)00255-3.

[82]

S. Morley, A. Williams, and C. Eccleston, 'Examining the evidence about psychological treatments for chronic pain: Time for a paradigm shift?', *Pain*, vol. 154, no. 10, pp. 1929-1931, Oct. 2013, doi: 10.1016/j.pain.2013.05.049.

[83]

M. C. Bushnell, M. Čeko, and L. A. Low, 'Cognitive and emotional control of pain and its disruption in chronic pain', *Nature Reviews Neuroscience*, vol. 14, no. 7, pp. 502-511, May 2013, doi: 10.1038/nrn3516.

[84]

E. Keogh, B. A. Rosser, and C. Eccleston, 'e-Health and chronic pain management: Current status and developments', *Pain*, vol. 151, no. 1, pp. 18–21, Oct. 2010, doi: 10.1016/j.pain.2010.07.014.

[85]

E. Fisher, L. Heathcote, T. M. Palermo, A. C. de C Williams, J. Lau, and C. Eccleston, 'Systematic Review and Meta-Analysis of Psychological Therapies for Children With Chronic Pain', *Journal of Pediatric Psychology*, vol. 39, no. 8, pp. 763–782, Sep. 2014, doi: 10.1093/jpepsy/jsu008.

[86]

F. Toye et al., 'A meta-ethnography of patients' experience of chronic non-malignant musculoskeletal pain', *Health Services and Delivery Research*, vol. 1, no. 12, pp. 1–190, Nov. 2013, doi: 10.3310/hsdr01120.

[87]

F. Zeidan, J. A. Grant, C. A. Brown, J. G. McHaffie, and R. C. Coghill, 'Mindfulness meditation-related pain relief: Evidence for unique brain mechanisms in the regulation of pain', *Neuroscience Letters*, vol. 520, no. 2, pp. 165–173, Jun. 2012, doi: 10.1016/j.neulet.2012.03.082.

[88]

J. M. Bensing and P. F. M. Verhaak, 'Communication in medical encounters', in *Health psychology*, Malden, Mass: BPS Blackwell, 2004, pp. 261–287 [Online]. Available: <https://contentstore.cla.co.uk/secure/link?id=7f44c5f2-6e22-eb11-80cd-005056af4099>

[89]

C. Vogele, 'Hospitalisation and stressful medical procedures', in *Health psychology*, Malden, Mass: BPS Blackwell, 2004, pp. 288–304.

[90]

Salmon, Peter, 'Clinical Communication: partnership and opposition', in *Psychology of medicine and surgery: a guide for psychologists, counsellors, nurses and doctors*, vol. Wiley series in clinical psychology, Chichester: Wiley, 2000 [Online]. Available:

<https://contentstore.cla.co.uk/secure/link?id=91e21ee8-3520-f011-81a2-de36721ebb7e>

[91]

Bennett, Paul, 'Hospital Issues', in Introduction to clinical health psychology, Buckingham, Pa: Open University Press, 2000, pp. 83–101 [Online]. Available: <https://contentstore.cla.co.uk/secure/link?id=27c95d56-eb15-f011-81a2-842121568115>

[92]

J. Ogden, Health psychology: a textbook, 4th ed. Maidenhead: Open University Press/McGraw-Hill Education, 2007.

[93]

S. E. Taylor, Health psychology, 9th ed. New York, NY: McGraw-Hill Education, 2015.

[94]

L. B. Myers, S. P. Newman, and K. Enomoto, 'Coping', in Health psychology, Malden, Mass: BPS Blackwell, 2004, pp. 141–157.

[95]

D. de Ridder, 'Chronic Illness', in Health psychology, Malden, Mass: BPS Blackwell, 2004, pp. 207–233.

[96]

S. Folkman and S. Greer, 'Promoting psychological well-being in the face of serious illness: when theory, research and practice inform each other', Psycho-Oncology, vol. 9, no. 1, pp. 11–19, Jan. 2000, doi: 10.1002/(SICI)1099-1611(200001/02)9:1<11::AID-PON424>3.0.CO;2-Z.

[97]

White, Craig A., 'Chapter 1', in Cognitive behaviour therapy for chronic medical problems: a guide to assesment and treatment in practice, vol. The Wiley series in clinical psychology, Chichester: John Wiley, 2001.

[98]

Crossley, Michele L., 'Chapter 5', in Rethinking health psychology, vol. Health psychology, Buckingham: Open University Press, 2000.

[99]

S. E. Taylor, Health psychology, 9th ed. New York, NY: McGraw-Hill Education, 2015.

[100]

H. Leventhal, D. Meyer, and D. Nerenz, 'The common sense representation of illness danger', New York: Pergamon, 1980.