

## CLNE0022: Skeletal Muscle and Associated Diseases

[View Online](#)

Ahmed, M. et al. (2016) 'Targeting protein homeostasis in sporadic inclusion body myositis', *Science Translational Medicine*, 8(331), pp. 331ra41-331ra41. Available at: <https://doi.org/10.1126/scitranslmed.aad4583>.

Amato, A.A. and Greenberg, S.A. (2013) 'Inflammatory Myopathies', *CONTINUUM: Lifelong Learning in Neurology*, 19, pp. 1615-1633. Available at: <https://doi.org/10.1212/01.CON.0000440662.26427.bd>.

'An information leaflet for surgical patients.' (1983) *Annals of The Royal College of Surgeons of England*, 65(4). Available at: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2494353/>.

Atherton, P.J. and Smith, K. (2012a) 'Muscle protein synthesis in response to nutrition and exercise', *The Journal of Physiology*, 590(5), pp. 1049-1057. Available at: <https://doi.org/10.1113/jphysiol.2011.225003>.

Atherton, P.J. and Smith, K. (2012b) 'Muscle protein synthesis in response to nutrition and exercise', *The Journal of Physiology*, 590(5), pp. 1049-1057. Available at: <https://doi.org/10.1113/jphysiol.2011.225003>.

Baar, K. (2014a) 'Using Molecular Biology to Maximize Concurrent Training', *Sports Medicine*, 44(S2), pp. 117-125. Available at: <https://doi.org/10.1007/s40279-014-0252-0>.

Baar, K. (2014b) 'Using Molecular Biology to Maximize Concurrent Training', *Sports Medicine*, 44(S2), pp. 117-125. Available at: <https://doi.org/10.1007/s40279-014-0252-0>.

Baioni, M.T.C. and Ambiel, C.R. (2010) 'Spinal muscular atrophy: diagnosis, treatment and future prospects', *Jornal de Pediatria*, 86(4), pp. 261-270. Available at: <https://doi.org/10.2223/JPED.1988>.

Balance and walking involvement in facioscapulohumeral dystrophy: a pilot study on the effects of custom lower limb orthoses - *European Journal of Physical and Rehabilitation Medicine* 2013 April;49(2):169-78 - *Minerva Medica - Journals* (no date). Available at: <https://www.minervamedica.it/en/journals/europa-medicophysica/article.php?cod=R33Y2013N02A0169>.

Barohn, R.J., Dimachkie, M.M. and Jackson, C.E. (2014) 'A Pattern Recognition Approach to Patients with a Suspected Myopathy', *Neurologic Clinics*, 32(3), pp. 569-593. Available at: <https://doi.org/10.1016/j.ncl.2014.04.008>.

Berthelsen, M.P. et al. (2014) 'Anti-gravity training improves walking capacity and postural balance in patients with muscular dystrophy', *Neuromuscular Disorders*, 24(6), pp. 492–498. Available at: <https://doi.org/10.1016/j.nmd.2014.03.001>.

Boldrin, L. and Morgan, J.E. (2007) 'Activating muscle stem cells: therapeutic potential in muscle diseases', *Current Opinion in Neurology*, 20(5), pp. 577–582. Available at: <https://doi.org/10.1097/WCO.0b013e3282ef5919>.

Boldrin, L., Zammit, P.S. and Morgan, J.E. (2015) 'Satellite cells from dystrophic muscle retain regenerative capacity', *Stem Cell Research*, 14(1), pp. 20–29. Available at: <https://doi.org/10.1016/j.scr.2014.10.007>.

Briggs, D. and Morgan, J.E. (2013) 'Recent progress in satellite cell/myoblast engraftment - relevance for therapy', *FEBS Journal*, 280(17), pp. 4281–4293. Available at: <https://doi.org/10.1111/febs.12273>.

Bushby, K. et al. (2010a) 'Diagnosis and management of Duchenne muscular dystrophy, part 1: diagnosis, and pharmacological and psychosocial management', *The Lancet Neurology*, 9(1), pp. 77–93. Available at: [https://doi.org/10.1016/S1474-4422\(09\)70271-6](https://doi.org/10.1016/S1474-4422(09)70271-6).

Bushby, K. et al. (2010b) 'Diagnosis and management of Duchenne muscular dystrophy, part 2: implementation of multidisciplinary care', *The Lancet Neurology*, 9(2), pp. 177–189. Available at: [https://doi.org/10.1016/S1474-4422\(09\)70272-8](https://doi.org/10.1016/S1474-4422(09)70272-8).

Bushby, K. et al. (2014) 'Ataluren treatment of patients with nonsense mutation dystrophinopathy', *Muscle & Nerve*, 50(4), pp. 477–487. Available at: <https://doi.org/10.1002/mus.24332>.

By:Gordon, AM (Gordon, AM); Homsher, E (Homsher, E); Regnier, M (Regnier, M) (2000) 'Regulation of contraction in striated muscle', *PHYSIOLOGICAL REVIEWS* *PHYSIOLOGICAL REVIEWS*, 80(2), pp. 853–924. Available at: [http://apps.webofknowledge.com/full\\_record.do?product=WOS&search\\_mode=GeneralSearch&qid=13&SID=C49BOGnSGP9s3PqA3ow&page=1&doc=1](http://apps.webofknowledge.com/full_record.do?product=WOS&search_mode=GeneralSearch&qid=13&SID=C49BOGnSGP9s3PqA3ow&page=1&doc=1).

By:Jones, SW (Jones, SW); Hill, RJ (Hill, RJ); Krasney, PA (Krasney, PA); O'Conner, B (O'Conner, B); Peirce, N (Peirce, N); Greenhaff, PL (Greenhaff, PL) (2004) 'Disuse atrophy and exercise rehabilitation in humans profoundly affects the expression of genes associated with the regulation of skeletal muscle mass', *FASEB JOURNAL* *FASEB JOURNAL*, 18(6). Available at: <https://doi.org/10.1096/fj.03-1228fje>.

Carstens, P.-O. and Schmidt, J. (2014) 'Diagnosis, pathogenesis and treatment of myositis: recent advances', *Clinical & Experimental Immunology*, 175(3), pp. 349–358. Available at: <https://doi.org/10.1111/cei.12194>.

Cirak, S. et al. (2011) 'Exon skipping and dystrophin restoration in patients with Duchenne muscular dystrophy after systemic phosphorodiamidate morpholino oligomer treatment: an open-label, phase 2, dose-escalation study', *The Lancet*, 378(9791), pp. 595–605. Available at: [https://doi.org/10.1016/S0140-6736\(11\)60756-3](https://doi.org/10.1016/S0140-6736(11)60756-3).

Craig, D.M. et al. (2015) 'Utilizing small nutrient compounds as enhancers of

exercise-induced mitochondrial biogenesis', *Frontiers in Physiology*, 6. Available at: <https://doi.org/10.3389/fphys.2015.00296>.

Cup, E.H. et al. (2007) 'Exercise Therapy and Other Types of Physical Therapy for Patients With Neuromuscular Diseases: A Systematic Review', *Archives of Physical Medicine and Rehabilitation*, 88(11), pp. 1452–1464. Available at: <https://doi.org/10.1016/j.apmr.2007.07.024>.

Dalakas, M.C. (2015) 'Inflammatory Muscle Diseases', *New England Journal of Medicine*, 372(18), pp. 1734–1747. Available at: <https://doi.org/10.1056/NEJMra1402225>.

Darras, B.T., De Vivo, D.C. and Jones, H.R. (2003) *Neuromuscular disorders of infancy, childhood, and adolescence: a clinician's approach*. Philadelphia, Penn. ; London: Butterworth-Heinemann.

Department of Health (2003) 'Toolkit for Producing Patient Information, Version 2'. London: Crown copyright. Available at: <https://www.uea.ac.uk/documents/246046/0/Toolkit+for+producing+patient+information.pdf>.

Dubowitz, V., Sewry, C.A. and Oldfors, A. (2013) *Muscle biopsy: a practical approach*. Fourth edition. [Philadelphia, Pa.]: Saunders Elsevier.

Egner, I.M. et al. (2013) 'A cellular memory mechanism aids overload hypertrophy in muscle long after an episodic exposure to anabolic steroids', *The Journal of Physiology*, 591(24), pp. 6221–6230. Available at: <https://doi.org/10.1113/jphysiol.2013.264457>.

Feingold, B. et al. (2017) 'Management of Cardiac Involvement Associated With Neuromuscular Diseases: A Scientific Statement From the American Heart Association', *Circulation*, 136(13). Available at: <https://doi.org/10.1161/CIR.0000000000000526>.

Fitts, R.H. et al. (2010) 'Prolonged space flight-induced alterations in the structure and function of human skeletal muscle fibres', *The Journal of Physiology*, 588(18), pp. 3567–3592. Available at: <https://doi.org/10.1113/jphysiol.2010.188508>.

Forbes, S.C. et al. (2014) 'Magnetic Resonance Imaging and Spectroscopy Assessment of Lower Extremity Skeletal Muscles in Boys with Duchenne Muscular Dystrophy: A Multicenter Cross Sectional Study', *PLoS ONE*, 9(9). Available at: <https://doi.org/10.1371/journal.pone.0106435>.

'Force-velocity properties of human skeletal muscle fibres: myosin heavy chain isoform and temperature dependence.' (1996) *The Journal of Physiology*, 495(Pt 2). Available at: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1160815/>.

Fuglsang-Frederiksen, A. (2006) 'The role of different EMG methods in evaluating myopathy', *Clinical Neurophysiology*, 117(6), pp. 1173–1189. Available at: <https://doi.org/10.1016/j.clinph.2005.12.018>.

Garner, M., Ning, Z. and Francis, J. (2012) 'A framework for the evaluation of patient information leaflets', *Health Expectations*, 15(3), pp. 283–294. Available at: <https://doi.org/10.1111/j.1369-7625.2011.00665.x>.

- Glover, G.H. and Schneider, E. (1991) 'Three-point dixon technique for true water/fat decomposition with B0 inhomogeneity correction', *Magnetic Resonance in Medicine*, 18(2), pp. 371–383. Available at: <https://doi.org/10.1002/mrm.1910180211>.
- Goemans, N.M. et al. (2011) 'Systemic Administration of PRO051 in Duchenne's Muscular Dystrophy', *New England Journal of Medicine*, 364(16), pp. 1513–1522. Available at: <https://doi.org/10.1056/NEJMoa1011367>.
- Great Britain. Audit Commission for Local Authorities and the National Health Service in England and Wales. (no date) *What Seems to Be the Matter Communication (National Health Service Report) [Paperback]*. Stationery Office. Available at: <https://webarchive.nationalarchives.gov.uk/20150410163038/http://archive.audit-commission.gov.uk/auditcommission/aboutus/publications/pages/national-reports-and-studies-archive.aspx.html>.
- Hardie, D.G. and Sakamoto, K. (2006) 'AMPK: A Key Sensor of Fuel and Energy Status in Skeletal Muscle', *Physiology*, 21(1), pp. 48–60. Available at: <https://doi.org/10.1152/physiol.00044.2005>.
- Harridge, S.D.R. et al. (1996) 'Whole-muscle and single-fibre contractile properties and myosin heavy chain isoforms in humans', *Pflügers Archiv - European Journal of Physiology*, 432(5), pp. 913–920. Available at: <https://doi.org/10.1007/s004240050215>.
- Hawley, J.A. et al. (2014) 'Integrative Biology of Exercise', *Cell*, 159(4), pp. 738–749. Available at: <https://doi.org/10.1016/j.cell.2014.10.029>.
- Hoffmann, G.F., Zschocke, J. and Nyhan, W.L. (eds) (2017) *Inherited metabolic diseases: a clinical approach*. Second edition. Berlin: Springer.
- Hogrel, J.-Y. et al. (2016) 'Longitudinal functional and NMR assessment of upper limbs in Duchenne muscular dystrophy', *Neurology*, 86(11), pp. 1022–1030. Available at: <https://doi.org/10.1212/WNL.0000000000002464>.
- Hoier, B. and Hellsten, Y. (2014) 'Exercise-Induced Capillary Growth in Human Skeletal Muscle and the Dynamics of VEGF', *Microcirculation*, 21(4), pp. 301–314. Available at: <https://doi.org/10.1111/micc.12117>.
- Hollak, C.E.M. and Lachmann, R. (eds) (2016a) *Inherited Metabolic Disease in Adults*. Oxford University Press. Available at: <https://doi.org/10.1093/med/9780199972135.001.0001>.
- Hollak, C.E.M. and Lachmann, R. (eds) (2016b) *Inherited Metabolic Disease in Adults*. Oxford University Press. Available at: <https://doi.org/10.1093/med/9780199972135.001.0001>.
- Hollingsworth, K.G. et al. (2012) 'Towards harmonization of protocols for MRI outcome measures in skeletal muscle studies: Consensus recommendations from two TREAT-NMD NMR workshops, 2 May 2010, Stockholm, Sweden, 1–2 October 2009, Paris, France', *Neuromuscular Disorders*, 22, pp. S54–S67. Available at: <https://doi.org/10.1016/j.nmd.2012.06.005>.

Hunter, S., White, M. and Thompson, M. (1998) 'Techniques to Evaluate Elderly Human Muscle Function: A Physiological Basis', *The Journals of Gerontology Series A: Biological Sciences and Medical Sciences*, 53A(3), pp. B204–B216. Available at: <https://doi.org/10.1093/gerona/53A.3.B204>.

Institute of Neurology, Queen Square and National Hospital for Neurology and Neurosurgery (London, England) (2016) *Neurology: a Queen Square textbook*. Second edition. Edited by C. Clarke et al. Chichester, West Sussex, UK: John Wiley & Sons, Inc. Available at: <https://onlinelibrary.wiley.com/doi/book/10.1002/9781118486160>.

Jeppesen, T.D. et al. (2006) 'Aerobic training is safe and improves exercise capacity in patients with mitochondrial myopathy', *Brain*, 129(12), pp. 3402–3412. Available at: <https://doi.org/10.1093/brain/awl149>.

Jones, D.A., Haan, A. de and Round, J.M. (2004) *Skeletal muscle from molecules to movement: a textbook of muscle physiology for sport, exercise, physiotherapy and medicine*. Edinburgh: Churchill Livingstone.

Kadi, F. (2008) 'Cellular and molecular mechanisms responsible for the action of testosterone on human skeletal muscle. A basis for illegal performance enhancement', *British Journal of Pharmacology*, 154(3), pp. 522–528. Available at: <https://doi.org/10.1038/bjp.2008.118>.

Kim, H.K. et al. (2015) 'Quantitative Skeletal Muscle MRI: Part 2, MR Spectroscopy and T2 Relaxation Time Mapping—Comparison Between Boys With Duchenne Muscular Dystrophy and Healthy Boys', *American Journal of Roentgenology*, 205(2), pp. W216–W223. Available at: <https://doi.org/10.2214/AJR.14.13755>.

Kinali, M. et al. (2009) 'Local restoration of dystrophin expression with the morpholino oligomer AVI-4658 in Duchenne muscular dystrophy: a single-blind, placebo-controlled, dose-escalation, proof-of-concept study', *The Lancet Neurology*, 8(10), pp. 918–928. Available at: [https://doi.org/10.1016/S1474-4422\(09\)70211-X](https://doi.org/10.1016/S1474-4422(09)70211-X).

Machado, P., Brady, S. and Hanna, M.G. (2013) 'Update in inclusion body myositis', *Current Opinion in Rheumatology*, 25(6), pp. 763–771. Available at: <https://doi.org/10.1097/01.bor.0000434671.77891.9a>.

Machado, P.M. et al. (2014) 'Ongoing Developments in Sporadic Inclusion Body Myositis', *Current Rheumatology Reports*, 16(12). Available at: <https://doi.org/10.1007/s11926-014-0477-9>.

Machado, P.M., Dimachkie, M.M. and Barohn, R.J. (2014) 'Sporadic inclusion body myositis', *Current Opinion in Neurology*, 27(5), pp. 591–598. Available at: <https://doi.org/10.1097/WCO.000000000000129>.

Marcotte, G.R., West, D.W.D. and Baar, K. (2015) 'The Molecular Basis for Load-Induced Skeletal Muscle Hypertrophy', *Calcified Tissue International*, 96(3), pp. 196–210. Available at: <https://doi.org/10.1007/s00223-014-9925-9>.

Matthews, E. and Hanna, M.G. (2014) 'Skeletal muscle channelopathies', in D. Hilton-Jones and M.R. Turner (eds) *Oxford Textbook of Neuromuscular Disorders*. Oxford University

Press, pp. 316–325. Available at: <https://doi.org/10.1093/med/9780199698073.003.0031>.  
Mendell, J.R. et al. (2013) 'Eteplirsen for the treatment of Duchenne muscular dystrophy', *Annals of Neurology*, 74(5), pp. 637–647. Available at: <https://doi.org/10.1002/ana.23982>.

Mendell, J.R. et al. (2016) 'Longitudinal effect of eteplirsen versus historical control on ambulation in Duchenne muscular dystrophy', *Annals of Neurology*, 79(2), pp. 257–271. Available at: <https://doi.org/10.1002/ana.24555>.

Mercuri, E., Bertini, E. and Iannaccone, S.T. (2012) 'Childhood spinal muscular atrophy: controversies and challenges', *The Lancet Neurology*, 11(5), pp. 443–452. Available at: [https://doi.org/10.1016/S1474-4422\(12\)70061-3](https://doi.org/10.1016/S1474-4422(12)70061-3).

Miguel A Martín (2014) 'Glycogen Storage Disease Type V', *Gene Reviews* [Preprint]. Available at: <https://www.ncbi.nlm.nih.gov/books/NBK1344/>.

Muntoni, F., Torelli, S. and Ferlini, A. (2003) 'Dystrophin and mutations: one gene, several proteins, multiple phenotypes', *The Lancet Neurology*, 2(12), pp. 731–740. Available at: [https://doi.org/10.1016/S1474-4422\(03\)00585-4](https://doi.org/10.1016/S1474-4422(03)00585-4).

Nancy D Leslie (2018) 'Very Long-Chain Acyl-Coenzyme A Dehydrogenase Deficiency', *Gene Reviews* [Preprint]. Available at: <https://www.ncbi.nlm.nih.gov/books/NBK6816/>.

Nancy Leslie (2017) 'Pompe Disease', *Gene Reviews* [Preprint]. Available at: <https://www.ncbi.nlm.nih.gov/books/NBK1261/>.

Needham, M. and Mastaglia, F.L. (2016) 'Sporadic inclusion body myositis: A review of recent clinical advances and current approaches to diagnosis and treatment', *Clinical Neurophysiology*, 127(3), pp. 1764–1773. Available at: <https://doi.org/10.1016/j.clinph.2015.12.011>.

Neuromuscular Disease Center (no date). Available at: <https://neuromuscular.wustl.edu/>.  
'Neuropathology and Applied Neurobiology' (no date), Volume 43, Issue 1. Available at: <https://onlinelibrary.wiley.com/toc/13652990/2017/43/1>.

O'Brien, T.D. et al. (2010) 'In vivo measurements of muscle specific tension in adults and children', *Experimental Physiology*, 95(1), pp. 202–210. Available at: <https://doi.org/10.1113/expphysiol.2009.048967>.

Olivé, M., Kley, R.A. and Goldfarb, L.G. (2013) 'Myofibrillar myopathies', *Current Opinion in Neurology*, 26(5), pp. 527–535. Available at: <https://doi.org/10.1097/WCO.0b013e328364d6b1>.

Olpin, S.E. et al. (2015) 'The investigation and management of metabolic myopathies', *Journal of Clinical Pathology*, 68(6), pp. 410–417. Available at: <https://doi.org/10.1136/jclinpath-2014-202808>.

Ørngreen, M.C. and Vissing, J. (2017) 'Treatment Opportunities in Patients With Metabolic Myopathies', *Current Treatment Options in Neurology*, 19(11). Available at: <https://doi.org/10.1007/s11940-017-0473-2>.

- Paganoni, S. and Amato, A. (2013) 'Electrodiagnostic Evaluation of Myopathies', *Physical Medicine and Rehabilitation Clinics of North America*, 24(1), pp. 193–207. Available at: <https://doi.org/10.1016/j.pmr.2012.08.017>.
- 'Prescription information leaflets: a pilot study in general practice.' (1983) *British Medical Journal (Clinical research ed.)*, 287(6400). Available at: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1549423/>.
- Puthuchery, Z.A. et al. (2013) 'Acute Skeletal Muscle Wasting in Critical Illness', *JAMA*, 310(15). Available at: <https://doi.org/10.1001/jama.2013.278481>.
- Rennie, M.J. et al. (2004a) 'Control of the Size of the Human Muscle Mass', *Annual Review of Physiology*, 66(1), pp. 799–828. Available at: <https://doi.org/10.1146/annurev.physiol.66.052102.134444>.
- Rennie, M.J. et al. (2004b) 'Control of the Size of the Human Muscle Mass', *Annual Review of Physiology*, 66(1), pp. 799–828. Available at: <https://doi.org/10.1146/annurev.physiol.66.052102.134444>.
- Ricotti, V. et al. (2013) 'Long-term benefits and adverse effects of intermittent versus daily glucocorticoids in boys with Duchenne muscular dystrophy', *Journal of Neurology, Neurosurgery & Psychiatry*, 84(6), pp. 698–705. Available at: <https://doi.org/10.1136/jnnp-2012-303902>.
- Ross, J. et al. (2012) 'Defects in Glycosylation Impair Satellite Stem Cell Function and Niche Composition in the Muscles of the Dystrophic Large Mouse', *STEM CELLS*, 30(10), pp. 2330–2341. Available at: <https://doi.org/10.1002/stem.1197>.
- Rudnik-Schöneborn, S. et al. (2001) 'The Predictive Value of Achieved Motor Milestones Assessed in 441 Patients with Infantile Spinal Muscular Atrophy Types II and III', *European Neurology*, 45(3), pp. 174–181. Available at: <https://doi.org/10.1159/000052118>.
- Russman, B.S. et al. (1996) 'Function changes in spinal muscular atrophy II and III', *Neurology*, 47(4), pp. 973–976. Available at: <https://doi.org/10.1212/WNL.47.4.973>.
- Saudubray, J.M., Baumgartner, M.R. and Walter, J. (eds) (2016) *Inborn metabolic diseases: diagnosis and treatment*. 6th edition. Berlin: Springer.
- Schröder, R. and Schoser, B. (2009) 'Myofibrillar Myopathies: A Clinical and Myopathological Guide', *Brain Pathology*, 19(3), pp. 483–492. Available at: <https://doi.org/10.1111/j.1750-3639.2009.00289.x>.
- Shavlakadze, T. and Grounds, M. (2006) 'Of bears, frogs, meat, mice and men: complexity of factors affecting skeletal muscle mass and fat', *BioEssays*, 28(10), pp. 994–1009. Available at: <https://doi.org/10.1002/bies.20479>.
- Sveen, M.-L. et al. (2013) 'Resistance training in patients with limb-girdle and becker muscular dystrophies', *Muscle & Nerve*, 47(2), pp. 163–169. Available at: <https://doi.org/10.1002/mus.23491>.
- Thomas Wieser (2017) 'Carnitine Palmitoyltransferase II Deficiency', *Gene Reviews*

[Preprint]. Available at: <https://www.ncbi.nlm.nih.gov/books/NBK1253/>.

Velloso, C.P. (2008) 'Regulation of muscle mass by growth hormone and IGF-I', *British Journal of Pharmacology*, 154(3), pp. 557–568. Available at: <https://doi.org/10.1038/bjp.2008.153>.

Voet, N.B. et al. (2013) 'Strength training and aerobic exercise training for muscle disease', *Cochrane Database of Systematic Reviews* [Preprint]. Available at: <https://doi.org/10.1002/14651858.CD003907.pub4>.

Wang, C.H. et al. (2007) 'Consensus Statement for Standard of Care in Spinal Muscular Atrophy', *Journal of Child Neurology*, 22(8), pp. 1027–1049. Available at: <https://doi.org/10.1177/0883073807305788>.

Wattjes, M.P. and Fischer, D. (2013) *Neuromuscular imaging* [electronic resource]. New York: Springer. Available at: [http://ucl.alma.exlibrisgroup.com/view/action/uresolver.do?operation=resolveService&package\\_service\\_id=3320980190004761&institutionId=4761&customerId=4760](http://ucl.alma.exlibrisgroup.com/view/action/uresolver.do?operation=resolveService&package_service_id=3320980190004761&institutionId=4761&customerId=4760).

Wiggs, M.P. (2015) 'Can endurance exercise preconditioning prevention disuse muscle atrophy?', *Frontiers in Physiology*, 6. Available at: <https://doi.org/10.3389/fphys.2015.00063>.

Willcocks, R.J. et al. (2016) 'Multicenter prospective longitudinal study of magnetic resonance biomarkers in a large duchenne muscular dystrophy cohort', *Annals of Neurology*, 79(4), pp. 535–547. Available at: <https://doi.org/10.1002/ana.24599>.

Zammit, P.S. et al. (2004) 'Muscle satellite cells adopt divergent fates', *The Journal of Cell Biology*, 166(3), pp. 347–357. Available at: <https://doi.org/10.1083/jcb.200312007>.