

PSYC0021: Affective Interaction

View Online



[1]

Abdelrahman, Y. et al. 2017. Cognitive Heat. Proceedings of the ACM on Interactive, Mobile, Wearable and Ubiquitous Technologies. 1, 3 (Sep. 2017), 1–20.
DOI:<https://doi.org/10.1145/3130898>.

[2]

Andrew Ortony et al. 2005. Affect and Proto-Affect in Effective Functioning. Who Needs Emotions?. J.-M. Fellous and M.A. Arbib, eds. Oxford University Press. 173–202.

[3]

Aviezer, H. et al. 2012. Body Cues, Not Facial Expressions, Discriminate Between Intense Positive and Negative Emotions. Science. 338, 6111 (Nov. 2012), 1225–1229.
DOI:<https://doi.org/10.1126/science.1224313>.

[4]

Beale, R. and Creed, C. 2009. Affective interaction: How emotional agents affect users. International Journal of Human-Computer Studies. 67, 9 (Sep. 2009), 755–776.
DOI:<https://doi.org/10.1016/j.ijhcs.2009.05.001>.

[5]

Bickmore, T.W. et al. 2010. Empathic Touch by Relational Agents. IEEE Transactions on Affective Computing. 1, 1 (Jan. 2010), 60–71. DOI:<https://doi.org/10.1109/T-AFFC.2010.4>.

[6]

Bitbol, M. and Petitmengin, C. 2013. A Defense of Introspection from Within. 8, 3 (2013), 269–279.

[7]

Boehner, K. et al. 2007. How emotion is made and measured. *International Journal of Human-Computer Studies*. 65, 4 (2007), 275–291.
DOI:<https://doi.org/10.1016/j.ijhcs.2006.11.016>.

[8]

Calvo, R.A. and Peters, D. 2014. *Positive computing: technology for wellbeing and human potential*. MIT Press.

[9]

Cerekovic, A. et al. 2017. Rapport with Virtual Agents: What Do Human Social Cues and Personality Explain? *IEEE Transactions on Affective Computing*. 8, 3 (2017), 382–395.
DOI:<https://doi.org/10.1109/TAFFC.2016.2545650>.

[10]

Chandler, J. and Schwarz, N. 2009. How extending your middle finger affects your perception of others: Learned movements influence concept accessibility. *Journal of Experimental Social Psychology*. 45, 1 (Jan. 2009), 123–128.
DOI:<https://doi.org/10.1016/j.jesp.2008.06.012>.

[11]

Clore, G.L. et al. 2018. Affect and cognition: three principles. *Current Opinion in Behavioral Sciences*. 19, (Feb. 2018), 78–82. DOI:<https://doi.org/10.1016/j.cobeha.2017.11.010>.

[12]

Clore, G.L. et al. 2018. Affect and cognition: three principles. *Current Opinion in Behavioral Sciences*. 19, (Feb. 2018), 78–82. DOI:<https://doi.org/10.1016/j.cobeha.2017.11.010>.

[13]

Clore, G.L. and Palmer, J. 2009. Affective guidance of intelligent agents: How emotion controls cognition. *Cognitive Systems Research*. 10, 1 (2009), 21–30.
DOI:<https://doi.org/10.1016/j.cogsys.2008.03.002>.

[14]

Coeckelbergh, M. 2012. Are Emotional Robots Deceptive? *IEEE Transactions on Affective Computing*. 3, 4 (Winter 2012), 388–393. DOI:<https://doi.org/10.1109/T-AFFC.2011.29>.

[15]

Critchley, H.D. and Garfinkel, S.N. 2018. The influence of physiological signals on cognition. *Current Opinion in Behavioral Sciences*. 19, (Feb. 2018), 13–18.
DOI:<https://doi.org/10.1016/j.cobeha.2017.08.014>.

[16]

D' Mello, S.K. 2016. On the Influence of an Iterative Affect Annotation Approach on Inter-Observer and Self-Observer Reliability. *IEEE Transactions on Affective Computing*. 7, 2 (2016), 136–149. DOI:<https://doi.org/10.1109/TAFFC.2015.2457413>.

[17]

DMello, S.K. et al. 2013. Unimodal and Multimodal Human Perception of Naturalistic Non-Basic Affective States during Human-Computer Interactions. *IEEE Transactions on Affective Computing*. 4, 4 (Oct. 2013), 452–465.
DOI:<https://doi.org/10.1109/T-AFFC.2013.19>.

[18]

Ekman, P. 2016. What Scientists Who Study Emotion Agree About. *Perspectives on Psychological Science*. 11, 1 (Jan. 2016), 31–34.
DOI:<https://doi.org/10.1177/1745691615596992>.

[19]

Elkharraz, G. et al. 2014. Making Tactile Textures with Predefined Affective Properties. *IEEE Transactions on Affective Computing*. 5, 1 (2014), 57–70.

DOI:<https://doi.org/10.1109/T-AFFC.2013.21>.

[20]

Fanselow, M.S. 2018. Emotion, motivation and function. *Current Opinion in Behavioral Sciences*. 19, (Feb. 2018), 105–109. DOI:<https://doi.org/10.1016/j.cobeha.2017.12.013>.

[21]

Forgas, J.P. 2017. Mood Effects on Cognition: Affective Influences on the Content and Process of Information Processing and Behavior. *Emotions and Affect in Human Factors and Human-Computer Interaction*. Elsevier. 89–122.

[22]

Gallace, A. and Spence, C. 2010. The science of interpersonal touch: An overview. *Neuroscience & Biobehavioral Reviews*. 34, 2 (2010), 246–259. DOI:<https://doi.org/10.1016/j.neubiorev.2008.10.004>.

[23]

Gao, Y. et al. 2012. What Does Touch Tell Us about Emotions in Touchscreen-Based Gameplay? *ACM Transactions on Computer-Human Interaction*. 19, 4 (Dec. 2012), 1–30. DOI:<https://doi.org/10.1145/2395131.2395138>.

[24]

Gratch, J. and Marsella, S. 2004. A domain-independent framework for modeling emotion. *Cognitive Systems Research*. 5, 4 (2004), 269–306. DOI:<https://doi.org/10.1016/j.cogsys.2004.02.002>.

[25]

Gruebler, A. and Suzuki, K. 2014. Design of a Wearable Device for Reading Positive Expressions from Facial EMG Signals. *IEEE Transactions on Affective Computing*. 5, 3 (Jul. 2014), 227–237. DOI:<https://doi.org/10.1109/TAFFC.2014.2313557>.

[26]

Hamacher, A. et al. 2016. Believing in BERT: Using expressive communication to enhance trust and counteract operational error in physical Human-robot interaction. 2016 25th IEEE International Symposium on Robot and Human Interactive Communication (RO-MAN) (Aug. 2016), 493-500.

[27]

Harmon-Jones, C. et al. 2016. The Discrete Emotions Questionnaire: A New Tool for Measuring State Self-Reported Emotions. PLOS ONE. 11, 8 (Aug. 2016). DOI:<https://doi.org/10.1371/journal.pone.0159915>.

[28]

Hertenstein, M.J. et al. 2009. The communication of emotion via touch. *Emotion*. 9, 4 (2009), 566-573.

[29]

Hirano, T. et al. 2018. How Do Communication Cues Change Impressions of Human-Robot Touch Interaction? *International Journal of Social Robotics*. 10, 1 (Jan. 2018), 21-31. DOI:<https://doi.org/10.1007/s12369-017-0425-8>.

[30]

Hudlicka, E. 2017. Computational Modeling of Cognition-Emotion Interactions: Theoretical and Practical Relevance for Behavioral Healthcare. *Emotions and Affect in Human Factors and Human-Computer Interaction*. Elsevier. 383-436.

[31]

Hudlicka, E. 2003. To feel or not to feel: The role of affect in human-computer interaction. *International Journal of Human-Computer Studies*. 59, 1-2 (Jul. 2003), 1-32. DOI:[https://doi.org/10.1016/S1071-5819\(03\)00047-8](https://doi.org/10.1016/S1071-5819(03)00047-8).

[32]

Huisman, G. et al. 2013. The TaSSt: Tactile sleeve for social touch. 2013 World Haptics Conference (WHC) (Apr. 2013), 211-216.

[33]

Hutson, S. et al. 2011. Investigating the Suitability of Social Robots for the Wellbeing of the Elderly. *Affective Computing and Intelligent Interaction*. S. D'Mello et al., eds. Springer Berlin Heidelberg. 578–587.

[34]

Isbister, K. et al. 2007. The sensual evaluation instrument: Developing a trans-cultural self-report measure of affect. *International Journal of Human-Computer Studies*. 65, 4 (Apr. 2007), 315–328. DOI:<https://doi.org/10.1016/j.ijhcs.2006.11.017>.

[35]

Janssen, J.H. et al. 2010. Intimate Heartbeats: Opportunities for Affective Communication Technology. *IEEE Transactions on Affective Computing*. 1, 2 (Jul. 2010), 72–80. DOI:<https://doi.org/10.1109/T-AFFC.2010.13>.

[36]

Jeon, M. 2017. Emotions in Driving. *Emotions and Affect in Human Factors and Human-Computer Interaction*. Elsevier. 437–474.

[37]

Jordan, P.W. 2000. *Designing pleasurable products: an introduction to the new human factors*. Taylor & Francis.

[38]

Jordan, P.W. 1998. Human factors for pleasure in product use. *Applied Ergonomics*. 29, 1 (Feb. 1998), 25–33. DOI:[https://doi.org/10.1016/S0003-6870\(97\)00022-7](https://doi.org/10.1016/S0003-6870(97)00022-7).

[39]

Kamide, H. and Arai, T. 2017. Perceived Comfortableness of Anthropomorphized Robots in U.S. and Japan. *International Journal of Social Robotics*. 9, 4 (2017), 537–543. DOI:<https://doi.org/10.1007/s12369-017-0409-8>.

[40]

Kleinsmith, A. and Bianchi-Berthouze, N. 2013. Affective Body Expression Perception and Recognition: A Survey. *IEEE Transactions on Affective Computing*. 4, 1 (Jan. 2013), 15–33. DOI:<https://doi.org/10.1109/T-AFFC.2012.16>.

[41]

Kroupi, E. et al. 2016. Subject-Independent Odor Pleasantness Classification Using Brain and Peripheral Signals. *IEEE Transactions on Affective Computing*. 7, 4 (Oct. 2016), 422–434. DOI:<https://doi.org/10.1109/T-AFFC.2015.2496310>.

[42]

Kusserow, M. et al. 2013. Modeling arousal phases in daily living using wearable sensors. *IEEE Transactions on Affective Computing*. 4, 1 (Jan. 2013), 93–105. DOI:<https://doi.org/10.1109/T-AFFC.2012.37>.

[43]

Küster, D. and Kappas, A. 2017. Measuring Emotions Online: Expression and Physiology. *Cyberemotions*. J.A. Holyst, ed. Springer International Publishing. 71–93.

[44]

Liu, K. et al. 2016. Two Techniques for Assessing Virtual Agent Personality. *IEEE Transactions on Affective Computing*. 7, 1 (2016), 94–105. DOI:<https://doi.org/10.1109/T-AFFC.2015.2435780>.

[45]

Marc, Hassenzahl, Andrew Monk 2010. The Inference of Perceived Usability From Beauty. *Human-Computer Interaction*. 25, 3 (2010), 235–260.

[46]

Marsella, S.C. and Gratch, J. 2009. EMA: A process model of appraisal dynamics. *Cognitive Systems Research*. 10, 1 (2009), 70–90. DOI:<https://doi.org/10.1016/j.cogsys.2008.03.005>.

[47]

Mauss, I.B. and Robinson, M.D. 2009. Measures of emotion: A review. *Cognition & Emotion*. 23, 2 (Feb. 2009), 209–237. DOI:<https://doi.org/10.1080/02699930802204677>.

[48]

McCarthy, J., J, and Wright, P. *Technology as Experience*.

[49]

Nardelli, M. et al. 2015. Recognizing Emotions Induced by Affective Sounds through Heart Rate Variability. *IEEE Transactions on Affective Computing*. 6, 4 (Oct. 2015), 385–394. DOI:<https://doi.org/10.1109/TAFFC.2015.2432810>.

[50]

Norman, D. 2004. Introduction to This Special Section on Beauty, Goodness, and Usability. *Human-Computer Interaction*. 19, 4 (Dec. 2004), 311–318. DOI:https://doi.org/10.1207/s15327051hci1904_1.

[51]

Obrist, M. et al. 2013. Talking about tactile experiences. *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems - CHI '13 (2013)*, 1659–1668.

[52]

Pessoa, L. Do Intelligent Robots Need Emotion? *Trends in Cognitive Sciences*. 21, 11, 817–819. DOI:<https://doi.org/10.1016/j.tics.2017.06.010>.

[53]

Petitmengin, C. 2006. Describing one's subjective experience in the second person: An interview method for the science of consciousness. *Phenomenology and the Cognitive Sciences*. 5, 3–4 (Dec. 2006), 229–269. DOI:<https://doi.org/10.1007/s11097-006-9022-2>.

[54]

Petitmengin, C. and Lachaux, J.-P. 27AD. Microcognitive science: bridging experiential and neuronal microdynamics. *Frontiers in Human Neuroscience*. 7, (27AD). DOI:<https://doi.org/10.3389/fnhum.2013.00617>.

[55]

Petrecu, B. et al. 2015. How do designers feel textiles? 2015 International Conference on Affective Computing and Intelligent Interaction (ACII) (Sep. 2015), 982–987.

[56]

Politou, E. et al. 2017. A survey on mobile affective computing. *Computer Science Review*. 25, (Aug. 2017), 79–100. DOI:<https://doi.org/10.1016/j.cosrev.2017.07.002>.

[57]

Poppa, T. and Bechara, A. 2018. The somatic marker hypothesis: revisiting the role of the 'body-loop' in decision-making. *Current Opinion in Behavioral Sciences*. 19, (Feb. 2018), 61–66. DOI:<https://doi.org/10.1016/j.cobeha.2017.10.007>.

[58]

Rosenthal-von der Pütten, A.M. and Krämer, N.C. 2015. Individuals' Evaluations of and Attitudes Towards Potentially Uncanny Robots. *International Journal of Social Robotics*. 7, 5 (Nov. 2015), 799–824. DOI:<https://doi.org/10.1007/s12369-015-0321-z>.

[59]

Roy, R. et al. 2009. User-centric design and Kansei Engineering. *CIRP Journal of Manufacturing Science and Technology*. 1, 3 (Jan. 2009), 172–178. DOI:<https://doi.org/10.1016/j.cirpj.2008.10.007>.

[60]

Russell, J.A. and Barrett, L.F. 1999. Core affect, prototypical emotional episodes, and other things called emotion: Dissecting the elephant. *Journal of Personality and Social*

Psychology. 76, 5 (1999), 805–819.

[61]

Sauter, D.A. 2017. The Nonverbal Communication of Positive Emotions: An Emotion Family Approach. *Emotion Review*. 9, 3 (Jul. 2017), 222–234.
DOI:<https://doi.org/10.1177/1754073916667236>.

[62]

Sefidgar, Y.S. et al. 2016. Design and Evaluation of a Touch-Centered Calming Interaction with a Social Robot. *IEEE Transactions on Affective Computing*. 7, 2 (2016), 108–121.
DOI:<https://doi.org/10.1109/TAFFC.2015.2457893>.

[63]

Segalin, C. et al. 2017. The Pictures We Like Are Our Image: Continuous Mapping of Favorite Pictures into Self-Assessed and Attributed Personality Traits. *IEEE Transactions on Affective Computing*. 8, 2 (Apr. 2017), 268–285.
DOI:<https://doi.org/10.1109/TAFFC.2016.2516994>.

[64]

Segalin, C. et al. 2017. The Pictures We Like Are Our Image: Continuous Mapping of Favorite Pictures into Self-Assessed and Attributed Personality Traits. *IEEE Transactions on Affective Computing*. 8, 2 (Apr. 2017), 268–285.
DOI:<https://doi.org/10.1109/TAFFC.2016.2516994>.

[65]

Spadafora, M. et al. 2016. Designing the Behavior of Interactive Objects. *Proceedings of the TEI '16: Tenth International Conference on Tangible, Embedded, and Embodied Interaction - TEI '16* (2016), 70–77.

[66]

Stanton, C.J. and Stevens, C.J. 2017. Don't Stare at Me: The Impact of a Humanoid Robot's Gaze upon Trust During a Cooperative Human–Robot Visual Task. *International Journal of Social Robotics*. 9, 5 (Nov. 2017), 745–753.
DOI:<https://doi.org/10.1007/s12369-017-0422-y>.

[67]

Tajadura-Jiménez, A. et al. 2015. As Light as your Footsteps. Proceedings of the 33rd Annual ACM Conference on Human Factors in Computing Systems - CHI '15 (2015), 2943–2952.

[68]

Tractinsky, N. et al. 2000. What is beautiful is usable. *Interacting with Computers*. 13, 2 (Dec. 2000), 127–145. DOI:[https://doi.org/10.1016/S0953-5438\(00\)00031-X](https://doi.org/10.1016/S0953-5438(00)00031-X).

[69]

Tuch, A. et al. 2011. The Role of Visual Complexity in Affective Reactions to Webpages: Subjective, Eye Movement, and Cardiovascular Responses. *IEEE Transactions on Affective Computing*. 2, 4 (Oct. 2011), 230–236. DOI:<https://doi.org/10.1109/T-AFFC.2011.18>.

[70]

Turchet, L. and Bresin, R. 2015. Effects of Interactive Sonification on Emotionally Expressive Walking Styles. *IEEE Transactions on Affective Computing*. 6, 2 (2015), 152–164. DOI:<https://doi.org/10.1109/T-AFFC.2015.2416724>.

[71]

Vinciarelli, A. et al. 2012. Bridging the Gap between Social Animal and Unsocial Machine: A Survey of Social Signal Processing. *IEEE Transactions on Affective Computing*. 3, 1 (Jan. 2012), 69–87. DOI:<https://doi.org/10.1109/T-AFFC.2011.27>.

[72]

Vinciarelli, A. and Mohammadi, G. 2014. A Survey of Personality Computing. *IEEE Transactions on Affective Computing*. 5, 3 (Jul. 2014), 273–291. DOI:<https://doi.org/10.1109/T-AFFC.2014.2330816>.

[73]

Wac, K. and Tsiourti, C. 2014. Ambulatory Assessment of Affect: Survey of Sensor Systems

for Monitoring of Autonomic Nervous Systems Activation in Emotion. IEEE Transactions on Affective Computing. 5, 3 (Jul. 2014), 251-272.
DOI:<https://doi.org/10.1109/TAFFC.2014.2332157>.

[74]

van der Zwaag, M.D. et al. Directing Physiology and Mood through Music: Validation of an Affective Music Player. IEEE Transactions on Affective Computing. 4, 1, 57-68.
DOI:<https://doi.org/10.1109/T-AFFC.2012.28>.