PSYC0021: Affective Interaction

View Online

[1]

R. Roy, M. Goatman, and K. Khangura, 'User-centric design and Kansei Engineering', CIRP Journal of Manufacturing Science and Technology, vol. 1, no. 3, pp. 172–178, Jan. 2009, doi: 10.1016/j.cirpj.2008.10.007.

[2]

Marc, Hassenzahl, Andrew Monk, 'The Inference of Perceived Usability From Beauty', Human-Computer Interaction, vol. 25, no. 3, pp. 235–260, 2010 [Online]. Available: http://www.tandfonline.com/doi/abs/10.1080/07370024.2010.500139

[3]

P. W. Jordan, 'Human factors for pleasure in product use', Applied Ergonomics, vol. 29, no. 1, pp. 25–33, Feb. 1998, doi: 10.1016/S0003-6870(97)00022-7.

[4]

N. Tractinsky, A. S. Katz, and D. Ikar, 'What is beautiful is usable', Interacting with Computers, vol. 13, no. 2, pp. 127–145, Dec. 2000, doi: 10.1016/S0953-5438(00)00031-X.

[5]

D. Norman, 'Introduction to This Special Section on Beauty, Goodness, and Usability', Human-Computer Interaction, vol. 19, no. 4, pp. 311–318, Dec. 2004, doi: 10.1207/s15327051hci1904_1.

[6]

P. W. Jordan, Designing pleasurable products: an introduction to the new human factors. Boca Raton, FL: Taylor & Francis, 2000.

[7]

J. McCarthy J, and P. Wright, Technology as Experience. [Online]. Available: https://ieeexplore.ieee.org/book/6267305

[8]

T. W. Bickmore, R. Fernando, L. Ring, and D. Schulman, 'Empathic Touch by Relational Agents', IEEE Transactions on Affective Computing, vol. 1, no. 1, pp. 60–71, Jan. 2010, doi: 10.1109/T-AFFC.2010.4.

[9]

C. Segalin, A. Perina, M. Cristani, and A. Vinciarelli, 'The Pictures We Like Are Our Image: Continuous Mapping of Favorite Pictures into Self-Assessed and Attributed Personality Traits', IEEE Transactions on Affective Computing, vol. 8, no. 2, pp. 268–285, Apr. 2017, doi: 10.1109/TAFFC.2016.2516994.

[10]

Y. S. Sefidgar, K. E. MacLean, S. Yohanan, H. F. M. Van der Loos, E. A. Croft, and E. J. Garland, 'Design and Evaluation of a Touch-Centered Calming Interaction with a Social Robot', IEEE Transactions on Affective Computing, vol. 7, no. 2, pp. 108–121, 2016, doi: 10.1109/TAFFC.2015.2457893.

[11]

L. Turchet and R. Bresin, 'Effects of Interactive Sonification on Emotionally Expressive Walking Styles', IEEE Transactions on Affective Computing, vol. 6, no. 2, pp. 152–164, 2015, doi: 10.1109/TAFFC.2015.2416724.

[12]

A. Tuch, S. Kreibig, S. Roth, J. Bargas-Avila, K. Opwis, and F. Wilhelm, 'The Role of Visual Complexity in Affective Reactions to Webpages: Subjective, Eye Movement, and

Cardiovascular Responses', IEEE Transactions on Affective Computing, vol. 2, no. 4, pp. 230–236, Oct. 2011, doi: 10.1109/T-AFFC.2011.18.

[13]

G. Elkharraz, S. Thumfart, D. Akay, C. Eitzinger, and B. Henson, 'Making Tactile Textures with Predefined Affective Properties', IEEE Transactions on Affective Computing, vol. 5, no. 1, pp. 57–70, 2014, doi: 10.1109/T-AFFC.2013.21.

[14]

R. A. Calvo and D. Peters, Positive computing: technology for wellbeing and human potential. Cambridge, Massachusetts: MIT Press, 2014 [Online]. Available: https://ieeexplore.ieee.org/book/6981846

[15]

J. A. Russell and L. F. Barrett, 'Core affect, prototypical emotional episodes, and other things called emotion: Dissecting the elephant.', Journal of Personality and Social Psychology, vol. 76, no. 5, pp. 805–819, 1999 [Online]. Available: http://ovidsp.ovid.com/ovidweb.cgi?T=JS&CSC=Y&NEWS=N&PAGE=fulltext&AN=00005205-199905000-00009&LSLINK=80&D=ovft

[16]

C. Petitmengin, 'Describing one's subjective experience in the second person: An interview method for the science of consciousness', Phenomenology and the Cognitive Sciences, vol. 5, no. 3–4, pp. 229–269, Dec. 2006, doi: 10.1007/s11097-006-9022-2.

[17]

K. Boehner, R. DePaula, P. Dourish, and P. Sengers, 'How emotion is made and measured', International Journal of Human-Computer Studies, vol. 65, no. 4, pp. 275–291, 2007, doi: 10.1016/j.ijhcs.2006.11.016.

[18]

K. Isbister, K. Höök, J. Laaksolahti, and M. Sharp, 'The sensual evaluation instrument: Developing a trans-cultural self-report measure of affect', International Journal of Human-Computer Studies, vol. 65, no. 4, pp. 315–328, Apr. 2007, doi:

10.1016/j.ijhcs.2006.11.017.

[19]

E. Hudlicka, ‘To feel or not to feel: The role of affect in human–computer interaction’, International Journal of Human-Computer Studies, vol. 59, no. 1–2, pp. 1–32, Jul. 2003, doi: 10.1016/S1071-5819(03)00047-8.

[20]

M. Bitbol and C. Petitmengin, ‘A Defense of Introspection from Within’, vol. 8, no. 3, pp. 269–279, 2013 [Online]. Available: http://constructivist.info/8/3/269.bitbol

[21]

C. Petitmengin and J.-P. Lachaux, ‘Microcognitive science: bridging experiential and neuronal microdynamics’, Frontiers in Human Neuroscience, vol. 7, 27AD, doi: 10.3389/fnhum.2013.00617.

[22]

B. Petreca, S. Baurley, and N. Bianchi-Berthouze, ‘How do designers feel textiles?’, in 2015 International Conference on Affective Computing and Intelligent Interaction (ACII), Sep. 2015, pp. 982–987, doi: 10.1109/ACII.2015.7344695 [Online]. Available: http://ieeexplore.ieee.org/document/7344695/

[23]

P. Ekman, ‘What Scientists Who Study Emotion Agree About’, Perspectives on Psychological Science, vol. 11, no. 1, pp. 31–34, Jan. 2016, doi: 10.1177/1745691615596992.

[24]

S. K. D’ Mello, ‘On the Influence of an Iterative Affect Annotation Approach on Inter-Observer and Self-Observer Reliability’, IEEE Transactions on Affective Computing, vol. 7, no. 2, pp. 136–149, 2016, doi: 10.1109/TAFFC.2015.2457413.

[25]

C. Harmon-Jones, B. Bastian, and E. Harmon-Jones, 'The Discrete Emotions Questionnaire: A New Tool for Measuring State Self-Reported Emotions', PLOS ONE, vol. 11, no. 8, Aug. 2016, doi: 10.1371/journal.pone.0159915.

[26]

M. Obrist, S. A. Seah, and S. Subramanian, 'Talking about tactile experiences', in Proceedings of the SIGCHI Conference on Human Factors in Computing Systems - CHI '13, 2013, pp. 1659–1668, doi: 10.1145/2470654.2466220 [Online]. Available: http://dl.acm.org/citation.cfm?doid=2470654.2466220

[27]

D. Küster and A. Kappas, 'Measuring Emotions Online: Expression and Physiology', in Cyberemotions, J. A. Holyst, Ed. Cham: Springer International Publishing, 2017, pp. 71–93 [Online]. Available: http://link.springer.com/10.1007/978-3-319-43639-5_5

[28]

I. B. Mauss and M. D. Robinson, 'Measures of emotion: A review', Cognition & Emotion, vol. 23, no. 2, pp. 209–237, Feb. 2009, doi: 10.1080/02699930802204677.

[29]

E. Kroupi, J.-M. Vesin, and T. Ebrahimi, 'Subject-Independent Odor Pleasantness Classification Using Brain and Peripheral Signals', IEEE Transactions on Affective Computing, vol. 7, no. 4, pp. 422–434, Oct. 2016, doi: 10.1109/TAFFC.2015.2496310.

[30]

M. Nardelli, G. Valenza, A. Greco, A. Lanata, and E. P. Scilingo, 'Recognizing Emotions Induced by Affective Sounds through Heart Rate Variability', IEEE Transactions on Affective Computing, vol. 6, no. 4, pp. 385–394, Oct. 2015, doi: 10.1109/TAFFC.2015.2432810.

[31]

M. Kusserow, O. Amft, and G. Troster, 'Modeling arousal phases in daily living using wearable sensors', IEEE Transactions on Affective Computing, vol. 4, no. 1, pp. 93–105,

Jan. 2013, doi: 10.1109/T-AFFC.2012.37.

[32]

M. D. van der Zwaag, J. H. Janssen, and J. H. D. M. Westerink, ‘Directing Physiology and Mood through Music: Validation of an Affective Music Player’, IEEE Transactions on Affective Computing, vol. 4, no. 1, pp. 57–68, doi: 10.1109/T-AFFC.2012.28.

[33]

Y. Abdelrahman, E. Velloso, T. Dingler, A. Schmidt, and F. Vetere, ‘Cognitive Heat’, Proceedings of the ACM on Interactive, Mobile, Wearable and Ubiquitous Technologies, vol. 1, no. 3, pp. 1–20, Sep. 2017, doi: 10.1145/3130898.

[34]

Y. Gao, N. Bianchi-Berthouze, and H. Meng, ‘What Does Touch Tell Us about Emotions in Touchscreen-Based Gameplay?’, ACM Transactions on Computer-Human Interaction, vol. 19, no. 4, pp. 1–30, Dec. 2012, doi: 10.1145/2395131.2395138.

[35]

M. J. Hertenstein, R. Holmes, M. McCullough, and D. Keltner, ‘The communication of emotion via touch.’, Emotion, vol. 9, no. 4, pp. 566–573, 2009 [Online]. Available: http://ovidsp.ovid.com/ovidweb.cgi?T=JS&CSC=Y&NEWS=N&PAGE=fulltext&AN=00130470-200908000-00017&LSLINK=80&D=ovft

[36]

H. Aviezer, Y. Trope, and A. Todorov, ‘Body Cues, Not Facial Expressions, Discriminate Between Intense Positive and Negative Emotions’, Science, vol. 338, no. 6111, pp. 1225–1229, Nov. 2012, doi: 10.1126/science.1224313.

[37]

A. Kleinsmith and N. Bianchi-Berthouze, ‘Affective Body Expression Perception and Recognition: A Survey’, IEEE Transactions on Affective Computing, vol. 4, no. 1, pp. 15–33, Jan. 2013, doi: 10.1109/T-AFFC.2012.16.

[38]

G. Huisman, A. Darriba Frederiks, B. Van Dijk, D. Hevlen, and B. Krose, 'The TaSSt: Tactile sleeve for social touch', in 2013 World Haptics Conference (WHC), Apr. 2013, pp. 211–216, doi: 10.1109/WHC.2013.6548410 [Online]. Available: http://ieeexplore.ieee.org/document/6548410/

[39]

A. Vinciarelli et al., 'Bridging the Gap between Social Animal and Unsocial Machine: A Survey of Social Signal Processing', IEEE Transactions on Affective Computing, vol. 3, no. 1, pp. 69–87, Jan. 2012, doi: 10.1109/T-AFFC.2011.27.

[40]

A. Vinciarelli and G. Mohammadi, 'A Survey of Personality Computing', IEEE Transactions on Affective Computing, vol. 5, no. 3, pp. 273–291, Jul. 2014, doi: 10.1109/TAFFC.2014.2330816.

[41]

A. Gallace and C. Spence, 'The science of interpersonal touch: An overview', Neuroscience & Biobehavioral Reviews, vol. 34, no. 2, pp. 246–259, 2010, doi: 10.1016/j.neubiorev.2008.10.004.

[42]

G. L. Clore and J. Palmer, 'Affective guidance of intelligent agents: How emotion controls cognition', Cognitive Systems Research, vol. 10, no. 1, pp. 21–30, 2009, doi: 10.1016/j.cogsys.2008.03.002.

[43]

G. L. Clore, A. J. Schiller, and A. Shaked, 'Affect and cognition: three principles', Current Opinion in Behavioral Sciences, vol. 19, pp. 78–82, Feb. 2018, doi: 10.1016/j.cobeha.2017.11.010.

[44]

Andrew Ortony, Donald A. Norman, and William Revelle, 'Affect and Proto-Affect in

Effective Functioning', in Who Needs Emotions?, J.-M. Fellous and M. A. Arbib, Eds. Oxford University Press, 2005, pp. 173–202 [Online]. Available: https://www.oxfordscholarship.com/view/10.1093/acprof:oso/9780195166194.001.0001/acprof-9780195166194-chapter-7

[45]

J. Chandler and N. Schwarz, 'How extending your middle finger affects your perception of others: Learned movements influence concept accessibility', Journal of Experimental Social Psychology, vol. 45, no. 1, pp. 123–128, Jan. 2009, doi: 10.1016/j.jesp.2008.06.012.

[46]

A. Tajadura-Jiménez, M. Basia, O. Deroy, M. Fairhurst, N. Marquardt, and N. Bianchi-Berthouze, 'As Light as your Footsteps', in Proceedings of the 33rd Annual ACM Conference on Human Factors in Computing Systems - CHI '15, 2015, pp. 2943–2952, doi: 10.1145/2702123.2702374 [Online]. Available: http://dl.acm.org/citation.cfm?doid=2702123.2702374

[47]

J. H. Janssen, J. N. Bailenson, W. A. IJsselsteijn, and J. H. D. M. Westerink, 'Intimate Heartbeats: Opportunities for Affective Communication Technology', IEEE Transactions on Affective Computing, vol. 1, no. 2, pp. 72–80, Jul. 2010, doi: 10.1109/T-AFFC.2010.13.

[48]

G. L. Clore, A. J. Schiller, and A. Shaked, 'Affect and cognition: three principles', Current Opinion in Behavioral Sciences, vol. 19, pp. 78–82, Feb. 2018, doi: 10.1016/j.cobeha.2017.11.010.

[49]

H. D. Critchley and S. N. Garfinkel, 'The influence of physiological signals on cognition', Current Opinion in Behavioral Sciences, vol. 19, pp. 13–18, Feb. 2018, doi: 10.1016/j.cobeha.2017.08.014.

[50]

T. Poppa and A. Bechara, 'The somatic marker hypothesis: revisiting the role of the

"body-loop" in decision-making', Current Opinion in Behavioral Sciences, vol. 19, pp. 61–66, Feb. 2018, doi: 10.1016/j.cobeha.2017.10.007.

[51]

M. S. Fanselow, 'Emotion, motivation and function', Current Opinion in Behavioral Sciences , vol. 19, pp. 105–109, Feb. 2018, doi: 10.1016/j.cobeha.2017.12.013.

[52]

J. P. Forgas, 'Mood Effects on Cognition: Affective Influences on the Content and Process of Information Processing and Behavior', in Emotions and Affect in Human Factors and Human-Computer Interaction, Elsevier, 2017, pp. 89–122.

[53]

D. A. Sauter, 'The Nonverbal Communication of Positive Emotions: An Emotion Family Approach', Emotion Review, vol. 9, no. 3, pp. 222–234, Jul. 2017, doi: 10.1177/1754073916667236.

[54]

E. Politou, E. Alepis, and C. Patsakis, 'A survey on mobile affective computing', Computer Science Review, vol. 25, pp. 79–100, Aug. 2017, doi: 10.1016/j.cosrev.2017.07.002.

[55]

S. K. DMello, N. Dowell, and A. Graesser, 'Unimodal and Multimodal Human Perceptionof Naturalistic Non-Basic Affective Statesduring Human-Computer Interactions', IEEE Transactions on Affective Computing, vol. 4, no. 4, pp. 452–465, Oct. 2013, doi: 10.1109/T-AFFC.2013.19.

[56]

A. Gruebler and K. Suzuki, 'Design of a Wearable Device for Reading Positive Expressions from Facial EMG Signals', IEEE Transactions on Affective Computing, vol. 5, no. 3, pp. 227–237, Jul. 2014, doi: 10.1109/TAFFC.2014.2313557.

[57]

K. Wac and C. Tsiourti, 'Ambulatory Assessment of Affect: Survey of Sensor Systems for Monitoring of Autonomic Nervous Systems Activation in Emotion', IEEE Transactions on Affective Computing, vol. 5, no. 3, pp. 251–272, Jul. 2014, doi: 10.1109/TAFFC.2014.2332157.

[58]

R. Beale and C. Creed, 'Affective interaction: How emotional agents affect users', International Journal of Human-Computer Studies, vol. 67, no. 9, pp. 755–776, Sep. 2009, doi: 10.1016/j.ijhcs.2009.05.001.

[59]

M. Spadafora, V. Chahuneau, N. Martelaro, D. Sirkin, and W. Ju, 'Designing the Behavior of Interactive Objects', in Proceedings of the TEI '16: Tenth International Conference on Tangible, Embedded, and Embodied Interaction - TEI '16, 2016, pp. 70–77, doi: 10.1145/2839462.2839502 [Online]. Available: http://dl.acm.org/citation.cfm?doid=2839462.2839502

[60]

A. Hamacher, N. Bianchi-Berthouze, A. G. Pipe, and K. Eder, 'Believing in BERT: Using expressive communication to enhance trust and counteract operational error in physical Human-robot interaction', in 2016 25th IEEE International Symposium on Robot and Human Interactive Communication (RO-MAN), Aug. 2016, pp. 493–500, doi: 10.1109/ROMAN.2016.7745163 [Online]. Available: http://ieeexplore.ieee.org/document/7745163/

[61]

M. Coeckelbergh, 'Are Emotional Robots Deceptive?', IEEE Transactions on Affective Computing, vol. 3, no. 4, pp. 388–393, Winter 2012, doi: 10.1109/T-AFFC.2011.29.

[62]

K. Liu, J. Tolins, J. E. Fox Tree, M. Neff, and M. A. Walker, 'Two Techniques for Assessing Virtual Agent Personality', IEEE Transactions on Affective Computing, vol. 7, no. 1, pp. 94–105, 2016, doi: 10.1109/TAFFC.2015.2435780.

[63]

A. Cerekovic, O. Aran, and D. Gatica-Perez, 'Rapport with Virtual Agents: What Do Human Social Cues and Personality Explain?', IEEE Transactions on Affective Computing, vol. 8, no. 3, pp. 382–395, 2017, doi: 10.1109/TAFFC.2016.2545650.

[64]

C. J. Stanton and C. J. Stevens, 'Don't Stare at Me: The Impact of a Humanoid Robot's Gaze upon Trust During a Cooperative Human–Robot Visual Task', International Journal of Social Robotics, vol. 9, no. 5, pp. 745–753, Nov. 2017, doi: 10.1007/s12369-017-0422-y.

[65]

H. Kamide and T. Arai, 'Perceived Comfortableness of Anthropomorphized Robots in U.S. and Japan', International Journal of Social Robotics, vol. 9, no. 4, pp. 537–543, 2017, doi: 10.1007/s12369-017-0409-8.

[66]

T. Hirano et al., 'How Do Communication Cues Change Impressions of Human–Robot Touch Interaction?', International Journal of Social Robotics, vol. 10, no. 1, pp. 21–31, Jan. 2018, doi: 10.1007/s12369-017-0425-8.

[67]

A. M. Rosenthal-von der Pütten and N. C. Krämer, 'Individuals' Evaluations of and Attitudes Towards Potentially Uncanny Robots', International Journal of Social Robotics, vol. 7, no. 5, pp. 799–824, Nov. 2015, doi: 10.1007/s12369-015-0321-z.

[68]

S. Hutson, S. L. Lim, P. J. Bentley, N. Bianchi-Berthouze, and A. Bowling, 'Investigating the Suitability of Social Robots for the Wellbeing of the Elderly', in Affective Computing and Intelligent Interaction, vol. 6974, S. D'Mello, A. Graesser, B. Schuller, and J.-C. Martin, Eds. Berlin, Heidelberg: Springer Berlin Heidelberg, 2011, pp. 578–587 [Online]. Available: http://link.springer.com/10.1007/978-3-642-24600-5_61

[69]

J. Gratch and S. Marsella, ‘A domain-independent framework for modeling emotion’, Cognitive Systems Research, vol. 5, no. 4, pp. 269–306, 2004, doi: 10.1016/j.cogsys.2004.02.002.

[70]

S. C. Marsella and J. Gratch, ‘EMA: A process model of appraisal dynamics’, Cognitive Systems Research, vol. 10, no. 1, pp. 70–90, 2009, doi: 10.1016/j.cogsys.2008.03.005.

[71]

E. Hudlicka, ‘Computational Modeling of Cognition–Emotion Interactions: Theoretical and Practical Relevance for Behavioral Healthcare’, in Emotions and Affect in Human Factors and Human-Computer Interaction, Elsevier, 2017, pp. 383–436 [Online]. Available: http://linkinghub.elsevier.com/retrieve/pii/B9780128018514000161

[72]

M. Jeon, ‘Emotions in Driving’, in Emotions and Affect in Human Factors and Human-Computer Interaction, Elsevier, 2017, pp. 437–474 [Online]. Available: http://linkinghub.elsevier.com/retrieve/pii/B9780128018514000173

[73]

C. Segalin, A. Perina, M. Cristani, and A. Vinciarelli, ‘The Pictures We Like Are Our Image: Continuous Mapping of Favorite Pictures into Self-Assessed and Attributed Personality Traits’, IEEE Transactions on Affective Computing, vol. 8, no. 2, pp. 268–285, Apr. 2017, doi: 10.1109/TAFFC.2016.2516994.

[74]

L. Pessoa, ‘Do Intelligent Robots Need Emotion?’, Trends in Cognitive Sciences, vol. 21, no. 11, pp. 817–819, doi: 10.1016/j.tics.2017.06.010.