

# DRDPDMAT - DRDP: Applied Clinical Dental Materials

[View Online](#)

Ab-Ghani, Z., Ngo, H., & McIntyre, J. (2007). Effect of remineralization/demineralization cycles on mineral profiles of Fuji IX Fast in vitro using electron probe microanalysis. *Australian Dental Journal*, 52(4), 276–281.  
<https://doi.org/10.1111/j.1834-7819.2007.tb00502.x>

Adabo, G. L., Zanarotti, E., Fonseca, R. G., & Cruz, C. A. dos S. (1999). Effect of disinfectant agents on dimensional stability of elastomeric impression materials. *The Journal of Prosthetic Dentistry*, 81(5), 621–624. [https://doi.org/10.1016/S0022-3913\(99\)70219-2](https://doi.org/10.1016/S0022-3913(99)70219-2)

Akerboom, H. B. M., Advokaat, J. G. A., Amerongen, W. E., & Borgmeijer, P. J. (1993). Long-term evaluation and reresoration of amalgam restorations. *Community Dentistry and Oral Epidemiology*, 21(1), 45–48. <https://doi.org/10.1111/j.1600-0528.1993.tb00718.x>

Amalgam alternatives - micro-leakage evaluation of clinical procedures. Part I: direct composite/composite inlay/ceramic inlay. (1998). *Journal of Oral Rehabilitation*, 25(6), 443–447. <https://doi.org/10.1046/j.1365-2842.1998.00257.x>

Andersson, M., Razzoog, M. E., Oden, A., Hegenbarth, E. A., & Lang, B. R. (1998). PROCERA: A new way to achieve an all-ceramic crown. *Quintessence International*, 29(5), 185–196.

ANUSAVICE, K. J. (n.d.). Strengthening of Feldspathic Porcelain by Ion Exchange and Tempering. *Journal of Dental Research*, 71(71), 1134–1138.

Beier, U. S., Grunert, I., Kulmer, S., & Dumfahrt, H. (2007). Quality of impressions using hydrophilic polyvinyl siloxane in a clinical study of 249 patients. *The International Journal of Prosthodontics*, 20(3), 270–274.

Bergman, M. A. (1999). The Clinical performance of ceramic inlays: A review. *Australian Dental Journal*, 44(3), 157–168. <https://doi.org/10.1111/j.1834-7819.1999.tb00217.x>

Botelho, M. G. (2003a). Inhibitory Effects on Selected Oral Bacteria of Antibacterial Agents Incorporated in a Glass Ionomer Cement. *Caries Research*, 37(2), 108–114.  
<https://doi.org/10.1159/000069019>

Botelho, M. G. (2003b). Inhibitory Effects on Selected Oral Bacteria of Antibacterial Agents Incorporated in a Glass Ionomer Cement. *Caries Research*, 37(2), 108–114.  
<https://doi.org/10.1159/000069019>

BRAGA, R., BALLESTER, R., & FERRACANE, J. (2005). Factors involved in the development of polymerization shrinkage stress in resin-composites: A systematic review. *Dental Materials*, 21(10), 962–970. <https://doi.org/10.1016/j.dental.2005.04.018>

Branemark, P. I., Breine, U., Adell, R., Hansson, O., Lindstrom, J., & Ahlsson, A. (1969). Intra-Osseous Anchorage of Dental Prostheses:I. Experimental Studies, *Scandinavian Journal of Plastic and Reconstructive Surgery and Hand Surgery*, Informa Healthcare. *Scandinavian Journal of Plastic and Reconstructive Surgery and Hand Surgery*, 3(2), 81–100. <https://doi.org/9036699>

Brännström , M., & Nyborg, H. (1969). Points in the experiential study of pulpal response to restorative materials. *Odontologisk Tidskrift*, 77, 421–426.

Brown, D. (2004). Materials for impressions. *Dental Update. Leading Dental Journal for CPD* , 31(1), 40–45.

Brown, D. (2005). Article. *Dental Update. Leading Dental Journal for CPD*, 32(10), 583–586.

Browne, R. M. (1994). Animal tests for biocompatibility of dental materials—relevance, advantages and limitations. *Journal of Dentistry*, 22, S21–S24. [https://doi.org/10.1016/0300-5712\(94\)90035-3](https://doi.org/10.1016/0300-5712(94)90035-3)

Buonocore, M. G. (1955). A simple method of increasing the adhesion of acrylic filling materials to enamel surfaces. *Journal of Dental Research*, 34(6), 849–853. <http://search.ebscohost.com/login.aspx?direct=true&AuthType=ip,shib&db=ddh&AN=36487705&site=ehost-live&scope=site>

Burke, F. (1996). Fracture resistance of teeth restored with dentin-bonded crowns: the effect of increased tooth preparation. *Quintessence International*, 27(2), 115–121.

Burke, F. (2005a). Trends in Indirect Dentistry: 3. Luting Materials . *Dental Update. Leading Dental Journal for CPD*, 32(5), 251–260.

Burke, F. (2005b). Trends in indirect Dentistry: 4. Performance of Adhesive Restoratives. *Dental Update. Leading Dental Journal for CPD*, 32(6), 312–325.

Burke, F., Fleming, G., Owen, F., & Watson, D. (2002). Materials for Restoration of Primary Teeth: 2. Glass Ionomer Derivatives and Compomers . *Dental Update. Leading Dental Journal for CPD*, 29(1), 10–17.

Burke, F. J. T., & Qualtrough, A. J. E. (2000). Follow-up Evaluation of a Series of Dentin-Bonded Ceramic Restorations. *Journal of Esthetic and Restorative Dentistry*, 12(1), 16–22. <https://doi.org/10.1111/j.1708-8240.2000.tb00194.x>

Burke, F., Palin, W., James, A., Mackenzie, L., & Sands, P. (2009). The current status of materials for posterior composite restorations: the advent of low shrink. *Dental Update*, 36(7), 401–409.

Carrotte, P. (2004). Endodontics: Part 7 Preparing the root canal. *British Dental Journal*, 197(10), 603–613. <https://doi.org/10.1038/sj.bdj.4811823>

- Ceyhan, J. A., Johnson, G. H., & Lepe, X. (2003). The effect of tray selection, viscosity of impression material, and sequence of pour on the accuracy of dies made from dual-arch impressions. *The Journal of Prosthetic Dentistry*, 90(2), 143–149. [https://doi.org/10.1016/S0022-3913\(03\)00276-2](https://doi.org/10.1016/S0022-3913(03)00276-2)
- Chai, J., Takahashi, Y., & Lautenschlager, E. P. (1998). Clinically relevant mechanical properties of elastomeric impression materials. *The International Journal of Prosthodontics*, 11(3), 219–223.
- Chee, W., & Jivraj, S. (2006). Impression techniques for implant dentistry. *British Dental Journal*, 201(7), 429–432. <https://doi.org/10.1038/sj.bdj.4814118>
- CHEN, M., CHEN, C., HSU, S., SUN, S., & SU, W. (2006). Low shrinkage light curable nanocomposite for dental restorative material. *Dental Materials*, 22(2), 138–145. <https://doi.org/10.1016/j.dental.2005.02.012>
- CHO, L.-R., YI, Y.-J., & HEO, S.-J. (2002). Effect of tooth brushing and thermal cycling on a surface change of ceromers finished with different methods. *Journal of Oral Rehabilitation*, 29(9), 816–822. <https://doi.org/10.1046/j.1365-2842.2002.00877.x>
- Chris, & Ellakwa, A. E. (2003). DENTAL MATERIALS Fibre-reinforced Composites in Restorative Dentistry . *Dental Update. Leading Dental Journal for CPD*, 30(6), 300–306.
- Christensen, G. (2007). Laboratories want better impressions. *Journal of the American Dental Association*, 138(4), 527–529. <https://doi.org/10.14219/jada.archive.2007.0207>
- Collins, C. J., & Bryant, R. W. (1992). Finishing of amalgam restorations: a three-year clinical study. *Journal of Dentistry*, 20(4), 202–206. [https://doi.org/10.1016/0300-5712\(92\)90074-M](https://doi.org/10.1016/0300-5712(92)90074-M)
- Combe, E., & Burke, F. (2000). Contemporary Resin-based Composite Materials for Direct Placement Restorations: Packables, Flowables and Others. *Dental Update. Leading Dental Journal for CPD*, 27(7), 326–336.
- Conrad, H. J., Seong, W.-J., & Pesun, I. J. (2007). Current ceramic materials and systems with clinical recommendations: A systematic review. *The Journal of Prosthetic Dentistry*, 98(5), 389–404. [https://doi.org/10.1016/S0022-3913\(07\)60124-3](https://doi.org/10.1016/S0022-3913(07)60124-3)
- Cook, W. D., & Johansson, M. (1987). The influence of postcuring on the fracture properties of photo-cured dimethacrylate based dental composite resin. *Journal of Biomedical Materials Research*, 21(8), 979–989. <https://doi.org/10.1002/jbm.820210804>
- Culbertson, B. M. (2006). New polymeric materials for use in glass-ionomer cements. *Journal of Dentistry*, 34(8), 556–565. <https://doi.org/10.1016/j.jdent.2005.08.008>
- Davidson, C. L., & Feilzer, A. J. (1997). Polymerization shrinkage and polymerization shrinkage stress in polymer-based restoratives. *Journal of Dentistry*, 25(6), 435–440. [https://doi.org/10.1016/S0300-5712\(96\)00063-2](https://doi.org/10.1016/S0300-5712(96)00063-2)
- De Munck, J., Van Landuyt, K., Peumans, M., Poitevin, A., Lambrechts, P., Braem, M., & Van Meerbeek, B. (2005). A Critical Review of the Durability of Adhesion to Tooth Tissue:

Methods and Results. *Journal of Dental Research*, 84(2), 118–132.  
<https://doi.org/10.1177/154405910508400204>

Denry, I. L. (n.d.). Effect of Ion Exchange on the Microstructure, Strength, and Thermal Expansion Behavior of a Leucite-reinforced Porcelain. Effect of Ion Exchange on the Microstructure, Strength, and Thermal Expansion Behavior of a Leucite-reinforced Porcelain. *Journal of Dental Research*, 77(4), 583–588.

Donly, K. J., Jensen, M. E., Triolo, P., & Chan, D. (1999). A clinical comparison of resin composite inlay and onlay posterior restorations and cast-gold restorations at 7 year . *Quintessence International*, 30(3), 163–168.

Donovan, T. E., & Chee, W. W. (2004). A review of contemporary impression materials and techniques. *The Dental Clinics of North America*, 48(2), 445–470.

Eick, G., Gwinnett, A., Pashley, D., & Robinson, S. (1997). Current concepts on adhesion to dentin. *Critical Reviews in Oral Biology and Medicine*, 8(3), 306–335.  
<https://doi.org/10.1177/10454411970080030501>

Eley, B. M. (1997a). The future of dental amalgam: a review of the literature. Part 1: Dental amalgam structure and corrosion. *British Dental Journal*, 182(7), 247–249.  
<https://contentstore.cla.co.uk/secure/link?id=6bde52ce-e26f-e811-80cd-005056af4099>

Eley, B. M. (1997b). The future of dental amalgam: a review of the literature. Part 2: Mercury exposure in dental practice. *British Dental Journal*, 182(8), 293–297.  
<https://contentstore.cla.co.uk/secure/link?id=0b90535a-e06f-e811-80cd-005056af4099>

Eley, B. M. (1997c). The future of dental amalgam: a review of the literature. Part 3: Mercury exposure from amalgam restorations in dental patients. *British Dental Journal*, 182(9), 333–338.  
<https://contentstore.cla.co.uk/secure/link?id=bc870e94-b470-e811-80cd-005056af4099>

Eley, B. M. (1997d). The future of dental amalgam: a review of the literature. Part 4: Mercury exposure hazards and risk assessment. *British Dental Journal*, 182(10), 373–381.  
<https://doi.org/10.1038/sj.bdj.4809393>

Eley, B. M. (1997e). The future of dental amalgam: a review of the literature. Part 5: Mercury in the urine, blood and body organs from amalgam fillings. *British Dental Journal*, 182(11), 413–417.

Eley, B. M. (1997f). The future of dental amalgam: a review of the literature. Part 6: Possible harmful effects of mercury from dental amalgam. *British Dental Journal*, 182(12), 455–459.  
<https://contentstore.cla.co.uk/secure/link?id=5bcaeea4-b370-e811-80cd-005056af4099>

Eley, B. M. (1997g). The future of dental amalgam: a review of the literature. Part 7: Possible alternative materials to amalgam for the restoration of posterior teeth. *British Dental Journal*, 183(1), 11–14.  
<https://contentstore.cla.co.uk/secure/link?id=36aac76f-b370-e811-80cd-005056af4099>

Etman, M. K., & Woolford, M. J. (2010). Three-year clinical evaluation of two ceramic crown

systems: A preliminary study. *The Journal of Prosthetic Dentistry*, 103(2), 80–90.  
[https://doi.org/10.1016/S0022-3913\(10\)60010-8](https://doi.org/10.1016/S0022-3913(10)60010-8)

Exterkate, R. A. M., Damen, J. J. M., & ten Cate, J. M. (2005). Effect of Fluoride-Releasing Filling Materials on Underlying Dentinal Lesions in vitro. *Caries Research*, 39(6), 509–513.  
<https://doi.org/10.1159/000088188>

Federick, D., & Caputo, A. (1997). Comparing the accuracy of reversible hydrocolloid and elastomeric impression materials. *Journal of the American Dental Association*, 128(2), 183–188. <https://doi.org/10.14219/jada.archive.1997.0162>

Feilzer, A. J., De Gee, A. J., & Davidson, C. L. (1987). Setting stress in composite resin in relation to configuration of the restoration. *Journal of Dental Research*, 66(11), 1636–1639.  
<http://search.ebscohost.com/login.aspx?direct=true&AuthType=ip,shib&db=ddh&AN=36543133&site=ehost-live&scope=site>

Fissore, B., Nicholls, J. I., & Yuodelis, R. A. (1991). Load fatigue of teeth restored by a dentin bonding agent and a posterior composite resin. *The Journal of Prosthetic Dentistry*, 65(1), 80–85. [https://doi.org/10.1016/0022-3913\(91\)90054-Z](https://doi.org/10.1016/0022-3913(91)90054-Z)

Frencken, J. E., Makoni, F., & Sithole, W. D. (1998). ART restorations and glass ionomer sealants in Zimbabwe: survival after 3 years. *Community Dentistry and Oral Epidemiology*, 26(6), 372–381. <https://doi.org/10.1111/j.1600-0528.1998.tb01975.x>

Giordano, R. (2000). Impression materials: basic properties. *General Dentistry*, 48(5), 510–516.  
<https://contentstore.cla.co.uk/secure/link?id=fdd2082b-0773-e811-80cd-005056af4099>

Giordano, R. (2006). Materials for chairside CAD/CAM-produced restorations. *Journal of the American Dental Association*, 137(9 Supp 1), S14–S21.  
<https://doi.org/10.14219/jada.archive.2006.0397>

Giordano, R. A., Pelletier, L., Campbell, S., & Pober, R. (1995). Flexural strength of an infused ceramic, glass ceramic, and feldspathic porcelain. *The Journal of Prosthetic Dentistry*, 73(5), 411–418. [https://doi.org/10.1016/S0022-3913\(05\)80067-8](https://doi.org/10.1016/S0022-3913(05)80067-8)

Gladys, S. (n.d.). Comparative physico-mechanical characterisation of new hybrid restorative materials with contemporary glass-ionomer and resin composite restorative materials. *Journal of Dental Research*, 76(4), 883–894.

Goldberg, M., Lasfargues, J. J., & Legrand, J. M. (1994). Clinical testing of dental materials—histological considerations. *Journal of Dentistry*, 22, S25–S28.  
[https://doi.org/10.1016/0300-5712\(94\)90036-1](https://doi.org/10.1016/0300-5712(94)90036-1)

Gruythuysen, R. J. M., Kreulen, C. M., Tobi, H., Amerongen, E., & Akerboom, H. B. M. (1996). 15-year evaluation of Class II amalgam restorations. *Community Dentistry and Oral Epidemiology*, 24(3), 207–210. <https://doi.org/10.1111/j.1600-0528.1996.tb00843.x>

Guazzato, M., Albakry, M., Ringer, S. P., & Swain, M. V. (2004). Strength, fracture toughness and microstructure of a selection of all-ceramic materials. Part II. Zirconia-based dental ceramics. *Dental Materials*, 20(5), 449–456.

<https://doi.org/10.1016/j.dental.2003.05.002>

Hannig, M., Reinhardt, K., & Bott, B. (1999). Self-etching primer vs phosphoric acid: an alternative concept for composite-to-enamel bonding. *Operative Dentistry*, 24(3), 172–180.

Hashimoto, M., Ohno, H., Kaga, M., Endo, K., Sano, H., & Oguchi, H. (2000). In vivo Degradation of Resin-Dentin Bonds in Humans Over 1 to 3 Years. *Journal of Dental Research*, 79(6), 1385–1391. <https://doi.org/10.1177/00220345000790060601>

Hondrum, S. O. (2001). Changes in properties of nonaqueous elastomeric impression materials after storage of components. *The Journal of Prosthetic Dentistry*, 85(1), 73–81. <https://doi.org/10.1067/mpr.2001.112407>

Hørsted-Bindslev, P. (1994). Clinical testing of dental materials— general clinical aspects. *Journal of Dentistry*, 22, S29–S32. [https://doi.org/10.1016/0300-5712\(94\)90037-X](https://doi.org/10.1016/0300-5712(94)90037-X)

Hu, J.-Y., Li, Y.-Q., Smales, R. J., & Yip, K. H.-K. (2002). Restoration of teeth with more-viscous glass ionomer cements following radiation-induced caries. *International Dental Journal*, 52(6), 445–448. <https://doi.org/10.1111/j.1875-595X.2002.tb00640.x>

Jagger, D. C., & et.al. (2007). The effect of a range of disinfectants on the dimensional accuracy and stability of some impression materials. *Journal of Prosthodontics and Restorative Dentistry*, 15(1), 23–28.

Johnson, G. H., Lepe, X., & Aw, T. C. (2003). The effect of surface moisture on detail reproduction of elastomeric impressions. *The Journal of Prosthetic Dentistry*, 90(4), 354–364. [https://doi.org/10.1016/S0022-3913\(03\)00429-3](https://doi.org/10.1016/S0022-3913(03)00429-3)

Jones, D. W. (1993). The enigma of amalgam in dentistry. *Journal of the Canadian Dental Association*, 59(2), 155–166.

Jones, D. W. (2008). Has Dental Amalgam Been Torpedoed and Sunk? *Journal of Dental Research*, 87(2), 101–102. <https://doi.org/10.1177/154405910808700203>

Kakaboura, A., Eliades, G., & Palaghias, G. (1996). An FTIR study on the setting mechanism of resin-modified glass ionomer restoratives. *Dental Materials*, 12(3), 173–178. [https://doi.org/10.1016/S0109-5641\(96\)80017-0](https://doi.org/10.1016/S0109-5641(96)80017-0)

Kanehira, M., Finger, W., & Komatsu, Masashi . (2007). Surface detail reproduction with new elastomeric dental impression materials . *Quintessence International* , 38(6), 479–488.

Kent, B. E., Lewis, B. G., & Wilson, A. D. (1973). The properties of a glass ionomer cement. *British Dental Journal*, 135(7), 322–326.

Kramer, I., & McLean, J. (1952). Alterations in the staining reactions of dentine resulting from a constituent of a new self-polymerising resin. *British Dental Journal* , 93, 150–153.

Krämer, N., & Frankenberger, R. (2001). Dental Materials: Clinical performance of a condensable metal-reinforced glass ionomer cement in primary molars. *British Dental*

Journal, 190(6), 317–321. <https://doi.org/10.1038/sj.bdj.4800960>

Krämer, N., Frankenberger, R., Pelka, M., & Petschelt, A. (1999). IPS Empress inlays and onlays after four years — a clinical study. *Journal of Dentistry*, 27(5), 325–331. [https://doi.org/10.1016/S0300-5712\(98\)00059-1](https://doi.org/10.1016/S0300-5712(98)00059-1)

Lee, S.-Y., Dong, D.-R., Huang, H.-M., & Shih, Y.-H. (2000). Fluoride ion diffusion from a glass-ionomer cement. *Journal of Oral Rehabilitation*, 27(7), 576–586. <https://doi.org/10.1046/j.1365-2842.2000.00554.x>

Leinfelder, K. (1997a). New developments in resin restorative systems. *The Journal of the American Dental Association*, 128(5), 573–581. <https://doi.org/10.14219/jada.archive.1997.0256>

Leinfelder, K. (1997b). New developments in resin restorative systems. *New Developments in Resin Restorative Systems*, 128(5), 573–581. <https://doi.org/10.14219/jada.archive.1997.0256>

Liebenberg, W. H. (2000). Assuring restorative integrity in extensive posterior resin composite restorations: Pushing the envelope . *Quintessence International*, 31(3), 153–164.

Lutz, F., & Göhring, T. N. (2000). Masters of Esthetic Dentistry. *Journal of Esthetic and Restorative Dentistry*, 12(3), 164–171. <https://doi.org/10.1111/j.1708-8240.2000.tb00216.x>

Magne, P., & Douglas, W. H. (1999). Porcelain veneers: dentin bonding optimization and biomimetic recovery of the crown. *The International Journal of Prosthodontics*, 12(2), 111–121.

Martin, N., & Jedyakiewicz, N. M. (1999). Clinical performance of CEREC ceramic inlays: a systematic review. *Dental Materials*, 15(1), 54–61. [https://doi.org/10.1016/S0109-5641\(99\)00014-7](https://doi.org/10.1016/S0109-5641(99)00014-7)

Martinez, J. E., Combe, E. C., & Pesun, I. J. (2001). Rheological properties of vinyl polysiloxane impression pastes. *Dental Materials*, 17(6), 471–476. [https://doi.org/10.1016/S0109-5641\(00\)00100-7](https://doi.org/10.1016/S0109-5641(00)00100-7)

Matharu, S., Spratt, D. A., Pratten, J., Ng, Y.-L., Mordan, N., Wilson, M., & Gulabivala, K. (2001). A new in vitro model for the study of microbial microleakage around dental restorations: a preliminary qualitative evaluation. *International Endodontic Journal*, 34(7), 547–553. <https://doi.org/10.1046/j.1365-2591.2001.00475.x>

McCabe, J. F. (1998). Resin-modified glass-ionomers. *Biomaterials*, 19(6), 521–527. [https://doi.org/10.1016/S0142-9612\(98\)00132-X](https://doi.org/10.1016/S0142-9612(98)00132-X)

McCabe, J. F., & Walls, A. (2008). *Applied dental materials* (9th ed) [Electronic resource]. John Wiley & Sons. <https://www.123library.org/ebook/id/3663>

McCullagh, A., Sweet, C., & Ashley, M. (2005). Making a Good Impression (A 'How to' Paper on Dental Alginate) . *Dental Update. Leading Dental Journal for CPD*, 32(3), 169–175.

- Millar, B. J., Abider, F., & Nicholson, J. W. (1998). In vitro caries inhibition by polyacid-modified composite resins ('compomers'). *Journal of Dentistry*, 26(2), 133-136. [https://doi.org/10.1016/S0300-5712\(96\)00091-7](https://doi.org/10.1016/S0300-5712(96)00091-7)
- Millar, B. J., Dunne, S. M., & Robinson, P. B. (1997). The effect of a surface wetting agent on void formation in impressions. *The Journal of Prosthetic Dentistry*, 77(1), 54-56. [https://doi.org/10.1016/S0022-3913\(97\)70207-5](https://doi.org/10.1016/S0022-3913(97)70207-5)
- Moshaverinia, A., Ansari, S., Moshaverinia, M., Roohpour, N., Darr, J. A., & Rehman, I. (2008). Effects of incorporation of hydroxyapatite and fluoroapatite nanobioceramics into conventional glass ionomer cements (GIC). *Acta Biomaterialia*, 4(2), 432-440. <https://doi.org/10.1016/j.actbio.2007.07.011>
- Moshaverinia, A., Ansari, S., Movasaghi, Z., Billington, R. W., Darr, J. A., & Rehman, I. U. (2008). Modification of conventional glass-ionomer cements with N-vinylpyrrolidone containing polyacids, nano-hydroxy and fluoroapatite to improve mechanical properties. *Dental Materials*, 24(10), 1381-1390. <https://doi.org/10.1016/j.dental.2008.03.008>
- Moshaverinia, A., Roohpour, N., Ansari, S., Moshaverinia, M., Schricker, S., Darr, J. A., & Rehman, I. U. (2009). Effects of N-vinylpyrrolidone (NVP) containing polyelectrolytes on surface properties of conventional glass-ionomer cements (GIC). *Dental Materials*, 25(10), 1240-1247. <https://doi.org/10.1016/j.dental.2009.05.006>
- MOSHAVERINIA, A., ROOHPOUR, N., & REHMAN, I. (2009). Synthesis and characterization of a novel fast-set proline-derivative-containing glass ionomer cement with enhanced mechanical properties. *Acta Biomaterialia*, 5(1), 498-507. <https://doi.org/10.1016/j.actbio.2008.06.011>
- Nakajo, K., Imazato, S., Takahashi, Y., Kiba, W., Ebisu, S., & Takahashi, N. (2009). Fluoride released from glass-ionomer cement is responsible to inhibit the acid production of caries-related oral streptococci. *Dental Materials*, 25(6), 703-708. <https://doi.org/10.1016/j.dental.2008.10.014>
- Nakamura, T., Ohyama, T., Imanishi, A., Nakamura, T., & Ishigaki, S. (2002). Fracture resistance of pressable glass-ceramic fixed partial dentures. *Journal of Oral Rehabilitation*, 29(10), 951-955. <https://doi.org/10.1046/j.1365-2842.2002.00929.x>
- Nissan, J., Laufer, B.-Z., Brosh, T., & Assif, D. (2000). Accuracy of three polyvinyl siloxane putty-wash impression techniques. *The Journal of Prosthetic Dentistry*, 83(2), 161-165. [https://doi.org/10.1016/S0022-3913\(00\)80007-4](https://doi.org/10.1016/S0022-3913(00)80007-4)
- Noble, J., Ahing, S. I., Karaikos, N. E., & Wiltshire, W. A. (2008). Nickel allergy and orthodontics, a review and report of two cases. *BDJ*, 204(6), 297-300. <https://doi.org/10.1038/bdj.2008.198>
- Osborne, J. (2008). Amalgam: dead or alive? *Dental Update*. *Leading Dental Journal for CPD*, 33(2), 94-98.
- Otto, T., & De Nisco, S. (2002). Computer-aided direct ceramic restorations: A 10-year prospective clinical study of cerec CAD/CAM inlays and onlays. *The International Journal of Prosthodontics*, 15(2), 122-128.



Palin, W., & Burke, F. (2005). Article. Dental Update. Leading Dental Journal for CPD, 32 (10), 566–572.

Palin, W., & Fleming, G. (2003). Low-shrink monomers for dental restorations. . Dental Update, 30(3), 118–122.

Pamenius, M., & Ohlson, N. G. (1995). Influence of dimensional stability of impression materials on the probability of acceptance of a prosthetic restoration. *Biomaterials*, 16(15), 1193–1197. [https://doi.org/10.1016/0142-9612\(95\)93586-3](https://doi.org/10.1016/0142-9612(95)93586-3)

Peumans, M., & et.al. (2005). Clinical effectiveness of contemporary adhesives: A systematic review of current clinical trials. *Dental Materials*, 21(9), 864–881. <https://doi.org/10.1016/j.dental.2005.02.003>

Ritchie, K. A., Burke, F. J. T., Gilmour, W. H., Macdonald, E. B., Dale, I. M., Hamilton, R. M., McGowan, D. A., Binnie, V., Collington, D., & Hammersley, R. (2004). Mercury vapour levels in dental practices and body mercury levels of dentists and controls. *British Dental Journal*, 197(10), 625–632. <https://doi.org/10.1038/sj.bdj.4811831>

Rosenstiel, S. F., Gupta, P. K., Van Der Sluys, R. A., & Zimmerman, M. H. (1993). Strength of a dental glass-ceramic after surface coating. *Dental Materials*, 9(4), 274–279. [https://doi.org/10.1016/0109-5641\(93\)90074-Z](https://doi.org/10.1016/0109-5641(93)90074-Z)

Rothwell, M., Anstice, H. M., & Pearson, G. J. (1998). The uptake and release of fluoride by ion-leaching cements after exposure to toothpaste. *Journal of Dentistry*, 26(7), 591–597. [https://doi.org/10.1016/S0300-5712\(97\)00035-3](https://doi.org/10.1016/S0300-5712(97)00035-3)

Sadowsky, S. J. (2006). An overview of treatment considerations for esthetic restorations: A review of the literature. *The Journal of Prosthetic Dentistry*, 96(6), 433–442. <https://doi.org/10.1016/j.prosdent.2006.09.018>

Sano, H., & et.al. (1995). Nanoleakage: leakage within the hybrid layer. *Operative Dentistry*, 20(1), 18–25.

Schäfer, E., & Lau, R. (1999). Comparison of cutting efficiency and instrumentation of curved canals with nickel-titanium and stainless-steel instruments. *Journal of Endodontics*, 25(6), 427–430. [https://doi.org/10.1016/S0099-2399\(99\)80272-6](https://doi.org/10.1016/S0099-2399(99)80272-6)

Schmalz, G. (1994). Use of cell cultures for toxicity testing of dental materials—advantages and limitations. *Journal of Dentistry*, 22, S6–S11. [https://doi.org/10.1016/0300-5712\(94\)90032-9](https://doi.org/10.1016/0300-5712(94)90032-9)

Scott, A., Egner, W., Gawkrödger, D. J., Hatton, P. V., Sherriff, M., van Noort, R., Yeoman, C., & Grummitt, J. (2004). The national survey of adverse reactions to dental materials in the UK: a preliminary study by the UK Adverse Reactions Reporting Project. *British Dental Journal*, 196(8), 471–477. <https://doi.org/10.1038/sj.bdj.4811176>

Sfikas, P. (1996). Can a dentist ethically remove serviceable amalgam restorations? *Journal of the American Dental Association*, 127(5), 685–687. <https://doi.org/10.14219/jada.archive.1996.0282>

Shaw, A. J., Carrick, T., & McCabe, J. F. (1998). Fluoride release from glass-ionomer and compomer restorative materials: 6-month data. *Journal of Dentistry*, 26(4), 355–359. [https://doi.org/10.1016/S0300-5712\(97\)00016-X](https://doi.org/10.1016/S0300-5712(97)00016-X)

Sidhu, S. K., & Watson, T. F. (1995). Resin-modified glass ionomer materials. A status report for the American Journal of Dentistry. *American Journal of Dentistry*, 8(1), 59–67.

Small, I. C. B., Watson, T. F., Chadwick, A. V., & Sidhu, S. K. (1998). Water sorption in resin-modified glass-ionomer cements: An in vitro comparison with other materials. *Biomaterials*, 19(6), 545–550. [https://doi.org/10.1016/S0142-9612\(97\)00135-X](https://doi.org/10.1016/S0142-9612(97)00135-X)

Smith, D. C. (1998). Development of glass-ionomer cement systems. *Biomaterials*, 19(6), 467–478. [https://doi.org/10.1016/S0142-9612\(97\)00126-9](https://doi.org/10.1016/S0142-9612(97)00126-9)

Splieth, C., & et.al. (2003). Anaerobic microflora under Class I and Class II composite and amalgam restorations. *Quintessence International*, 34(7), 497–503. <http://search.ebscohost.com/login.aspx?direct=true&AuthType=ip,shib&db=ddh&AN=37298503&site=ehost-live&scope=site>

Stewardson, D. A. (2005). Trends in Indirect Dentistry: 5. Impression Materials and Techniques. *Dental Update. Leading Dental Journal for CPD*, 32(7), 374–393.

Stokes, A. N., & Hood, J. A. A. (1993). Impact fracture characteristics of intact and crowned human central incisors. *Journal of Oral Rehabilitation*, 20(1), 89–95. <https://doi.org/10.1111/j.1365-2842.1993.tb01518.x>

Sune Larsson, K. (1994). Screening tests for systemic effects of dental materials. *Journal of Dentistry*, 22, S12–S15. [https://doi.org/10.1016/0300-5712\(94\)90033-7](https://doi.org/10.1016/0300-5712(94)90033-7)

TAKAHASHI, Y., IMAZATO, S., KANESHIRO, A., EBISU, S., FRENCKEN, J., & TAY, F. (2006). Antibacterial effects and physical properties of glass-ionomer cements containing chlorhexidine for the ART approach. *Dental Materials*, 22(7), 647–652. <https://doi.org/10.1016/j.dental.2005.08.003>

Tay, W. M., & Braden, M. (1988). Fluoride ion diffusion from polyalkenoate (glass-ionomer) cements. *Biomaterials*, 9(5), 454–456. [https://doi.org/10.1016/0142-9612\(88\)90012-9](https://doi.org/10.1016/0142-9612(88)90012-9)

Taylor, R. L., Wright, P. S., & Maryan, C. (2002). Disinfection procedures: their effect on the dimensional accuracy and surface quality of irreversible hydrocolloid impression materials and gypsum casts. *Dental Materials*, 18(2), 103–110. [https://doi.org/10.1016/S0109-5641\(01\)00027-6](https://doi.org/10.1016/S0109-5641(01)00027-6)

Thompson, S. A. (2000). An overview of nickel-titanium alloys used in dentistry. *International Endodontic Journal*, 33(4), 297–310. <https://doi.org/10.1046/j.1365-2591.2000.00339.x>

Touati, Bernard, Miara, Paul, & Nathanson, Dan. (1999). Esthetic dentistry and ceramic restorations. *Martin Dunitz*. <https://doi.org/10.1201/9781003040002>

TÜRKÜN, L. S., TÜRKÜN, M., ERTUG˘RUL, F., ATES˘, M., & BRUGGER, S. (2008). Long-Term Antibacterial Effects and Physical Properties of a Chlorhexidine-Containing Glass Ionomer

Cement. *Journal of Esthetic and Restorative Dentistry*, 20(1), 29–44.  
<https://doi.org/10.1111/j.1708-8240.2008.00146.x>

Tyas , M. J. (1992). Clinical studies related to glass ionomers. *Operative Dentistry*, Supp 5, 191–198.

Valenti, M., & Valenti , A. (2009). Retrospective survival analysis of 261 lithium disilicate crowns in a private general practice . *Quintessence International*, 40(7), 573–579.

Van Landuyt, K. L., & et.al. (2007). Systematic review of the chemical composition of contemporary dental adhesives. *Biomaterials*, 28(26), 3757–3785.  
<https://doi.org/10.1016/j.biomaterials.2007.04.044>

Versluis, A. (n.d.). Do Dental Composites Always Shrink Toward the Light? *Journal of Dental Research*, 77(6), 1435–1445.

Wadhwani, C. P. K., Johnson, G. H., Lepe, X., & Raigrodski, A. J. (2005). Accuracy of newly formulated fast-setting elastomeric impression materials. *The Journal of Prosthetic Dentistry*, 93(6), 530–539. <https://doi.org/10.1016/j.prosdent.2005.03.007>

Wahl , M. (2003). Dental materials: A Resin Alternative for Posterior Teeth: Questions and Answers on Dental Amalgam. *Dental Update. Leading Dental Journal for CPD*, 30(5), 256–262.

Walker, M. P., Rondeau, M., Petrie, C., Tasca, A., & Williams, K. (2007). Surface Quality and Long-term Dimensional Stability of Current Elastomeric Impression Materials after Disinfection. *Journal of Prosthodontics*, 16(5), 343–351.  
<https://doi.org/10.1111/j.1532-849X.2007.00206.x>

Walls, A. W. G., Nohl, F. S. A., & Wassell, R. W. (2002). Crowns and other extra-coronal restorations: Resin-bonded metal restorations. *British Dental Journal*, 193(3), 135–142.  
<https://doi.org/10.1038/sj.bdj.4801506>

Warfvinge, G. (1994). Screening tests for sensitization potential of dental materials. *Journal of Dentistry*, 22, S16–S20. [https://doi.org/10.1016/0300-5712\(94\)90034-5](https://doi.org/10.1016/0300-5712(94)90034-5)

Wassell, R. W., Barker, D., & Walls, A. W. G. (2002). Crowns and other extra-coronal restorations: Impression materials and technique. *British Dental Journal*, 192(12), 679–690.  
<https://doi.org/10.1038/sj.bdj.4801456>

Wassell, R. W., Walls, A. W. G., & Steele, J. G. (2002). Crowns and extra-coronal restorations: Materials selection. *British Dental Journal*, 192(4), 199–211.  
<https://doi.org/10.1038/sj.bdj.4801334>

Wataha, J. C. (2001). Principles of biocompatibility for dental practitioners. *The Journal of Prosthetic Dentistry*, 86(2), 203–209. <https://doi.org/10.1067/mpr.2001.117056>

Wataha, J. C., & Hanks, C. T. (1996). Biological effects of palladium and risk of using palladium in dental casting alloys. *Journal of Oral Rehabilitation*, 23(5), 309–320.  
<https://doi.org/10.1111/j.1365-2842.1996.tb00858.x>

Wiegand, A., Buchalla, W., & Attin, T. (2007). Review on fluoride-releasing restorative materials—Fluoride release and uptake characteristics, antibacterial activity and influence on caries formation. *Dental Materials*, 23(3), 343–362.  
<https://doi.org/10.1016/j.dental.2006.01.022>

Wiltshire, W., Ferreira, M., & Ligthelm, A. (1996). Article. *Quintessence International*, 27(8), 513–520.  
[http://www.quintpub.com/journals/qi/abstract.php?iss2\\_id=474&article\\_id=5776&article=2&title=Allergies to dental materials](http://www.quintpub.com/journals/qi/abstract.php?iss2_id=474&article_id=5776&article=2&title=Allergies%20to%20dental%20materials)

Xie, D., Brantley, W. A., Culbertson, B. M., & Wang, G. (2000). Mechanical properties and microstructures of glass-ionomer cements. *Dental Materials*, 16(2), 129–138.  
[https://doi.org/10.1016/S0109-5641\(99\)00093-7](https://doi.org/10.1016/S0109-5641(99)00093-7)

Xu, X., & Burgess, J. O. (2003). Compressive strength, fluoride release and recharge of fluoride-releasing materials. *Biomaterials*, 24(14), 2451–2461.  
[https://doi.org/10.1016/S0142-9612\(02\)00638-5](https://doi.org/10.1016/S0142-9612(02)00638-5)

Yap, A. U. J., Pek, Y. S., & Cheang, P. (2003). Physico-mechanical properties of a fast-set highly viscous GIC restorative. *Journal of Oral Rehabilitation*, 30(1), 1–8.  
<https://doi.org/10.1046/j.1365-2842.2003.01006.x>

Young, A. (2004). FTIR investigation of monomer polymerisation and polyacid neutralisation kinetics and mechanisms in various aesthetic dental restorative materials. *Biomaterials*, 25(5), 823–833. [https://doi.org/10.1016/S0142-9612\(03\)00599-4](https://doi.org/10.1016/S0142-9612(03)00599-4)

Zeng, K., Oden, A., & Rowcliffe, D. (1998). Evaluation of Mechanical Properties of Dental Ceramic Core Materials in Combination With Porcelains. *The International Journal of Prosthodontics*, 11(2), 183–189.