

DRDPDMAT - DRDP: Applied Clinical Dental Materials

[View Online](#)

Ab-Ghani, Z., Ngo, H. and McIntyre, J. (2007) 'Effect of remineralization/demineralization cycles on mineral profiles of Fuji IX Fast in vitro using electron probe microanalysis', Australian Dental Journal, 52(4), pp. 276–281. Available at: <https://doi.org/10.1111/j.1834-7819.2007.tb00502.x>.

Adabo, G.L. et al. (1999) 'Effect of disinfectant agents on dimensional stability of elastomeric impression materials', The Journal of Prosthetic Dentistry, 81(5), pp. 621–624. Available at: [https://doi.org/10.1016/S0022-3913\(99\)70219-2](https://doi.org/10.1016/S0022-3913(99)70219-2).

Akerboom, H.B.M. et al. (1993) 'Long-term evaluation and reresoration of amalgam restorations', Community Dentistry and Oral Epidemiology, 21(1), pp. 45–48. Available at: <https://doi.org/10.1111/j.1600-0528.1993.tb00718.x>.

'Amalgam alternatives - micro-leakage evaluation of clinical procedures. Part I: direct composite/composite inlay/ceramic inlay' (1998) Journal of Oral Rehabilitation, 25(6), pp. 443–447. Available at: <https://doi.org/10.1046/j.1365-2842.1998.00257.x>.

Andersson, M. et al. (1998) 'PROCERA: A new way to achieve an all-ceramic crown', Quintessence International, 29(5), pp. 185–196.

ANUSAVICE, K. J. (no date) 'Strengthening of Feldspathic Porcelain by Ion Exchange and Tempering.', Journal of Dental Research, 71(71), pp. 1134–1138.

Beier, U.S. et al. (2007) 'Quality of impressions using hydrophilic polyvinyl siloxane in a clinical study of 249 patients', The International Journal of Prosthodontics, 20(3), pp. 270–274.

Bergman, M.A. (1999) 'The Clinical performance of ceramic inlays: A review', Australian Dental Journal, 44(3), pp. 157–168. Available at: <https://doi.org/10.1111/j.1834-7819.1999.tb00217.x>.

Botelho, M.G. (2003a) 'Inhibitory Effects on Selected Oral Bacteria of Antibacterial Agents Incorporated in a Glass Ionomer Cement', Caries Research, 37(2), pp. 108–114. Available at: <https://doi.org/10.1159/000069019>.

Botelho, M.G. (2003b) 'Inhibitory Effects on Selected Oral Bacteria of Antibacterial Agents Incorporated in a Glass Ionomer Cement', Caries Research, 37(2), pp. 108–114. Available at: <https://doi.org/10.1159/000069019>.

BRAGA, R., BALLESTER, R. and FERRACANE, J. (2005) 'Factors involved in the development

- of polymerization shrinkage stress in resin-composites: A systematic review', *Dental Materials*, 21(10), pp. 962–970. Available at: <https://doi.org/10.1016/j.dental.2005.04.018>.
- Branemark, P.I. et al. (1969) 'Intra-Osseous Anchorage of Dental Prostheses:I. Experimental Studies, Scandinavian Journal of Plastic and Reconstructive Surgery and Hand Surgery, Informa Healthcare', *Scandinavian Journal of Plastic and Reconstructive Surgery and Hand Surgery*, 3(2), pp. 81–100. Available at: <https://doi.org/9036699>.
- Brännström , M. and Nyborg, H. (1969) 'Points in the experiental study of pulpal response to restorative materials', *Odontologisk tidskrift*, 77, pp. 421–426.
- Brown, D. (2004) 'Materials for impressions', *Dental Update. Leading Dental Journal for CPD*, 31(1), pp. 40–45.
- Brown, D. (2005) 'Article', *Dental Update. Leading Dental Journal for CPD*, 32(10), pp. 583–586.
- Browne, R.M. (1994) 'Animal tests for biocompatibility of dental materials—relevance, advantages and limitations', *Journal of Dentistry*, 22, pp. S21–S24. Available at: [https://doi.org/10.1016/0300-5712\(94\)90035-3](https://doi.org/10.1016/0300-5712(94)90035-3).
- Buonocore, M.G. (1955) 'A simple method of increasing the adhesion of acrylic filling materials to enamel surfaces', *Journal of Dental Research*, 34(6), pp. 849–853. Available at: <http://search.ebscohost.com/login.aspx?direct=true&AuthType=ip,shib&db=ddh&AN=36487705&site=ehost-live&scope=site>.
- Burke, F. (1996) 'Fracture resistance of teeth restored with dentin-bonded crowns: the effect of increased tooth preparation.', *Quintessence international*, 27(2), pp. 115–121.
- Burke, F. et al. (2002) 'Materials for Restoration of Primary Teeth: 2. Glass Ionomer Derivatives and Compomers ', *Dental Update. Leading Dental Journal for CPD*, 29(1), pp. 10–17.
- Burke, F. (2005a) 'Trends in Indirect Dentistry: 3. Luting Materials ', *Dental Update. Leading Dental Journal for CPD*, 32(5), pp. 251–260.
- Burke, F. (2005b) 'Trends in indirect Dentistry: 4. Performance of Adhesive Restoratives', *Dental Update. Leading Dental Journal for CPD*, 32(6), pp. 312–325.
- Burke, F. et al. (2009) 'The current status of materials for posterior composite restorations: the advent of low shrink.', *Dental Update*, 36(7), pp. 401–409.
- Burke, F.J.T. and Qualtrough, A.J.E. (2000) 'Follow-up Evaluation of a Series of Dentin-Bonded Ceramic Restorations', *Journal of Esthetic and Restorative Dentistry*, 12(1), pp. 16–22. Available at: <https://doi.org/10.1111/j.1708-8240.2000.tb00194.x>.
- Carrotte, P. (2004) 'Endodontics: Part 7 Preparing the root canal', *British Dental Journal*, 197(10), pp. 603–613. Available at: <https://doi.org/10.1038/sj.bdj.4811823>.

Ceyhan, J.A., Johnson, G.H. and Lepe, X. (2003) 'The effect of tray selection, viscosity of impression material, and sequence of pour on the accuracy of dies made from dual-arch impressions', *The Journal of Prosthetic Dentistry*, 90(2), pp. 143–149. Available at: [https://doi.org/10.1016/S0022-3913\(03\)00276-2](https://doi.org/10.1016/S0022-3913(03)00276-2).

Chai, J., Takahashi, Y. and Lautenschlager, E.P. (1998) 'Clinically relevant mechanical properties of elastomeric impression materials', *The International Journal of Prosthodontics*, 11(3), pp. 219–223.

Chee, W. and Jivraj, S. (2006) 'Impression techniques for implant dentistry', *British Dental Journal*, 201(7), pp. 429–432. Available at: <https://doi.org/10.1038/sj.bdj.4814118>.

CHEN, M. et al. (2006) 'Low shrinkage light curable nanocomposite for dental restorative material', *Dental Materials*, 22(2), pp. 138–145. Available at: <https://doi.org/10.1016/j.dental.2005.02.012>.

CHO, L.-R., YI, Y.-J. and HEO, S.-J. (2002) 'Effect of tooth brushing and thermal cycling on a surface change of ceromers finished with different methods', *Journal of Oral Rehabilitation*, 29(9), pp. 816–822. Available at: <https://doi.org/10.1046/j.1365-2842.2002.00877.x>.

Chris and Ellakwa, A.E. (2003) 'DENTAL MATERIALS Fibre-reinforced Composites in Restorative Dentistry', *Dental Update. Leading Dental Journal for CPD*, 30(6), pp. 300–306.

Christensen, G. (2007) 'Laboratories want better impressions', *Journal of the American Dental Association*, 138(4), pp. 527–529. Available at: <https://doi.org/10.14219/jada.archive.2007.0207>.

Collins, C.J. and Bryant, R.W. (1992) 'Finishing of amalgam restorations: a three-year clinical study', *Journal of Dentistry*, 20(4), pp. 202–206. Available at: [https://doi.org/10.1016/0300-5712\(92\)90074-M](https://doi.org/10.1016/0300-5712(92)90074-M).

Combe, E. and Burke, F. (2000) 'Contemporary Resin-based Composite Materials for Direct Placement Restorations: Packables, Flowables and Others', *Dental Update. Leading Dental Journal for CPD*, 27(7), pp. 326–336.

Conrad, H.J., Seong, W.-J. and Pesun, I.J. (2007) 'Current ceramic materials and systems with clinical recommendations: A systematic review', *The Journal of Prosthetic Dentistry*, 98(5), pp. 389–404. Available at: [https://doi.org/10.1016/S0022-3913\(07\)60124-3](https://doi.org/10.1016/S0022-3913(07)60124-3).

Cook, W.D. and Johansson, M. (1987) 'The influence of postcuring on the fracture properties of photo-cured dimethacrylate based dental composite resin', *Journal of Biomedical Materials Research*, 21(8), pp. 979–989. Available at: <https://doi.org/10.1002/jbm.820210804>.

Culbertson, B.M. (2006) 'New polymeric materials for use in glass-ionomer cements', *Journal of Dentistry*, 34(8), pp. 556–565. Available at: <https://doi.org/10.1016/j.jdent.2005.08.008>.

Davidson, C.L. and Feilzer, A.J. (1997) 'Polymerization shrinkage and polymerization shrinkage stress in polymer-based restoratives', *Journal of Dentistry*, 25(6), pp. 435–440.

Available at: [https://doi.org/10.1016/S0300-5712\(96\)00063-2](https://doi.org/10.1016/S0300-5712(96)00063-2).

De Munck, J. et al. (2005) 'A Critical Review of the Durability of Adhesion to Tooth Tissue: Methods and Results', *Journal of Dental Research*, 84(2), pp. 118–132. Available at: <https://doi.org/10.1177/154405910508400204>.

Denry, I. L. (no date) 'Effect of Ion Exchange on the Microstructure, Strength, and Thermal Expansion Behavior of a Leucite-reinforced Porcelain. Effect of Ion Exchange on the Microstructure, Strength, and Thermal Expansion Behavior of a Leucite-reinforced Porcelain.', *Journal of Dental Research*, 77(4), pp. 583–588.

Donly, K.J. et al. (1999) 'A clinical comparison of resin composite inlay and onlay posterior restorations and cast-gold restorations at 7 year ', *Quintessence International*, 30(3), pp. 163–168.

Donovan, T.E. and Chee, W.W. (2004) 'A review of contemporary impression materials and techniques', *The dental clinics of North America*, 48(2), pp. 445–470.

Eick, G. et al. (1997) 'Current concepts on adhesion to dentin.', *Critical reviews in oral biology and medicine*, 8(3), pp. 306–335. Available at: <https://doi.org/10.1177/10454411970080030501>.

Eley, B M (1997) 'The future of dental amalgam: a review of the literature. Part 1: Dental amalgam structure and corrosion', *British Dental Journal*, 182(7), pp. 247–249. Available at: <https://contentstore.cla.co.uk/secure/link?id=6bde52ce-e26f-e811-80cd-005056af4099>.

Eley, B. M. (1997a) 'The future of dental amalgam: a review of the literature. Part 2: Mercury exposure in dental practice', *British Dental Journal*, 182(8), pp. 293–297. Available at: <https://contentstore.cla.co.uk/secure/link?id=0b90535a-e06f-e811-80cd-005056af4099>.

Eley, B. M. (1997b) 'The future of dental amalgam: a review of the literature. Part 3: Mercury exposure from amalgam restorations in dental patients', *British Dental Journal*, 182(9), pp. 333–338. Available at: <https://contentstore.cla.co.uk/secure/link?id=bc870e94-b470-e811-80cd-005056af4099>.

Eley, B. M. (1997c) 'The future of dental amalgam: a review of the literature. Part 4: Mercury exposure hazards and risk assessment', *British Dental Journal*, 182(10), pp. 373–381. Available at: <https://doi.org/10.1038/sj.bdj.4809393>.

Eley, B. M. (1997d) 'The future of dental amalgam: a review of the literature. Part 5: Mercury in the urine, blood and body organs from amalgam fillings', *British Dental Journal*, 182(11), pp. 413–417.

Eley, B. M. (1997e) 'The future of dental amalgam: a review of the literature. Part 6: Possible harmful effects of mercury from dental amalgam', *British Dental Journal*, 182(12), pp. 455–459. Available at: <https://contentstore.cla.co.uk/secure/link?id=5bcaeea4-b370-e811-80cd-005056af4099>.

Eley, B. M. (1997f) 'The future of dental amalgam: a review of the literature. Part 7:

Possible alternative materials to amalgam for the restoration of posterior teeth', *British Dental Journal*, 183(1), pp. 11–14. Available at:
<https://contentstore.cla.co.uk/secure/link?id=36aac76f-b370-e811-80cd-005056af4099>.

Etman, M.K. and Woolford, M.J. (2010) 'Three-year clinical evaluation of two ceramic crown systems: A preliminary study', *The Journal of Prosthetic Dentistry*, 103(2), pp. 80–90. Available at: [https://doi.org/10.1016/S0022-3913\(10\)60010-8](https://doi.org/10.1016/S0022-3913(10)60010-8).

Exterkate, R.A.M., Damen, J.J.M. and ten Cate, J.M. (2005) 'Effect of Fluoride-Releasing Filling Materials on Underlying Dentinal Lesions in vitro', *Caries Research*, 39(6), pp. 509–513. Available at: <https://doi.org/10.1159/000088188>.

Federick, D. and Caputo, A. (1997) 'Comparing the accuracy of reversible hydrocolloid and elastomeric impression materials', *Journal of the American Dental Association*, 128(2), pp. 183–188. Available at: <https://doi.org/10.14219/jada.archive.1997.0162>.

Feilzer, A.J., De Gee, A.J. and Davidson, C.L. (1987) 'Setting stress in composite resin in relation to configuration of the restoration', *Journal of Dental Research*, 66(11), pp. 1636–1639. Available at:
<http://search.ebscohost.com/login.aspx?direct=true&AuthType=ip,shib&db=ddh&AN=36543133&site=ehost-live&scope=site>.

Fissore, B., Nicholls, J.I. and Yuodelis, R.A. (1991) 'Load fatigue of teeth restored by a dentin bonding agent and a posterior composite resin', *The Journal of Prosthetic Dentistry*, 65(1), pp. 80–85. Available at: [https://doi.org/10.1016/0022-3913\(91\)90054-Z](https://doi.org/10.1016/0022-3913(91)90054-Z).

Frencken, J.E., Makoni, F. and Sithole, W.D. (1998) 'ART restorations and glass ionomer sealants in Zimbabwe: survival after 3 years', *Community Dentistry and Oral Epidemiology*, 26(6), pp. 372–381. Available at: <https://doi.org/10.1111/j.1600-0528.1998.tb01975.x>.

Giordano, R. (2000) 'Impression materials: basic properties.', *General dentistry*, 48(5), pp. 510–516. Available at:
<https://contentstore.cla.co.uk/secure/link?id=fdd2082b-0773-e811-80cd-005056af4099>.

Giordano, R. (2006) 'Materials for chairside CAD/CAM-produced restorations ', *Journal of the American Dental Association*, 137(9 Supp 1), pp. S14–S21. Available at:
<https://doi.org/10.14219/jada.archive.2006.0397>.

Giordano, R.A. et al. (1995) 'Flexural strength of an infused ceramic, glass ceramic, and feldspathic porcelain', *The Journal of Prosthetic Dentistry*, 73(5), pp. 411–418. Available at: [https://doi.org/10.1016/S0022-3913\(05\)80067-8](https://doi.org/10.1016/S0022-3913(05)80067-8).

Gladys, S. (no date) 'Comparative physico-mechanical characterisation of new hybrid restorative materials with contemporary glass-ionomer and resin composite restorative materials', *Journal of Dental Research*, 76(4), pp. 883–894.

Goldberg, M., Lasfargues, J.J. and Legrand, J.M. (1994) 'Clinical testing of dental materials—histological considerations', *Journal of Dentistry*, 22, pp. S25–S28. Available at: [https://doi.org/10.1016/0300-5712\(94\)90036-1](https://doi.org/10.1016/0300-5712(94)90036-1).

Gruythuysen, R.J.M. et al. (1996) '15-year evaluation of Class II amalgam restorations',

Community Dentistry and Oral Epidemiology, 24(3), pp. 207–210. Available at: <https://doi.org/10.1111/j.1600-0528.1996.tb00843.x>.

Guazzato, M. et al. (2004) 'Strength, fracture toughness and microstructure of a selection of all-ceramic materials. Part II. Zirconia-based dental ceramics', Dental Materials, 20(5), pp. 449–456. Available at: <https://doi.org/10.1016/j.dental.2003.05.002>.

Hannig, M., Reinhardt, K. and Bott, B. (1999) 'Self-etching primer vs phosphoric acid: an alternative concept for composite-to-enamel bonding', Operative dentistry, 24(3), pp. 172–180.

Hashimoto, M. et al. (2000) 'In vivo Degradation of Resin-Dentin Bonds in Humans Over 1 to 3 Years', Journal of Dental Research, 79(6), pp. 1385–1391. Available at: <https://doi.org/10.1177/00220345000790060601>.

Hondrum, S.O. (2001) 'Changes in properties of nonaqueous elastomeric impression materials after storage of components', The Journal of Prosthetic Dentistry, 85(1), pp. 73–81. Available at: <https://doi.org/10.1067/mpr.2001.112407>.

Hørsted-Bindslev, P. (1994) 'Clinical testing of dental materials— general clinical aspects', Journal of Dentistry, 22, pp. S29–S32. Available at: [https://doi.org/10.1016/0300-5712\(94\)90037-X](https://doi.org/10.1016/0300-5712(94)90037-X).

Hu, J.-Y. et al. (2002) 'Restoration of teeth with more-viscous glass ionomer cements following radiation-induced caries', International Dental Journal, 52(6), pp. 445–448. Available at: <https://doi.org/10.1111/j.1875-595X.2002.tb00640.x>.

Jagger, D.C. and et.al. (2007) 'The effect of a range of disinfectants on the dimensional accuracy and stability of some impression materials.', Journal of prosthodontics and restorative dentistry, 15(1), pp. 23–28.

Johnson, G.H., Lepe, X. and Aw, T.C. (2003) 'The effect of surface moisture on detail reproduction of elastomeric impressions', The Journal of Prosthetic Dentistry, 90(4), pp. 354–364. Available at: [https://doi.org/10.1016/S0022-3913\(03\)00429-3](https://doi.org/10.1016/S0022-3913(03)00429-3).

Jones, D.W. (1993) 'The enigma of amalgam in dentistry.', Journal of the Canadian Dental Association, 59(2), pp. 155–166.

Jones, D.W. (2008) 'Has Dental Amalgam Been Torpedoed and Sunk?', Journal of Dental Research, 87(2), pp. 101–102. Available at: <https://doi.org/10.1177/154405910808700203>.

Kakaboura, A., Eliades, G. and Palaghias, G. (1996) 'An FTIR study on the setting mechanism of resin-modified glass ionomer restoratives', Dental Materials, 12(3), pp. 173–178. Available at: [https://doi.org/10.1016/S0109-5641\(96\)80017-0](https://doi.org/10.1016/S0109-5641(96)80017-0).

Kanehira, M., Finger, W. and Komatsu, Masashi (2007) 'Surface detail reproduction with new elastomeric dental impression materials ', Quintessence International , 38(6), pp. 479–488.

Kent, B.E., Lewis, B.G. and Wilson, A.D. (1973) 'The properties of a glass ionomer cement',

British Dental Journal, 135(7), pp. 322–326.

Kramer, I. and McLean, J. (1952) 'Alterations in the staining reactions of dentine resulting from a constituent of a new self-polymerising resin', British Dental Journal, 93, pp. 150–153.

Krämer, N. et al. (1999) 'IPS Empress inlays and onlays after four years — a clinical study', Journal of Dentistry, 27(5), pp. 325–331. Available at: [https://doi.org/10.1016/S0300-5712\(98\)00059-1](https://doi.org/10.1016/S0300-5712(98)00059-1).

Krämer, N. and Frankenberger, R. (2001) 'Dental Materials: Clinical performance of a condensable metal-reinforced glass ionomer cement in primary molars', British Dental Journal, 190(6), pp. 317–321. Available at: <https://doi.org/10.1038/sj.bdj.4800960>.

Lee, S.-Y. et al. (2000) 'Fluoride ion diffusion from a glass-ionomer cement', Journal of Oral Rehabilitation, 27(7), pp. 576–586. Available at: <https://doi.org/10.1046/j.1365-2842.2000.00554.x>.

Leinfelder, K. (1997a) 'New developments in resin restorative systems', The Journal of the American Dental Association, 128(5), pp. 573–581. Available at: <https://doi.org/10.14219/jada.archive.1997.0256>.

Leinfelder, K. (1997b) 'New developments in resin restorative systems', New developments in resin restorative systems, 128(5), pp. 573–581. Available at: <https://doi.org/10.14219/jada.archive.1997.0256>.

Liebenberg, W.H. (2000) 'Assuring restorative integrity in extensive posterior resin composite restorations: Pushing the envelope', Quintessence International, 31(3), pp. 153–164.

Lutz, F. and Göhring, T.N. (2000) 'Masters of Esthetic Dentistry.', Journal of Esthetic and Restorative Dentistry, 12(3), pp. 164–171. Available at: <https://doi.org/10.1111/j.1708-8240.2000.tb00216.x>.

Magne, P. and Douglas, W.H. (1999) 'Porcelain veneers: dentin bonding optimization and biomimetic recovery of the crown', The International journal of prosthodontics, 12(2), pp. 111–121.

Martin, N. and Jedyakiewicz, N.M. (1999) 'Clinical performance of CEREC ceramic inlays: a systematic review', Dental Materials, 15(1), pp. 54–61. Available at: [https://doi.org/10.1016/S0109-5641\(99\)00014-7](https://doi.org/10.1016/S0109-5641(99)00014-7).

Martinez, J.E., Combe, E.C. and Pesun, I.J. (2001) 'Rheological properties of vinyl polysiloxane impression pastes', Dental Materials, 17(6), pp. 471–476. Available at: [https://doi.org/10.1016/S0109-5641\(00\)00100-7](https://doi.org/10.1016/S0109-5641(00)00100-7).

Matharu, S. et al. (2001) 'A new in vitro model for the study of microbial microleakage around dental restorations: a preliminary qualitative evaluation', International Endodontic Journal, 34(7), pp. 547–553. Available at: <https://doi.org/10.1046/j.1365-2591.2001.00475.x>.

McCabe, J.F. (1998) 'Resin-modified glass-ionomers', *Biomaterials*, 19(6), pp. 521-527. Available at: [https://doi.org/10.1016/S0142-9612\(98\)00132-X](https://doi.org/10.1016/S0142-9612(98)00132-X).

McCabe, J.F. and Walls, A. (2008) *Applied dental materials* [electronic resource]. 9th ed. Chichester: John Wiley & Sons. Available at: <https://www.123library.org/ebook/id/3663>.

McCullagh, A., Sweet, C. and Ashley, M. (2005) 'Making a Good Impression (A "How to" Paper on Dental Alginate) ', *Dental Update. Leading Dental Journal for CPD*, 32(3), pp. 169-175.

Millar, B.J., Abider, F. and Nicholson, J.W. (1998) 'In vitro caries inhibition by polyacid-modified composite resins ("compomers")', *Journal of Dentistry*, 26(2), pp. 133-136. Available at: [https://doi.org/10.1016/S0300-5712\(96\)00091-7](https://doi.org/10.1016/S0300-5712(96)00091-7).

Millar, B.J., Dunne, S.M. and Robinson, P.B. (1997) 'The effect of a surface wetting agent on void formation in impressions', *The Journal of Prosthetic Dentistry*, 77(1), pp. 54-56. Available at: [https://doi.org/10.1016/S0022-3913\(97\)70207-5](https://doi.org/10.1016/S0022-3913(97)70207-5).

Moshaverinia, A., Ansari, S., Moshaverinia, M., et al. (2008) 'Effects of incorporation of hydroxyapatite and fluoroapatite nanobioceramics into conventional glass ionomer cements (GIC)', *Acta Biomaterialia*, 4(2), pp. 432-440. Available at: <https://doi.org/10.1016/j.actbio.2007.07.011>.

Moshaverinia, A., Ansari, S., Movasaghi, Z., et al. (2008) 'Modification of conventional glass-ionomer cements with N-vinylpyrrolidone containing polyacids, nano-hydroxy and fluoroapatite to improve mechanical properties', *Dental Materials*, 24(10), pp. 1381-1390. Available at: <https://doi.org/10.1016/j.dental.2008.03.008>.

Moshaverinia, A. et al. (2009) 'Effects of N-vinylpyrrolidone (NVP) containing polyelectrolytes on surface properties of conventional glass-ionomer cements (GIC)', *Dental Materials*, 25(10), pp. 1240-1247. Available at: <https://doi.org/10.1016/j.dental.2009.05.006>.

MOSHAVERINIA, A., ROOHPOUR, N. and REHMAN, I. (2009) 'Synthesis and characterization of a novel fast-set proline-derivative-containing glass ionomer cement with enhanced mechanical properties', *Acta Biomaterialia*, 5(1), pp. 498-507. Available at: <https://doi.org/10.1016/j.actbio.2008.06.011>.

Nakajo, K. et al. (2009) 'Fluoride released from glass-ionomer cement is responsible to inhibit the acid production of caries-related oral streptococci', *Dental Materials*, 25(6), pp. 703-708. Available at: <https://doi.org/10.1016/j.dental.2008.10.014>.

Nakamura, T. et al. (2002) 'Fracture resistance of pressable glass-ceramic fixed partial dentures', *Journal of Oral Rehabilitation*, 29(10), pp. 951-955. Available at: <https://doi.org/10.1046/j.1365-2842.2002.00929.x>.

Nissan, J. et al. (2000) 'Accuracy of three polyvinyl siloxane putty-wash impression techniques', *The Journal of Prosthetic Dentistry*, 83(2), pp. 161-165. Available at: [https://doi.org/10.1016/S0022-3913\(00\)80007-4](https://doi.org/10.1016/S0022-3913(00)80007-4).

Noble, J. et al. (2008) 'Nickel allergy and orthodontics, a review and report of two cases',

BDJ, 204(6), pp. 297–300. Available at: <https://doi.org/10.1038/bdj.2008.198>.

Osborne, J. (2008) 'Amalgam: dead or alive?', Dental Update. Leading Dental Journal for CPD, 33(2), pp. 94–98.

Otto, T. and De Nisco, S. (2002) 'Computer--aided direct ceramic restorations: A 10-year prospective clinical study of cerec CAD/CAM inlays and onlays', The International Journal of Prosthodontics, 15(2), pp. 122–128.

Palin, W. and Burke, F. (2005) 'Article', Dental Update. Leading Dental Journal for CPD, 32(10), pp. 566–572.

Palin, W. and Fleming, G. (2003) 'Low-shrink monomers for dental restorations. ', Dental Update, 30(3), pp. 118–122.

Pamenius, M. and Ohlson, N.G. (1995) 'Influence of dimensional stability of impression materials on the probability of acceptance of a prosthetic restoration', Biomaterials, 16(15), pp. 1193–1197. Available at: [https://doi.org/10.1016/0142-9612\(95\)93586-3](https://doi.org/10.1016/0142-9612(95)93586-3).

Peumans, M. and et.al. (2005) 'Clinical effectiveness of contemporary adhesives: A systematic review of current clinical trials', Dental Materials, 21(9), pp. 864–881. Available at: <https://doi.org/10.1016/j.dental.2005.02.003>.

Ritchie, K.A. et al. (2004) 'Mercury vapour levels in dental practices and body mercury levels of dentists and controls', British Dental Journal, 197(10), pp. 625–632. Available at: <https://doi.org/10.1038/sj.bdj.4811831>.

Rosenstiel, S.F. et al. (1993) 'Strength of a dental glass-ceramic after surface coating', Dental Materials, 9(4), pp. 274–279. Available at: [https://doi.org/10.1016/0109-5641\(93\)90074-Z](https://doi.org/10.1016/0109-5641(93)90074-Z).

Rothwell, M., Anstice, H.M. and Pearson, G.J. (1998) 'The uptake and release of fluoride by ion-leaching cements after exposure to toothpaste', Journal of Dentistry, 26(7), pp. 591–597. Available at: [https://doi.org/10.1016/S0300-5712\(97\)00035-3](https://doi.org/10.1016/S0300-5712(97)00035-3).

Sadowsky, S.J. (2006) 'An overview of treatment considerations for esthetic restorations: A review of the literature', The Journal of Prosthetic Dentistry, 96(6), pp. 433–442. Available at: <https://doi.org/10.1016/j.prosdent.2006.09.018>.

Sano, H. and et.al. (1995) 'Nanoleakage: leakage within the hybrid layer.', Operative Dentistry, 20(1), pp. 18–25.

Schäfer, E. and Lau, R. (1999) 'Comparison of cutting efficiency and instrumentation of curved canals with nickel-titanium and stainless-steel instruments', Journal of Endodontics, 25(6), pp. 427–430. Available at: [https://doi.org/10.1016/S0099-2399\(99\)80272-6](https://doi.org/10.1016/S0099-2399(99)80272-6).

Schmalz, G. (1994) 'Use of cell cultures for toxicity testing of dental materials—advantages and limitations', Journal of Dentistry, 22, pp. S6–S11. Available at: [https://doi.org/10.1016/0300-5712\(94\)90032-9](https://doi.org/10.1016/0300-5712(94)90032-9).

Scott, A. et al. (2004) 'The national survey of adverse reactions to dental materials in the

UK: a preliminary study by the UK Adverse Reactions Reporting Project', *British Dental Journal*, 196(8), pp. 471–477. Available at: <https://doi.org/10.1038/sj.bdj.4811176>.

Sfikas, P. (1996) 'Can a dentist ethically remove serviceable amalgam restorations?', *Journal of the American Dental Association*, 127(5), pp. 685–687. Available at: <https://doi.org/10.14219/jada.archive.1996.0282>.

Shaw, A.J., Carrick, T. and McCabe, J.F. (1998) 'Fluoride release from glass-ionomer and compomer restorative materials: 6-month data', *Journal of Dentistry*, 26(4), pp. 355–359. Available at: [https://doi.org/10.1016/S0300-5712\(97\)00016-X](https://doi.org/10.1016/S0300-5712(97)00016-X).

Sidhu, S.K. and Watson, T.F. (1995) 'Resin-modified glass ionomer materials. A status report for the American Journal of Dentistry.', *American journal of dentistry*, 8(1), pp. 59–67.

Small, I.C.B. et al. (1998) 'Water sorption in resin-modified glass-ionomer cements: An in vitro comparison with other materials', *Biomaterials*, 19(6), pp. 545–550. Available at: [https://doi.org/10.1016/S0142-9612\(97\)00135-X](https://doi.org/10.1016/S0142-9612(97)00135-X).

Smith, D.C. (1998) 'Development of glass-ionomer cement systems', *Biomaterials*, 19(6), pp. 467–478. Available at: [https://doi.org/10.1016/S0142-9612\(97\)00126-9](https://doi.org/10.1016/S0142-9612(97)00126-9).

Splieth, C. and et.al. (2003) 'Anaerobic microflora under Class I and Class II composite and amalgam restorations', *Quintessence international*, 34(7), pp. 497–503. Available at: <http://search.ebscohost.com/login.aspx?direct=true&AuthType=ip,shib&db=ddh&AN=37298503&site=ehost-live&scope=site>.

Stewardson, D.A. (2005) 'Trends in Indirect Dentistry: 5. Impression Materials and Techniques', *Dental Update. Leading Dental Journal for CPD*, 32(7), pp. 374–393.

Stokes, A.N. and Hood, J.A.A. (1993) 'Impact fracture characteristics of intact and crowned human central incisors', *Journal of Oral Rehabilitation*, 20(1), pp. 89–95. Available at: <https://doi.org/10.1111/j.1365-2842.1993.tb01518.x>.

Sune Larsson, K. (1994) 'Screening tests for systemic effects of dental materials', *Journal of Dentistry*, 22, pp. S12–S15. Available at: [https://doi.org/10.1016/0300-5712\(94\)90033-7](https://doi.org/10.1016/0300-5712(94)90033-7).

TAKAHASHI, Y. et al. (2006) 'Antibacterial effects and physical properties of glass-ionomer cements containing chlorhexidine for the ART approach', *Dental Materials*, 22(7), pp. 647–652. Available at: <https://doi.org/10.1016/j.dental.2005.08.003>.

Tay, W.M. and Braden, M. (1988) 'Fluoride ion diffusion from polyalkenoate (glass-ionomer) cements', *Biomaterials*, 9(5), pp. 454–456. Available at: [https://doi.org/10.1016/0142-9612\(88\)90012-9](https://doi.org/10.1016/0142-9612(88)90012-9).

Taylor, R.L., Wright, P.S. and Maryan, C. (2002) 'Disinfection procedures: their effect on the dimensional accuracy and surface quality of irreversible hydrocolloid impression materials and gypsum casts', *Dental Materials*, 18(2), pp. 103–110. Available at: [https://doi.org/10.1016/S0109-5641\(01\)00027-6](https://doi.org/10.1016/S0109-5641(01)00027-6).

Thompson, S.A. (2000) 'An overview of nickel-titanium alloys used in dentistry', *International Endodontic Journal*, 33(4), pp. 297–310. Available at: <https://doi.org/10.1046/j.1365-2591.2000.00339.x>.

Touati, Bernard, Miara, Paul, and Nathanson, Dan (1999) *Esthetic dentistry and ceramic restorations*. London: Martin Dunitz. Available at: <https://doi.org/10.1201/9781003040002>.

TÜRKÜN, L.S. et al. (2008) 'Long-Term Antibacterial Effects and Physical Properties of a Chlorhexidine-Containing Glass Ionomer Cement', *Journal of Esthetic and Restorative Dentistry*, 20(1), pp. 29–44. Available at: <https://doi.org/10.1111/j.1708-8240.2008.00146.x>.

Tyas , M.J. (1992) 'Clinical studies related to glass ionomers', *Operative dentistry*, (Supp 5), pp. 191–198.

Valenti, M. and Valenti , A. (2009) 'Retrospective survival analysis of 261 lithium disilicate crowns in a private general practice ', *Quintessence International*, 40(7), pp. 573–579.

Van Landuyt, K.L. and et.al. (2007) 'Systematic review of the chemical composition of contemporary dental adhesives', *Biomaterials*, 28(26), pp. 3757–3785. Available at: <https://doi.org/10.1016/j.biomaterials.2007.04.044>.

Versluis, A. (no date) 'Do Dental Composites Always Shrink Toward the Light?', *Journal of Dental Research*, 77(6), pp. 1435–1445.

Wadhwani, C.P.K. et al. (2005) 'Accuracy of newly formulated fast-setting elastomeric impression materials', *The Journal of Prosthetic Dentistry*, 93(6), pp. 530–539. Available at: <https://doi.org/10.1016/j.prosdent.2005.03.007>.

Wahl , M. (2003) 'Dental materials: A Resin Alternative for Posterior Teeth: Questions and Answers on Dental Amalgam', *Dental Update. Leading Dental Journal for CPD*, 30(5), pp. 256–262.

Walker, M.P. et al. (2007) 'Surface Quality and Long-term Dimensional Stability of Current Elastomeric Impression Materials after Disinfection', *Journal of Prosthodontics*, 16(5), pp. 343–351. Available at: <https://doi.org/10.1111/j.1532-849X.2007.00206.x>.

Walls, A.W.G., Nohl, F.S.A. and Wassell, R.W. (2002) 'Crowns and other extra-coronal restorations: Resin-bonded metal restorations', *British Dental Journal*, 193(3), pp. 135–142. Available at: <https://doi.org/10.1038/sj.bdj.4801506>.

Warfvinge, G. (1994) 'Screening tests for sensitization potential of dental materials', *Journal of Dentistry*, 22, pp. S16–S20. Available at: [https://doi.org/10.1016/0300-5712\(94\)90034-5](https://doi.org/10.1016/0300-5712(94)90034-5).

Wassell, R.W., Barker, D. and Walls, A.W.G. (2002) 'Crowns and other extra-coronal restorations: Impression materials and technique', *British Dental Journal*, 192(12), pp. 679–690. Available at: <https://doi.org/10.1038/sj.bdj.4801456>.

Wassell, R.W., Walls, A.W.G. and Steele, J.G. (2002) 'Crowns and extra-coronal

restorations: Materials selection', *British Dental Journal*, 192(4), pp. 199–211. Available at: <https://doi.org/10.1038/sj.bdj.4801334>.

Wataha, J.C. (2001) 'Principles of biocompatibility for dental practitioners', *The Journal of Prosthetic Dentistry*, 86(2), pp. 203–209. Available at: <https://doi.org/10.1067/mpr.2001.117056>.

Wataha, J.C. and Hanks, C.T. (1996) 'Biological effects of palladium and risk of using palladium in dental casting alloys', *Journal of Oral Rehabilitation*, 23(5), pp. 309–320. Available at: <https://doi.org/10.1111/j.1365-2842.1996.tb00858.x>.

Wiegand, A., Buchalla, W. and Attin, T. (2007) 'Review on fluoride-releasing restorative materials—Fluoride release and uptake characteristics, antibacterial activity and influence on caries formation', *Dental Materials*, 23(3), pp. 343–362. Available at: <https://doi.org/10.1016/j.dental.2006.01.022>.

Wiltshire, W., Ferreira, M. and Ligthelm, A. (1996) 'Article', *Quintessence International*, 27(8), pp. 513–520. Available at: [http://www.quintpub.com/journals/qi/abstract.php?iss2_id=474&article_id=5776&article=2&title=Allergies to dental materials](http://www.quintpub.com/journals/qi/abstract.php?iss2_id=474&article_id=5776&article=2&title=Allergies%20to%20dental%20materials).

Xie, D. et al. (2000) 'Mechanical properties and microstructures of glass-ionomer cements', *Dental Materials*, 16(2), pp. 129–138. Available at: [https://doi.org/10.1016/S0109-5641\(99\)00093-7](https://doi.org/10.1016/S0109-5641(99)00093-7).

Xu, X. and Burgess, J.O. (2003) 'Compressive strength, fluoride release and recharge of fluoride-releasing materials', *Biomaterials*, 24(14), pp. 2451–2461. Available at: [https://doi.org/10.1016/S0142-9612\(02\)00638-5](https://doi.org/10.1016/S0142-9612(02)00638-5).

Yap, A.U.J., Pek, Y.S. and Cheang, P. (2003) 'Physico-mechanical properties of a fast-set highly viscous GIC restorative', *Journal of Oral Rehabilitation*, 30(1), pp. 1–8. Available at: <https://doi.org/10.1046/j.1365-2842.2003.01006.x>.

Young, A. (2004) 'FTIR investigation of monomer polymerisation and polyacid neutralisation kinetics and mechanisms in various aesthetic dental restorative materials', *Biomaterials*, 25(5), pp. 823–833. Available at: [https://doi.org/10.1016/S0142-9612\(03\)00599-4](https://doi.org/10.1016/S0142-9612(03)00599-4).

Zeng, K., Oden, A. and Rowcliffe, D. (1998) 'Evaluation of Mechanical Properties of Dental Ceramic Core Materials in Combination With Porcelains', *The International journal of prosthodontics*, 11(2), pp. 183–189.