

# CLNE0026: Treatment (HASU and Service Delivery)

Old code : CLNEG056

[View Online](#)



Allen, N. (2009). Racial/Ethnic Differences in Stroke in Young Adults. *Neuroepidemiology*, 32(4), 312–312. <https://doi.org/10.1159/000208796>

Armstrong, J. R., & Mosher, B. D. (2011). Aspiration Pneumonia After Stroke. *The Neurohospitalist*, 1(2), 85–93. <https://doi.org/10.1177/1941875210395775>

Arnold, M., Halpern, M., Meier, N., Fischer, U., Haefeli, T., Kappeler, L., Brekenfeld, C., Mattle, H. P., & Nedeltchev, K. (2008). Age-dependent differences in demographics, risk factors, co-morbidity, etiology, management, and clinical outcome of acute ischemic stroke. *Journal of Neurology*, 255(10), 1503–1507. <https://doi.org/10.1007/s00415-008-0949-9>

Bhogal, P., Andersson, T., Maus, V., Mpotsaris, A., & Yeo, L. (2018). Mechanical Thrombectomy—A Brief Review of a Revolutionary new Treatment for Thromboembolic Stroke. *Clinical Neuroradiology*, 28(3), 313–326. <https://doi.org/10.1007/s00062-018-0692-2>

Bhogal, P., Bücke, P., AlMatter, M., Ganslandt, O., Bätzner, H., Henkes, H., & Aguilar Pérez, M. (2017). A Comparison of Mechanical Thrombectomy in the M1 and M2 Segments of the Middle Cerebral Artery: A Review of 585 Consecutive Patients. *Interventional Neurology*, 6(3–4), 191–198. <https://doi.org/10.1159/000475535>

Bhogal, P., Hellstern, V., AlMatter, M., Ganslandt, O., Bätzner, H., Aguilar Pérez, M., & Henkes, H. (2018). Mechanical thrombectomy in children and adolescents: report of five cases and literature review. *Stroke and Vascular Neurology*. <https://doi.org/10.1136/svn-2018-000181>

Bray, B. D., Ayis, S., Campbell, J., Hoffman, A., Roughton, M., Tyrrell, P. J., Wolfe, C. D. A., & Rudd, A. G. (2013a). Associations between the organisation of stroke services, process of care, and mortality in England: prospective cohort study. *BMJ*, 346(may10 1), f2827-f2827. <https://doi.org/10.1136/bmj.f2827>

Bray, B. D., Ayis, S., Campbell, J., Hoffman, A., Roughton, M., Tyrrell, P. J., Wolfe, C. D. A., & Rudd, A. G. (2013b). Associations between the organisation of stroke services, process of care, and mortality in England: prospective cohort study. *BMJ*, 346(may10 1), f2827-f2827. <https://doi.org/10.1136/bmj.f2827>

Broadley, S., Croser, D., Cottrell, J., Creevy, M., Teo, E., Yiu, D., Pathi, R., Taylor, J., & Thompson, P. D. (2003). Predictors of prolonged dysphagia following acute stroke. *Journal of Clinical Neuroscience*, 10(3), 300–305. [https://doi.org/10.1016/S0967-5868\(03\)00022-5](https://doi.org/10.1016/S0967-5868(03)00022-5)

Burton, L., & Tyson, S. (2015). Screening for cognitive impairment after stroke: A systematic review of psychometric properties and clinical utility. *Journal of Rehabilitation Medicine*, 47(3), 193–203. <https://doi.org/10.2340/16501977-1930>

Bushnell, C., McCullough, L. D., Awad, I. A., Chireau, M. V., Fedder, W. N., Furie, K. L., Howard, V. J., Lichtman, J. H., Lisabeth, L. D., Piña, I. L., Reeves, M. J., Rexrode, K. M., Saposnik, G., Singh, V., Towfighi, A., Vaccarino, V., & Walters, M. R. (2014). Guidelines for the Prevention of Stroke in Women. *Stroke*, 45(5), 1545–1588. <https://doi.org/10.1161/01.str.0000442009.06663.48>

By: Kissela, BM (Kissela, Brett M.)[ 1 ] ; Alwell, K (Alwell, Kathleen)[ 1 ] ; Khoury, J (Khoury, Jane)[ 1 ] ; Moomaw, CJ (Moomaw, Charles J.)[ 1 ] ; Woo, D (Woo, Daniel)[ 1 ] ; Adeoye, O (Adeoye, Opeolu)[ 1 ] ; Flaherty, ML (Flaherty, Matthew L.)[ 1 ] ; Khatri, P (Khatri, Pooja)[ 1 ] ; Ferioli, S (Ferioli, Simona)[ 1 ] ; Broderick, JP (Broderick, Joseph P.)[ 1 ] ; Kleindorfer, D (Kleindorfer, Dawn)[ 1 ] ...More...Less. (2010). Stroke in the Young is Increasing Over Time: Temporal Trends in the Age of Stroke Incidence in a Large, Bi-racial Population. *STROKE STROKE*, 41(4). <https://doi.org/10>

Carson, A., Lehn, A., Ludwig, L., & Stone, J. (2016). Explaining functional disorders in the neurology clinic: a photo story. *Practical Neurology*, 16(1), 56–61. <https://doi.org/10.1136/practneurol-2015-001242>

Chan, E., Altendorff, S., Healy, C., Werring, D. J., & Cipolotti, L. (2017). The test accuracy of the Montreal Cognitive Assessment (MoCA) by stroke lateralisation. *Journal of the Neurological Sciences*, 373, 100–104. <https://doi.org/10.1016/j.jns.2016.12.028>

Chan, E., Khan, S., Oliver, R., Gill, S. K., Werring, D. J., & Cipolotti, L. (2014). Underestimation of cognitive impairments by the Montreal Cognitive Assessment (MoCA) in an acute stroke unit population. *Journal of the Neurological Sciences*, 343(1-2), 176–179. <https://doi.org/10.1016/j.jns.2014.05.005>

Cheng, Y.-C., Ryan, K. A., Qadwai, S. A., Shah, J., Sparks, M. J., Wozniak, M. A., Stern, B. J., Phipps, M. S., Cronin, C. A., Magder, L. S., Cole, J. W., & Kittner, S. J. (2016). Cocaine Use and Risk of Ischemic Stroke in Young Adults. *Stroke*, 47(4), 918–922. <https://doi.org/10.1161/STROKES.0.11417>

de Rooij, N. K., Linn, F. H. H., van der Plas, J. A., Algra, A., & Rinkel, G. J. E. (2007). Incidence of subarachnoid haemorrhage: a systematic review with emphasis on region, age, gender and time trends. *Journal of Neurology, Neurosurgery & Psychiatry*, 78(12), 1365–1372. <https://doi.org/10.1136/jnnp.2007.117655>

Del Zotto, E., Gianni, A., Volonghi, I., Costa, P., Padovani, A., & Pezzini, A. (2011). Ischemic Stroke during Pregnancy and Puerperium. *Stroke Research and Treatment*, 2011, 1–13. <https://doi.org/10.4061/2011/606780>

Edwards, M. J., Adams, R. A., Brown, H., Parees, I., & Friston, K. J. (2012). A Bayesian account of 'hysteria'. *Brain*, 135(11), 3495–3512. <https://doi.org/10.1093/brain/aws129>

Edwards, M. J., & Bhatia, K. P. (2012). Functional (psychogenic) movement disorders: merging mind and brain. *The Lancet Neurology*, 11(3), 250–260.  
[https://doi.org/10.1016/S1474-4422\(11\)70310-6](https://doi.org/10.1016/S1474-4422(11)70310-6)

Ekberg, O., Hamdy, S., Woisard, V., Wuttge-Hannig, A., & Ortega, P. (2002). Social and Psychological Burden of Dysphagia: Its Impact on Diagnosis and Treatment. *Dysphagia*, 17(2), 139–146. <https://doi.org/10.1007/s00455-001-0113-5>

Ekker, M. S., Boot, E. M., Singhal, A. B., Tan, K. S., Debette, S., Tuladhar, A. M., & de Leeuw, F.-E. (2018). Epidemiology, aetiology, and management of ischaemic stroke in young adults. *The Lancet Neurology*, 17(9), 790–801.  
[https://doi.org/10.1016/S1474-4422\(18\)30233-3](https://doi.org/10.1016/S1474-4422(18)30233-3)

Ferro, J. M., & Canhão, P. (2014). Cerebral Venous Sinus Thrombosis: Update on Diagnosis and Management. *Current Cardiology Reports*, 16(9).  
<https://doi.org/10.1007/s11886-014-0523-2>

Ferro, J. M., Massaro, A. R., & Mas, J.-L. (2010). Aetiological diagnosis of ischaemic stroke in young adults. *The Lancet Neurology*, 9(11), 1085–1096.  
[https://doi.org/10.1016/S1474-4422\(10\)70251-9](https://doi.org/10.1016/S1474-4422(10)70251-9)

Fiorella, D., Arthur, A., Bain, M., & Mocco, J. (2016). Minimally Invasive Surgery for Intracerebral and Intraventricular Hemorrhage. *Stroke*, 47(5), 1399–1406.  
<https://doi.org/10.1161/STROKEAHA.115.011415>

Fisher, R. J., Cobley, C. S., Potgieter, I., Moody, A., Nouri, F., Gaynor, C., Byrne, A., & Walker, M. F. (2016). Is Stroke Early Supported Discharge still effective in practice? A prospective comparative study. *Clinical Rehabilitation*, 30(3), 268–276.  
<https://doi.org/10.1177/0269215515578697>

Foerch, C. (2004). Survival and quality of life outcome after mechanical ventilation in elderly stroke patients. *Journal of Neurology, Neurosurgery & Psychiatry*, 75(7), 988–993.  
<https://doi.org/10.1136/jnnp.2003.021014>

Friedman, P. J. (1991). Atrial fibrillation after stroke in the elderly. *Stroke*, 22(2), 209–214.  
<https://doi.org/10.1161/01.STR.22.2.209>

Gastrointestinal bleeding in stroke. - PubMed - NCBI. (n.d.).  
[https://ovidsp.tx.ovid.com/sp-3.32.0a/ovidweb.cgi?&S=PEHDFPHICLDDJPAINCDKPAOBNHOCAA00&Link+Set=S.sh.22.23.27.31.38.44%7c7%7csl\\_10](https://ovidsp.tx.ovid.com/sp-3.32.0a/ovidweb.cgi?&S=PEHDFPHICLDDJPAINCDKPAOBNHOCAA00&Link+Set=S.sh.22.23.27.31.38.44%7c7%7csl_10)

Gates, P. (2005). The rule of 4 of the brainstem: a simplified method for understanding brainstem anatomy and brainstem vascular syndromes for the non-neurologist. *Internal Medicine Journal*, 35(4), 263–266. <https://doi.org/10.1111/j.1445-5994.2004.00732.x>

Goyal, M., Menon, B. K., van Zwam, W. H., Dippel, D. W. J., Mitchell, P. J., Demchuk, A. M., Dávalos, A., Majoe, C. B. L. M., van der Lugt, A., de Miquel, M. A., Donnan, G. A., Roos, Y. B. W. E. M., Bonafe, A., Jahan, R., Diener, H.-C., van den Berg, L. A., Levy, E. I., Berkhemer, O. A., Pereira, V. M., ... Jovin, T. G. (2016). Endovascular thrombectomy after large-vessel ischaemic stroke: a meta-analysis of individual patient data from five randomised trials. *The Lancet*, 387(10029), 1723–1731. [https://doi.org/10.1016/S0140-6736\(16\)00163-X](https://doi.org/10.1016/S0140-6736(16)00163-X)

Habib, G., Lancellotti, P., Antunes, M. J., Bongiorni, M. G., Casalta, J.-P., Del Zotti, F., Dulgheru, R., El Khoury, G., Erba, P. A., Iung, B., Miro, J. M., Mulder, B. J., Plonska-Gosciniak, E., Price, S., Roos-Hesselink, J., Snygg-Martin, U., Thuny, F., Tornos Mas, P., Vilacosta, I., & Zamorano, J. L. (2015). 2015 ESC Guidelines for the management of infective endocarditis. European Heart Journal, 36(44), 3075–3128. <https://doi.org/10.1093/eurheartj/ehv319>

HAMDY, S., ROTHWELL, J. C., AZIZ, Q., & THOMPSON, D. G. (2000). Organization and reorganization of human swallowing motor cortex: implications for recovery after stroke\*. Clinical Science, 99(2), 151–157. <https://doi.org/10.1042/cs0990151>

Hemphill, J. C., Greenberg, S. M., Anderson, C. S., Becker, K., Bendok, B. R., Cushman, M., Fung, G. L., Goldstein, J. N., Macdonald, R. L., Mitchell, P. H., Scott, P. A., Selim, M. H., & Woo, D. (2015). Guidelines for the Management of Spontaneous Intracerebral Hemorrhage. Stroke, 46(7), 2032–2060. <https://doi.org/10.1161/STR.0000000000000069>

Hinchey, J. A., Shephard, T., Furie, K., Smith, D., Wang, D., & Tonn, S. (2005). Formal Dysphagia Screening Protocols Prevent Pneumonia. Stroke, 36(9), 1972–1976. [https://www.ahajournals.org/doi/full/10.1161/01.STR.0000177529.86868.8d?url\\_ver=Z39.8&8-2003&rfr\\_id=ori%3Arid%3Acrossref.org&rfr\\_dat=cr\\_pub%3Dpubmed](https://www.ahajournals.org/doi/full/10.1161/01.STR.0000177529.86868.8d?url_ver=Z39.8&8-2003&rfr_id=ori%3Arid%3Acrossref.org&rfr_dat=cr_pub%3Dpubmed)

H.J.M. Barnett. (1998). The classification of ischaemic stroke. In Stroke: pathophysiology, diagnosis and management (3rd ed). Churchill Livingstone. <https://contentstore.cla.co.uk/secure/link?id=c75ce40f-f7bc-e911-80cd-005056af4099>

Hunter, R. M., Davie, C., Rudd, A., Thompson, A., Walker, H., Thomson, N., Mountford, J., Schwamm, L., Deanfield, J., Thompson, K., Dewan, B., Mistry, M., Quoraishi, S., & Morris, S. (2013). Impact on Clinical and Cost Outcomes of a Centralized Approach to Acute Stroke Care in London: A Comparative Effectiveness Before and After Model. PLoS ONE, 8(8). <https://doi.org/10.1371/journal.pone.0070420>

Hurford, R., Charidimou, A., Fox, Z., Cipolotti, L., & Werring, D. J. (2013). Domain-specific trends in cognitive impairment after acute ischaemic stroke. Journal of Neurology, 260(1), 237–241. <https://doi.org/10.1007/s00415-012-6625-0>

Jacobs, B. S., Boden-Albala, B., Lin, I.-F., & Sacco, R. L. (2002). Stroke in the Young in the Northern Manhattan Stroke Study. Stroke, 33(12), 2789–2793. <https://doi.org/10.1161/01.STR.0000038988.64376.3A>

Kamal, N., Benavente, O., Boyle, K., Buck, B., Butcher, K., Casaubon, L. K., Côté, R., Demchuk, A. M., Deschaintre, Y., Dowlatshahi, D., Gubitz, G. J., Hunter, G., Jeerakathil, T., Jin, A., Lang, E., Lanthier, S., Lindsay, P., Newcommon, N., Mandzia, J., ... Hill, M. D. (2014). Good is not Good Enough: The Benchmark Stroke Door-to-Needle Time Should be 30 Minutes. Canadian Journal of Neurological Sciences / Journal Canadien Des Sciences Neurologiques, 41(06), 694–696. <https://doi.org/10.1017/cjn.2014.41>

Kamal, N., Smith, E. E., Jeerakathil, T., & Hill, M. D. (2018). Thrombolysis: Improving door-to-needle times for ischemic stroke treatment – A narrative review. International Journal of Stroke, 13(3), 268–276. <https://doi.org/10.1177/1747493017743060>

Langhorne, P., & Baylan, S. (2017). Early supported discharge services for people with acute stroke. Cochrane Database of Systematic Reviews.

<https://doi.org/10.1002/14651858.CD000443.pub4>

Leder, S. B. (1997). Videofluoroscopic Evaluation of Aspiration with Visual Examination of the Gag Reflex and Velar Movement. *Dysphagia*, 12(1), 21–23.  
<https://doi.org/10.1007/PL00009514>

Lindsay, P., Furie, K. L., Davis, S. M., Donnan, G. A., & Norrving, B. (2014). World Stroke Organization Global Stroke Services Guidelines and Action Plan. *International Journal of Stroke*, 9(SA100), 4–13. <https://doi.org/10.1111/ijs.12371>

Mendelow, A. D., Gregson, B. A., Rowan, E. N., Murray, G. D., Ghokal, A., & Mitchell, P. M. (2013). Early surgery versus initial conservative treatment in patients with spontaneous supratentorial lobar intracerebral haematomas (STICH II): a randomised trial. *The Lancet*, 382(9890), 397–408. [https://doi.org/10.1016/S0140-6736\(13\)60986-1](https://doi.org/10.1016/S0140-6736(13)60986-1)

Merwick, A., & Werring, D. (2014). Posterior circulation ischaemic stroke. *BMJ*, 348(may19 33), g3175–g3175. <https://doi.org/10.1136/bmj.g3175>

Mind the Gap! Third SSNAP Annual Report. (n.d.).  
[https://kingsfund.blogs.com/health\\_management/2016/11/mind-the-gap-the-third-ssnap-an-nual-report-care-received-between-april-2015-to-march-2016.html](https://kingsfund.blogs.com/health_management/2016/11/mind-the-gap-the-third-ssnap-an-nual-report-care-received-between-april-2015-to-march-2016.html)

Mitchell, A. B., Cole, J. W., McArdle, Patrick. F., Cheng, Y.-C., Ryan, K. A., Sparks, M. J., Mitchell, B. D., & Kittner, S. J. (2015). Obesity Increases Risk of Ischemic Stroke in Young Adults. *Stroke*, 46(6), 1690–1692. <https://doi.org/10.1161/STROKEAHA.115.008940>

Moatti, Z., Gupta, M., Yadava, R., & Thamban, S. (2014). A review of stroke and pregnancy: incidence, management and prevention. *European Journal of Obstetrics & Gynecology and Reproductive Biology*, 181, 20–27. <https://doi.org/10.1016/j.ejogrb.2014.07.024>

Morris, S., Hunter, R. M., Ramsay, A. I. G., Boaden, R., McKevitt, C., Perry, C., Pursani, N., Rudd, A. G., Schwamm, L. H., Turner, S. J., Tyrrell, P. J., Wolfe, C. D. A., & Fulop, N. J. (2014). Impact of centralising acute stroke services in English metropolitan areas on mortality and length of hospital stay: difference-in-differences analysis. *BMJ*, 349(aug04 4), g4757–g4757. <https://doi.org/10.1136/bmj.g4757>

Neuropsychological assessment. (1995). *Journal of Neurology, Neurosurgery, and Psychiatry*, 58(6). <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1073539/>

Ng, F. C., Low, E., Andrew, E., Smith, K., Campbell, B. C. V., Hand, P. J., Crompton, D. E., Wijeratne, T., Dewey, H. M., & Choi, P. M. (2017). Deconstruction of Interhospital Transfer Workflow in Large Vessel Occlusion. *Stroke*, 48(7), 1976–1979.  
<https://doi.org/10.1161/STROKEAHA.117.017235>

Norrving, B., Bray, B. D., Asplund, K., Heuschmann, P., Langhorne, P., Rudd, A. G., Wagner, M., Wiedmann, S., & Wolfe, C. D. A. (2015). Cross-National Key Performance Measures of the Quality of Acute Stroke Care in Western Europe. *Stroke*, 46(10), 2891–2895.  
<https://doi.org/10.1161/STROKEAHA.115.008811>

Nys, G. M. S., van Zandvoort, M. J. E., de Kort, P. L. M., van der Worp, H. B., Jansen, B. P. W., Algra, A., de Haan, E. H. F., & Kappelle, L. J. (2005). The prognostic value of

domain-specific cognitive abilities in acute first-ever stroke. *Neurology*, 64(5), 821–827.  
<https://doi.org/10.1212/01.WNL.0000152984.28420.5A>

O'Neal, M. A., & Feske, S. K. (2016). Stroke in pregnancy: a case-oriented review. *Practical Neurology*, 16(1), 23–34. <https://doi.org/10.1136/practneurol-2015-001217>

Organised inpatient (stroke unit) care for stroke. (2013). Cochrane Database of Systematic Reviews. <https://doi.org/10.1002/14651858.CD000197.pub3>

Patten, J. (1996). *Neurological differential diagnosis* (2nd ed). Springer.

Pérez de la Ossa, N., Carrera, D., Gorchs, M., Querol, M., Millán, M., Gomis, M., Dorado, L., López-Cancio, E., Hernández-Pérez, M., Chicharro, V., Escalada, X., Jiménez, X., & Dávalos, A. (2014). Design and Validation of a Prehospital Stroke Scale to Predict Large Arterial Occlusion. *Stroke*, 45(1), 87–91. <https://doi.org/10.1161/STROKEAHA.113.003071>

Putala, J., Metso, A. J., Metso, T. M., Konkola, N., Kraemer, Y., Haapaniemi, E., Kaste, M., & Tatlisumak, T. (2009). Analysis of 1008 Consecutive Patients Aged 15 to 49 With First-Ever Ischemic Stroke. *Stroke*, 40(4), 1195–1203.  
<https://doi.org/10.1161/STROKEAHA.108.529883>

Quality improvement made simple | The Health Foundation. (n.d.).  
<https://www.health.org.uk/publications/quality-improvement-made-simple>

Reilly, S., Douglas, J., & Oates J. (2004). The evidence base for the management of dysphagia. In Evidence-based practice in speech pathology. Whurr.  
<https://contentstore.cla.co.uk/secure/link?id=c19574b4-dd02-e911-80cd-005056af4099>

Reimagining community services | The King's Fund. (n.d.).  
<https://www.kingsfund.org.uk/publications/community-services-assets>

Robertson, C. E., Brown, R. D., Wijdicks, E. F. M., & Rabinstein, A. A. (2012). Recovery after spinal cord infarcts: Long-term outcome in 115 patients. *Neurology*, 78(2), 114–121.  
<https://doi.org/10.1212/WNL.0b013e31823efc93>

Rovainen, R., Haapaniemi, E., Putala, J., Kaste, M., & Tatlisumak, T. (2013). Young adult ischaemic stroke related acute symptomatic and late seizures: risk factors. *European Journal of Neurology*, 20(9), 1247–1255. <https://doi.org/10.1111/ene.12157>

Sachdev, P. S., Lipnicki, D. M., Crawford, J. D., Wen, W., & Brodaty, H. (2014). Progression of cognitive impairment in stroke/TIA patients over 3 years. *Journal of Neurology, Neurosurgery & Psychiatry*, 85(12), 1324–1330. <https://doi.org/10.1136/jnnp-2013-306776>

Salter, K., Hellings, C., Foley, N., & Teasell, R. (2008). The experience of living with stroke: a qualitative meta-synthesis. *Journal of Rehabilitation Medicine*, 40(8), 595–602.  
<https://doi.org/10.2340/16501977-0238>

Saver, J. L., Goyal, M., van der Lugt, A., Menon, B. K., Majoie, C. B. L. M., Dippel, D. W., Campbell, B. C., Nogueira, R. G., Demchuk, A. M., Tomasello, A., Cardona, P., Devlin, T. G., Frei, D. F., du Mesnil de Rochemont, R., Berkhemer, O. A., Jovin, T. G., Siddiqui, A. H., van

Zwam, W. H., Davis, S. M., ... Hill, M. D. (2016). Time to Treatment With Endovascular Thrombectomy and Outcomes From Ischemic Stroke: A Meta-analysis. *JAMA*, 316(12). <https://doi.org/10.1001/jama.2016.13647>

Scottish Stroke Care Audit (SSCA). (n.d.). <https://www.strokeaudit.scot.nhs.uk/index.html>  
Sentinel Stroke National Audit Programme (SSNAP). (n.d.). <https://www.strokeaudit.org/>

Simeone, S., Savini, S., Cohen, M. Z., Alvaro, R., & Vellone, E. (2015). The experience of stroke survivors three months after being discharged home: A phenomenological investigation. *European Journal of Cardiovascular Nursing*, 14(2), 162–169. <https://doi.org/10.1177/1474515114522886>

Smithard, D. G., Smeeton, N. C., & Wolfe, C. D. A. (2006). Long-term outcome after stroke: does dysphagia matter? *Age and Ageing*, 36(1), 90–94. <https://doi.org/10.1093/ageing/afl149>

Steinhagen, V., Grossmann, A., Benecke, R., & Walter, U. (2009). Swallowing Disturbance Pattern Relates to Brain Lesion Location in Acute Stroke Patients. *Stroke*, 40(5), 1903–1906. <https://doi.org/10.1161/STROKEAHA.108.535468>

STICH investigatorsMendelow, A DavidGregson, Barbara AFernandes, Helen MMurray, Gordon D. (n.d.). Early surgery versus initial conservative treatment in patients with spontaneous supratentorial intracerebral haematomas in the International Surgical Trial in Intracerebral Haemorrhage (STICH): a randomised trial. *The Lancet*, 365(5), 387–397. [https://search.proquest.com/docview/198997243/rfr\\_id=info%3Axri%2Fsid%3Aprimo](https://search.proquest.com/docview/198997243/rfr_id=info%3Axri%2Fsid%3Aprimo)

Stone, J. (2002). Functional weakness and sensory disturbance. *Journal of Neurology, Neurosurgery & Psychiatry*, 73(3), 241–245. <https://doi.org/10.1136/jnnp.73.3.241>

Stone, J. (2016). Functional neurological disorders: the neurological assessment as treatment. *Practical Neurology*, 16(1), 7–17. <https://doi.org/10.1136/practneurol-2015-001241>

Stroke rehabilitation in adults | Guidance and guidelines | NICE. (n.d.). <https://www.nice.org.uk/guidance/cg162>

Stroke Series | ACNR | Online Neurology Journal. (n.d.). <http://www.acnr.co.uk/category/stroke-series/>

Swartz, R. H., Ladhani, N. N. N., Foley, N., Nerenberg, K., Bal, S., Barrett, J., Bushnell, C., Chan, W.-S., Chari, R., Dowlatshahi, D., Amrani, M. E., Gandhi, S., Gubitz, G., Hill, M. D., James, A., Jeerakathil, T., Jin, A., Kirton, A., Lanthier, S., ... Lindsay, M. P. (2018). Canadian stroke best practice consensus statement: Secondary stroke prevention during pregnancy. *International Journal of Stroke*, 13(4), 406–419. <https://doi.org/10.1177/1747493017743801>

The key principles of effective discharge planning | Clinical | Nursing Times. (n.d.). <https://www.nursingtimes.net/roles/nurse-managers/the-key-principles-of-effective-discharge-planning/5053740.article>

Towfighi, A., Saver, J. L., Engelhardt, R., & Ovbiagele, B. (2008). Factors Associated with

the Steep Increase in Late Midlife Stroke Occurrence among US Men. *Journal of Stroke and Cerebrovascular Diseases*, 17(4), 165–168.  
<https://doi.org/10.1016/j.jstrokecerebrovasdis.2007.12.007>

Toyoda, K., Koga, M., & Sato, S. (2016). What are the next breakthroughs in the management of acute intracerebral hemorrhage? *International Journal of Stroke*, 11(4), 386–388. <https://doi.org/10.1177/1747493016631559>

Transition between inpatient hospital settings and community or care home settings for adults with social care needs | Guidance and guidelines | NICE. (n.d.).  
<https://www.nice.org.uk/guidance/ng27>

Treadwell, S. D., Thanvi, B., & Robinson, T. G. (2008a). Stroke in pregnancy and the puerperium. *Postgraduate Medical Journal*, 84(991), 238–245.  
<https://doi.org/10.1136/pgmj.2007.066167>

Treadwell, S. D., Thanvi, B., & Robinson, T. G. (2008b). Stroke in pregnancy and the puerperium. *Postgraduate Medical Journal*, 84(991), 238–245.  
<https://doi.org/10.1136/pgmj.2007.066167>

van Alebeek, M. E., de Heus, R., Tuladhar, A. M., & de Leeuw, F.-E. (2017). Pregnancy and ischemic stroke. *Current Opinion in Neurology*.  
<https://doi.org/10.1097/WCO.0000000000000522>

Van Heugten, C. M., Walton, L., & Hentschel, U. (2015). Can we forget the Mini-Mental State Examination? A systematic review of the validity of cognitive screening instruments within one month after stroke. *Clinical Rehabilitation*, 29(7), 694–704.  
<https://doi.org/10.1177/0269215514553012>

Warlow, C., van Gijn, J., Dennis, M., Wardlaw, J., Bamford, J., Hankey, G., Sandercock, P., Rinkel, G., Langhorne, P., Sudlow, C., & Rothwell, P. (Eds.). (2008). What Pathological Type of Stroke is it, Cerebral Ischaemia or Haemorrhage? In *Stroke* (pp. 181–258). Blackwell Publishing Ltd. <https://doi.org/10.1002/9780470696361.ch5>

Warnecke, T., Teismann, I., Oelenberg, S., Hamacher, C., Ringelstein, E. B., Scha

bitz, W. R., & Dziewas, R. (2009). The Safety of Fiberoptic Endoscopic Evaluation of Swallowing in Acute Stroke Patients. *Stroke*, 40(2), 482–486.  
<https://doi.org/10.1161/STROKEAHA.108.520775>

Wasay, M., Kaul, S., Menon, B., Venkatasubramanian, N., Gunaratne, P., Khalifa, A., Poungvarin, N., Saadatnia, M., Gan, R. N., Dai, A., & Mehndiratta, M. M. (2010). Ischemic Stroke in Young Asian Women: Risk Factors, Subtypes and Outcome. *Cerebrovascular Diseases*, 30(4), 418–422. <https://doi.org/10.1159/000317075>