

CLNE0026: Treatment (HASU and Service Delivery)

Old code : CLNEG056

View Online



1

Stroke Series | ACNR | Online Neurology Journal.
<http://www.acnr.co.uk/category/stroke-series/>

2

Gates P. The rule of 4 of the brainstem: a simplified method for understanding brainstem anatomy and brainstem vascular syndromes for the non-neurologist. *Internal Medicine Journal* 2005;**35**:263-6. doi:10.1111/j.1445-5994.2004.00732.x

3

Patten J. *Neurological differential diagnosis*. 2nd ed. London: : Springer 1996.

4

H.J.M. Barnett. The classification of ischaemic stroke. In: *Stroke: pathophysiology, diagnosis and management*. New York ; Edinburgh: : Churchill Livingstone 1998.
<https://contentstore.cla.co.uk/secure/link?id=c75ce40f-f7bc-e911-80cd-005056af4099>

5

Warlow C, van Gijn J, Dennis M, et al., editors. What Pathological Type of Stroke is it, Cerebral Ischaemia or Haemorrhage? In: *Stroke*. Oxford, UK: : Blackwell Publishing Ltd 2008. 181-258. doi:10.1002/9780470696361.ch5

6

Hemphill JC, Greenberg SM, Anderson CS, et al. Guidelines for the Management of Spontaneous Intracerebral Hemorrhage. *Stroke* 2015;**46**:2032–60.
doi:10.1161/STR.0000000000000069

7

Bhogal P, Andersson T, Maus V, et al. Mechanical Thrombectomy—A Brief Review of a Revolutionary new Treatment for Thromboembolic Stroke. *Clinical Neuroradiology* 2018;
28:313–26. doi:10.1007/s00062-018-0692-2

8

Bhogal P, Hellstern V, AlMatter M, et al. Mechanical thrombectomy in children and adolescents: report of five cases and literature review. *Stroke and Vascular Neurology*
Published Online First: 12 November 2018. doi:10.1136/svn-2018-000181

9

Bhogal P, Bücke P, AlMatter M, et al. A Comparison of Mechanical Thrombectomy in the M1 and M2 Segments of the Middle Cerebral Artery: A Review of 585 Consecutive Patients. *Interventional Neurology* 2017;**6**:191–8. doi:10.1159/000475535

10

Foerch C. Survival and quality of life outcome after mechanical ventilation in elderly stroke patients. *Journal of Neurology, Neurosurgery & Psychiatry* 2004;**75**:988–93.
doi:10.1136/jnnp.2003.021014

11

Armstrong JR, Mosher BD. Aspiration Pneumonia After Stroke. *The Neurohospitalist* 2011;**1**:85–93. doi:10.1177/1941875210395775

12

Friedman PJ. Atrial fibrillation after stroke in the elderly. *Stroke* 1991;**22**:209–14.
doi:10.1161/01.STR.22.2.209

13

Gastrointestinal bleeding in stroke. - PubMed - NCBI.

https://ovidsp.tx.ovid.com/sp-3.32.0a/ovidweb.cgi?&S=PEHDFPHICLDDJPAINCDKPAOBNHOKAA00&Link+Set=S.sh.22.23.27.31.38.44%7c7%7csl_10

14

Ekker MS, Boot EM, Singhal AB, et al. Epidemiology, aetiology, and management of ischaemic stroke in young adults. *The Lancet Neurology* 2018;**17**:790–801. doi:10.1016/S1474-4422(18)30233-3

15

Ferro JM, Massaro AR, Mas J-L. Aetiological diagnosis of ischaemic stroke in young adults. *The Lancet Neurology* 2010;**9**:1085–96. doi:10.1016/S1474-4422(10)70251-9

16

Putala J, Metso AJ, Metso TM, et al. Analysis of 1008 Consecutive Patients Aged 15 to 49 With First-Ever Ischemic Stroke. *Stroke* 2009;**40**:1195–203. doi:10.1161/STROKEAHA.108.529883

17

Cheng Y-C, Ryan KA, Qadwai SA, et al. Cocaine Use and Risk of Ischemic Stroke in Young Adults. *Stroke* 2016;**47**:918–22. doi:10.1161/STROKEAHA.115.011417

18

Mitchell AB, Cole JW, McArdle Patrick F, et al. Obesity Increases Risk of Ischemic Stroke in Young Adults. *Stroke* 2015;**46**:1690–2. doi:10.1161/STROKEAHA.115.008940

19

Roivainen R, Haapaniemi E, Putala J, et al. Young adult ischaemic stroke related acute symptomatic and late seizures: risk factors. *European Journal of Neurology* 2013;**20**:1247–55. doi:10.1111/ene.12157

20

Jacobs BS, Boden-Albala B, Lin I-F, et al. Stroke in the Young in the Northern Manhattan Stroke Study. *Stroke* 2002;**33**:2789–93. doi:10.1161/01.STR.0000038988.64376.3A

21

Towfighi A, Saver JL, Engelhardt R, et al. Factors Associated with the Steep Increase in Late Midlife Stroke Occurrence among US Men. *Journal of Stroke and Cerebrovascular Diseases* 2008;**17**:165–8. doi:10.1016/j.jstrokecerebrovasdis.2007.12.007

22

Allen N. Racial/Ethnic Differences in Stroke in Young Adults. *Neuroepidemiology* 2009;**32**:312–312. doi:10.1159/000208796

23

Arnold M, Halpern M, Meier N, et al. Age-dependent differences in demographics, risk factors, co-morbidity, etiology, management, and clinical outcome of acute ischemic stroke. *Journal of Neurology* 2008;**255**:1503–7. doi:10.1007/s00415-008-0949-9

24

de Rooij NK, Linn FHH, van der Plas JA, et al. Incidence of subarachnoid haemorrhage: a systematic review with emphasis on region, age, gender and time trends. *Journal of Neurology, Neurosurgery & Psychiatry* 2007;**78**:1365–72. doi:10.1136/jnnp.2007.117655

25

By: Kissela, BM (Kissela, Brett M.) [1] ; Alwell, K (Alwell, Kathleen) [1] ; Khoury, J (Khoury, Jane) [1] ; Moomaw, CJ (Moomaw, Charles J.) [1] ; Woo, D (Woo, Daniel) [1] ; Adeoye, O (Adeoye, Opeolu) [1] ; Flaherty, ML (Flaherty, Matthew L.) [1] ; Khatri, P (Khatri, Pooja) [1] ; Ferioli, S (Ferioli, Simona) [1] ; Broderick, JP (Broderick, Joseph P.) [1] ; Kleindorfer, D (Kleindorfer, Dawn) [1] ... More... Less. Stroke in the Young is Increasing Over Time: Temporal Trends in the Age of Stroke Incidence in a Large, Bi-racial Population. *STROKE* *STROKE* 2010;**41**. doi:10

26

Merwick A, Werring D. Posterior circulation ischaemic stroke. *BMJ* 2014;**348**:g3175-g3175. doi:10.1136/bmj.g3175

27

Treadwell SD, Thanvi B, Robinson TG. Stroke in pregnancy and the puerperium. *Postgraduate Medical Journal* 2008;**84**:238-45. doi:10.1136/pgmj.2007.066167

28

Wasay M, Kaul S, Menon B, et al. Ischemic Stroke in Young Asian Women: Risk Factors, Subtypes and Outcome. *Cerebrovascular Diseases* 2010;**30**:418-22. doi:10.1159/000317075

29

Pérez de la Ossa N, Carrera D, Gorchs M, et al. Design and Validation of a Prehospital Stroke Scale to Predict Large Arterial Occlusion. *Stroke* 2014;**45**:87-91. doi:10.1161/STROKEAHA.113.003071

30

Goyal M, Menon BK, van Zwam WH, et al. Endovascular thrombectomy after large-vessel ischaemic stroke: a meta-analysis of individual patient data from five randomised trials. *The Lancet* 2016;**387**:1723-31. doi:10.1016/S0140-6736(16)00163-X

31

Saver JL, Goyal M, van der Lugt A, et al. Time to Treatment With Endovascular Thrombectomy and Outcomes From Ischemic Stroke: A Meta-analysis. *JAMA* 2016;**316**. doi:10.1001/jama.2016.13647

32

Stone J. Functional neurological disorders: the neurological assessment as treatment.

Practical Neurology 2016;**16**:7–17. doi:10.1136/practneurol-2015-001241

33

Carson A, Lehn A, Ludwig L, et al. Explaining functional disorders in the neurology clinic: a photo story. Practical Neurology 2016;**16**:56–61. doi:10.1136/practneurol-2015-001242

34

Edwards MJ, Bhatia KP. Functional (psychogenic) movement disorders: merging mind and brain. The Lancet Neurology 2012;**11**:250–60. doi:10.1016/S1474-4422(11)70310-6

35

Edwards MJ, Adams RA, Brown H, et al. A Bayesian account of 'hysteria'. Brain 2012;**135**:3495–512. doi:10.1093/brain/aws129

36

Stone J. Functional weakness and sensory disturbance. Journal of Neurology, Neurosurgery & Psychiatry 2002;**73**:241–5. doi:10.1136/jnnp.73.3.241

37

Habib G, Lancellotti P, Antunes MJ, et al. 2015 ESC Guidelines for the management of infective endocarditis. European Heart Journal 2015;**36**:3075–128. doi:10.1093/eurheartj/ehv319

38

Ferro JM, Canhão P. Cerebral Venous Sinus Thrombosis: Update on Diagnosis and Management. Current Cardiology Reports 2014;**16**. doi:10.1007/s11886-014-0523-2

39

Robertson CE, Brown RD, Wijdicks EFM, et al. Recovery after spinal cord infarcts: Long-term outcome in 115 patients. Neurology 2012;**78**:114–21. doi:10.1212/WNL.0b013e31823efc93

40

Smithard DG, Smeeton NC, Wolfe CDA. Long-term outcome after stroke: does dysphagia matter? *Age and Ageing* 2006;**36**:90-4. doi:10.1093/ageing/afl149

41

Ekberg O, Hamdy S, Woisard V, et al. Social and Psychological Burden of Dysphagia: Its Impact on Diagnosis and Treatment. *Dysphagia* 2002;**17**:139-46. doi:10.1007/s00455-001-0113-5

42

HAMDY S, ROTHWELL JC, AZIZ Q, et al. Organization and reorganization of human swallowing motor cortex: implications for recovery after stroke*. *Clinical Science* 2000;**99**:151-7. doi:10.1042/cs0990151

43

Steinhagen V, Grossmann A, Benecke R, et al. Swallowing Disturbance Pattern Relates to Brain Lesion Location in Acute Stroke Patients. *Stroke* 2009;**40**:1903-6. doi:10.1161/STROKEAHA.108.535468

44

Hinchey JA, Shephard T, Furie K, et al. Formal Dysphagia Screening Protocols Prevent Pneumonia. *Stroke* 2005;**36**:1972-6. https://www.ahajournals.org/doi/full/10.1161/01.STR.0000177529.86868.8d?url_ver=Z39.88-2003&rfr_id=ori%3Arid%3Acrossref.org&rfr_dat=cr_pub%3Dpubmed

45

Leder SB. Videofluoroscopic Evaluation of Aspiration with Visual Examination of the Gag Reflex and Velar Movement. *Dysphagia* 1997;**12**:21-3. doi:10.1007/PL00009514

46

Warnecke T, Teismann I, Oelenberg S, et al. The Safety of Fiberoptic Endoscopic Evaluation of Swallowing in Acute Stroke Patients. *Stroke* 2009;**40**:482-6.
doi:10.1161/STROKEAHA.108.520775

47

Reilly, S., Douglas, J., Oates J. The evidence base for the management of dysphagia. In: *Evidence-based practice in speech pathology*. London: : Whurr 2004.
<https://contentstore.cla.co.uk/secure/link?id=c19574b4-dd02-e911-80cd-005056af4099>

48

Broadley S, Croser D, Cottrell J, et al. Predictors of prolonged dysphagia following acute stroke. *Journal of Clinical Neuroscience* 2003;**10**:300-5.
doi:10.1016/S0967-5868(03)00022-5

49

Toyoda K, Koga M, Sato S. What are the next breakthroughs in the management of acute intracerebral hemorrhage? *International Journal of Stroke* 2016;**11**:386-8.
doi:10.1177/1747493016631559

50

Mendelow AD, Gregson BA, Rowan EN, et al. Early surgery versus initial conservative treatment in patients with spontaneous supratentorial lobar intracerebral haematomas (STICH II): a randomised trial. *The Lancet* 2013;**382**:397-408.
doi:10.1016/S0140-6736(13)60986-1

51

STICH investigators Mendelow, A David Gregson, Barbara A Fernandes, Helen M Murray, Gordon D. Early surgery versus initial conservative treatment in patients with spontaneous supratentorial intracerebral haematomas in the International Surgical Trial in Intracerebral Haemorrhage (STICH): a randomised trial. *The Lancet*; **365**
:387-97. https://search.proquest.com/docview/198997243?rfr_id=info%3Axri%2Fsid%3Aapri%3A198997243

52

Fiorella D, Arthur A, Bain M, et al. Minimally Invasive Surgery for Intracerebral and Intraventricular Hemorrhage. *Stroke* 2016;**47**:1399–406. doi:10.1161/STROKEAHA.115.011415

53

Bushnell C, McCullough LD, Awad IA, et al. Guidelines for the Prevention of Stroke in Women. *Stroke* 2014;**45**:1545–88. doi:10.1161/01.str.0000442009.06663.48

54

Treadwell SD, Thanvi B, Robinson TG. Stroke in pregnancy and the puerperium. *Postgraduate Medical Journal* 2008;**84**:238–45. doi:10.1136/pgmj.2007.066167

55

Moatti Z, Gupta M, Yadava R, et al. A review of stroke and pregnancy: incidence, management and prevention. *European Journal of Obstetrics & Gynecology and Reproductive Biology* 2014;**181**:20–7. doi:10.1016/j.ejogrb.2014.07.024

56

Del Zotto E, Gioiosi A, Volonghi I, et al. Ischemic Stroke during Pregnancy and Puerperium. *Stroke Research and Treatment* 2011;**2011**:1–13. doi:10.4061/2011/606780

57

O'Neal MA, Feske SK. Stroke in pregnancy: a case-oriented review. *Practical Neurology* 2016;**16**:23–34. doi:10.1136/practneurol-2015-001217

58

van Alebeek ME, de Heus R, Tuladhar AM, et al. Pregnancy and ischemic stroke. *Current Opinion in Neurology* Published Online First: November 2017. doi:10.1097/WCO.0000000000000522

59

Swartz RH, Ladhani NNN, Foley N, et al. Canadian stroke best practice consensus statement: Secondary stroke prevention during pregnancy. *International Journal of Stroke* 2018;**13**:406–19. doi:10.1177/1747493017743801

60

Stroke rehabilitation in adults | Guidance and guidelines | NICE.
<https://www.nice.org.uk/guidance/cg162>

61

Langhorne P, Baylan S. Early supported discharge services for people with acute stroke. *Cochrane Database of Systematic Reviews Published Online First*: 13 July 2017. doi:10.1002/14651858.CD000443.pub4

62

Fisher RJ, Cobley CS, Potgieter I, et al. Is Stroke Early Supported Discharge still effective in practice? A prospective comparative study. *Clinical Rehabilitation* 2016;**30**:268–76. doi:10.1177/0269215515578697

63

Reimagining community services | The King's Fund.
<https://www.kingsfund.org.uk/publications/community-services-assets>

64

The key principles of effective discharge planning | Clinical | Nursing Times.
<https://www.nursingtimes.net/roles/nurse-managers/the-key-principles-of-effective-discharge-planning/5053740.article>

65

Transition between inpatient hospital settings and community or care home settings for adults with social care needs | Guidance and guidelines | NICE.
<https://www.nice.org.uk/guidance/ng27>

66

Organised inpatient (stroke unit) care for stroke. Cochrane Database of Systematic Reviews Published Online First: 11 September 2013.
doi:10.1002/14651858.CD000197.pub3

67

Bray BD, Ayis S, Campbell J, et al. Associations between the organisation of stroke services, process of care, and mortality in England: prospective cohort study. *BMJ* 2013;
346:f2827–f2827. doi:10.1136/bmj.f2827

68

Hunter RM, Davie C, Rudd A, et al. Impact on Clinical and Cost Outcomes of a Centralized Approach to Acute Stroke Care in London: A Comparative Effectiveness Before and After Model. *PLoS ONE* 2013;**8**. doi:10.1371/journal.pone.0070420

69

Morris S, Hunter RM, Ramsay AIG, et al. Impact of centralising acute stroke services in English metropolitan areas on mortality and length of hospital stay: difference-in-differences analysis. *BMJ* 2014;**349**:g4757–g4757. doi:10.1136/bmj.g4757

70

Neuropsychological assessment. *Journal of Neurology, Neurosurgery, and Psychiatry* 1995;
58.<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1073539/>

71

Sachdev PS, Lipnicki DM, Crawford JD, et al. Progression of cognitive impairment in stroke/TIA patients over 3 years. *Journal of Neurology, Neurosurgery & Psychiatry* 2014;**85**:1324–30. doi:10.1136/jnnp-2013-306776

72

Nys GMS, van Zandvoort MJE, de Kort PLM, et al. The prognostic value of domain-specific cognitive abilities in acute first-ever stroke. *Neurology* 2005;**64**:821–7. doi:10.1212/01.WNL.0000152984.28420.5A

73

Hurford R, Charidimou A, Fox Z, et al. Domain-specific trends in cognitive impairment after acute ischaemic stroke. *Journal of Neurology* 2013;**260**:237–41. doi:10.1007/s00415-012-6625-0

74

Van Heugten CM, Walton L, Hentschel U. Can we forget the Mini-Mental State Examination? A systematic review of the validity of cognitive screening instruments within one month after stroke. *Clinical Rehabilitation* 2015;**29**:694–704. doi:10.1177/0269215514553012

75

Burton L, Tyson S. Screening for cognitive impairment after stroke: A systematic review of psychometric properties and clinical utility. *Journal of Rehabilitation Medicine* 2015;**47**:193–203. doi:10.2340/16501977-1930

76

Chan E, Altendorff S, Healy C, et al. The test accuracy of the Montreal Cognitive Assessment (MoCA) by stroke lateralisation. *Journal of the Neurological Sciences* 2017;**373**:100–4. doi:10.1016/j.jns.2016.12.028

77

Chan E, Khan S, Oliver R, et al. Underestimation of cognitive impairments by the Montreal Cognitive Assessment (MoCA) in an acute stroke unit population. *Journal of the Neurological Sciences* 2014;**343**:176–9. doi:10.1016/j.jns.2014.05.005

78

Ng FC, Low E, Andrew E, et al. Deconstruction of Interhospital Transfer Workflow in Large Vessel Occlusion. *Stroke* 2017;**48**:1976–9. doi:10.1161/STROKEAHA.117.017235

79

Kamal N, Smith EE, Jeerakathil T, et al. Thrombolysis: Improving door-to-needle times for ischemic stroke treatment – A narrative review. *International Journal of Stroke* 2018;**13**:268–76. doi:10.1177/1747493017743060

80

Kamal N, Benavente O, Boyle K, et al. Good is not Good Enough: The Benchmark Stroke Door-to-Needle Time Should be 30 Minutes. *Canadian Journal of Neurological Sciences / Journal Canadien des Sciences Neurologiques* 2014;**41**:694–6. doi:10.1017/cjn.2014.41

81

Salter K, Hellings C, Foley N, et al. The experience of living with stroke: a qualitative meta-synthesis. *Journal of Rehabilitation Medicine* 2008;**40**:595–602. doi:10.2340/16501977-0238

82

Simeone S, Savini S, Cohen MZ, et al. The experience of stroke survivors three months after being discharged home: A phenomenological investigation. *European Journal of Cardiovascular Nursing* 2015;**14**:162–9. doi:10.1177/1474515114522886

83

Norrving B, Bray BD, Asplund K, et al. Cross-National Key Performance Measures of the Quality of Acute Stroke Care in Western Europe. *Stroke* 2015;**46**:2891–5. doi:10.1161/STROKEAHA.115.008811

84

Quality improvement made simple | The Health Foundation.
<https://www.health.org.uk/publications/quality-improvement-made-simple>

85

Mind the Gap! Third SSNAP Annual Report.

https://kingsfund.blogs.com/health_management/2016/11/mind-the-gap-the-third-ssnap-annual-report-care-received-between-april-2015-to-march-2016.html

86

Lindsay P, Furie KL, Davis SM, et al. World Stroke Organization Global Stroke Services Guidelines and Action Plan. *International Journal of Stroke* 2014;**9**:4-13.
doi:10.1111/ijss.12371

87

Bray BD, Ayis S, Campbell J, et al. Associations between the organisation of stroke services, process of care, and mortality in England: prospective cohort study. *BMJ* 2013;
346:f2827-f2827. doi:10.1136/bmj.f2827

88

Sentinel Stroke National Audit Programme (SSNAP). <https://www.strokeaudit.org/>

89

Scottish Stroke Care Audit (SSCA). <https://www.strokeaudit.scot.nhs.uk/index.html>