

## TMCEDISORT09: MClintDent Orthodontics

[View Online](#)

Covering modules:EAORG003, EAORG010, EAORG011, EAORG012, EAORG013, EAORG014, EAORG015, EAORG016, EAORG017, EAORG399

---

[1]

Ackerman, J.L. and Proffit, W.R. 1997. Soft tissue limitations in orthodontics: Treatment planning guidelines. *The Angle Orthodontist*. 67, 5 (1997), 327–336.

[2]

Ackerman, J.L. and Proffit, W.R. 1997. Soft tissue limitations in orthodontics: Treatment planning guidelines. *The Angle Orthodontic*. 67, 5 (1997), 327–336.

[3]

Andrews, L.F. 1972. The six keys to normal occlusion. *American Journal of Orthodontics*. 62, 3 (Sep. 1972), 296–309. DOI:[https://doi.org/10.1016/S0002-9416\(72\)90268-0](https://doi.org/10.1016/S0002-9416(72)90268-0).

[4]

Andrews, L.F. 1972. The six keys to normal occlusion. *American Journal of Orthodontics*. 62, 3 (Sep. 1972), 296–309. DOI:[https://doi.org/10.1016/S0002-9416\(72\)90268-0](https://doi.org/10.1016/S0002-9416(72)90268-0).

[5]

Andrews, L.F. 1979. The Straight Wire Appliance. *British journal of orthodontics*. 6, 3 (1979), 125–143.

[6]

Anne Mandall, N. et al. 2012. Is early class III protraction facemask treatment effective? A multicentre, randomized, controlled trial: 3-year follow-up. *Journal of Orthodontics*. 39, 3

(Sep. 2012), 176–185. DOI:<https://doi.org/10.1179/1465312512Z.000000000028>.

[7]

Asher-McDade, C. et al. 1992. A Six-Center International Study of Treatment Outcome in Patients with Clefts of the Lip and Palate: Part 4. Assessment of Nasolabial Appearance. The Cleft Palate-Craniofacial Journal. 29, 5 (Sep. 1992), 409–412.  
DOI:[https://doi.org/10.1597/1545-1569\(1992\)029<0409:ASCISO>2.3.CO;2](https://doi.org/10.1597/1545-1569(1992)029<0409:ASCISO>2.3.CO;2).

[8]

Ashley et al., F.R. 1998. The relationship between irregularity of the incisor teeth, plaque, and gingivitis: a study in a group of schoolchildren aged 11-14 years. European Journal of Orthodontics. 20, 1 (1998), 65–72.

[9]

Atack, N.E. et al. 1996. Periodontal and Microbiological Changes Associated With the Placement of Orthodontic Appliances. A Review\*. Journal of Periodontology. 67, 2 (Feb. 1996), 78–85. DOI:<https://doi.org/10.1902/jop.1996.67.2.78>.

[10]

Atack, N.E. The Orthodontic Implications of Traumatized Upper Incisor Teeth. Dental Update. 26, 10, 432–436.

[11]

Auluck, A. 2013. Lingual orthodontic treatment: what is the current evidence base? Journal of Orthodontics. 40, s1 (Sep. 2013), s27–s33.  
DOI:<https://doi.org/10.1179/1465313313Y.000000000073>.

[12]

Baccetti, T. et al. 2008. A randomized clinical study of two interceptive approaches to palatally displaced canines. The European Journal of Orthodontics. 30, 4 (2008), 381–385.  
DOI:<https://doi.org/10.1093/ejo/cjn023>.

[13]

Baccetti, T. et al. 2004. Cephalometric variables predicting the long-term success or failure of combined rapid maxillary expansion and facial mask therapy. *American Journal of Orthodontics and Dentofacial Orthopedics*. 126, 1 (Jul. 2004), 16–22.  
DOI:<https://doi.org/10.1016/j.ajodo.2003.06.010>.

[14]

Baccetti, T. et al. 2005. The Cervical Vertebral Maturation (CVM) Method for the Assessment of Optimal Treatment Timing in Dentofacial Orthopedics. *Seminars in Orthodontics*. 11, 3 (Sep. 2005), 119–129. DOI:<https://doi.org/10.1053/j.sodo.2005.04.005>.

[15]

Baccetti, T. et al. 2000. Treatment and posttreatment craniofacial changes after rapid maxillary expansion and facemask therapy. *American Journal of Orthodontics and Dentofacial Orthopedics*. 118, 4 (Oct. 2000), 404–413.  
DOI:<https://doi.org/10.1067/mod.2000.109840>.

[16]

Bailey et al., D.L. 2009. Regression of Post-orthodontic Lesions by a Remineralizing Cream. *Journal of Dental Research*. 88, 12 (2009), 1148–1153.

[17]

Banks, P. et al. 2004. Incremental versus maximum bite advancement during twin-block therapy: A randomized controlled clinical trial. *American Journal of Orthodontics and Dentofacial Orthopedics*. 126, 5 (Nov. 2004), 583–588.  
DOI:<https://doi.org/10.1016/j.ajodo.2004.03.024>.

[18]

Barlin, S. et al. 2011. A retrospective randomized double-blind comparison study of the effectiveness of Hawley vs vacuum-formed retainers. *The Angle Orthodontist*. 81, 3 (2011), 404–409.

[19]

Baumrind, S. et al. 1976. The reliability of head film measurements: 3. Tracing superimposition. *American Journal of Orthodontics*. 70, 6 (1976), 617–644.  
DOI:[https://doi.org/10.1016/0002-9416\(76\)90224-4](https://doi.org/10.1016/0002-9416(76)90224-4).

[20]

Baumrind, S. and Frantz, R.C. 1971. The reliability of head film measurements. *American Journal of Orthodontics*. 60, 2 (Aug. 1971), 111–127.  
DOI:[https://doi.org/10.1016/0002-9416\(71\)90028-5](https://doi.org/10.1016/0002-9416(71)90028-5).

[21]

Baumrind, S. and Frantz, R.C. 1971. The reliability of head film measurements. *American Journal of Orthodontics*. 60, 5 (Nov. 1971), 505–517.  
DOI:[https://doi.org/10.1016/0002-9416\(71\)90116-3](https://doi.org/10.1016/0002-9416(71)90116-3).

[22]

Becker, A. 1984. Etiology of maxillary canine impactions. *American Journal of Orthodontics*. 86, 5 (1984), 437–438. DOI:[https://doi.org/10.1016/S0002-9416\(84\)90038-1](https://doi.org/10.1016/S0002-9416(84)90038-1).

[23]

Benson, P.E. et al. 2007. Midpalatal implants vs headgear for orthodontic anchorage—a randomized clinical trial: Cephalometric results. *American Journal of Orthodontics and Dentofacial Orthopedics*. 132, 5 (Nov. 2007), 606–615.  
DOI:<https://doi.org/10.1016/j.ajodo.2006.01.040>.

[24]

Bishara, S.E. et al. 1994. The Angle Orthodontist - Dental and facial asymmetries: a review. *The Angle Orthodontist*. 64, 2 (1994), 89–98.

[25]

Bishara, S.E. and Ortho., D. 1992. Impacted maxillary canines: A review. *American Journal of Orthodontics and Dentofacial Orthopedics*. 101, 2 (1992), 159–171.  
DOI:[https://doi.org/10.1016/0889-5406\(92\)70008-X](https://doi.org/10.1016/0889-5406(92)70008-X).

[26]

Bishara, S.E. and Ziaja, R.R. 1989. Functional appliances: A review. *American Journal of Orthodontics and Dentofacial Orthopedics*. 95, 3 (Mar. 1989), 250–258.  
DOI:[https://doi.org/10.1016/0889-5406\(89\)90055-3](https://doi.org/10.1016/0889-5406(89)90055-3).

[27]

Bjerklin, K. and Bennett, J. 2000. The long-term survival of lower second primary molars in subjects with agenesis of the premolars. *European Journal of Orthodontics*. 22, 3 (2000), 245–255.

[28]

Bjork, A. 1955. Facial growth in man, studied with the aid of metallic implants. *Acta odontologica scandinavica*. 13, 1 (1955), 9–34.

[29]

Bjork, A. 1964. Sutural growth of the upper face studied by the implant method. *Transactions of the European Orthodontic Society*. (1964), 49–65.

[30]

Bjork, A. and Skieller, V. 1977. Growth of the maxilla in three dimensions as revealed radiographically by the implant method. *British journal of orthodontics*. 4, 2 (1977), 53–64.

[31]

Bjork, A. and Skieller, V. 1983. Normal and abnormal growth of the mandible. A synthesis of longitudinal cephalometric implant studies over a period of 25 years. *The European Journal of Orthodontics*. 5, 1 (Feb. 1983), 1–46. DOI:<https://doi.org/10.1093/ejo/5.1.1>.

[32]

Bowden, D.E. 1978. Theoretical considerations of headgear therapy: a literature review. 1. Mechanical principles. *British journal of orthodontics*. 5, 3 (1978), 145–152.

[33]

Bowden, D.E. 1978. Theoretical considerations of headgear therapy: a literature review. 2. Clinical response and usage. *British journal of orthodontics*. 5, 4 (1978), 173–181.

[34]

Brezniak, N. and Wasserstein, A. 2002. Orthodontically Induced Inflammatory Root Resorption. Part II: The Clinical Aspects. *Angle Orthodontist*. 72, 2 (2002), 180–184.

[35]

Brezniak, N. and Wasserstein, A. 1993. Root resorption after orthodontic treatment: Part 1. Literature review. *American Journal of Orthodontics and Dentofacial Orthopedics*. 103, 1 (Jan. 1993), 62–66. DOI:[https://doi.org/10.1016/0889-5406\(93\)70106-X](https://doi.org/10.1016/0889-5406(93)70106-X).

[36]

Brezniak, N. and Wasserstein, A. 1993. Root resorption after orthodontic treatment: Part 2. Literature review. *American Journal of Orthodontics and Dentofacial Orthopedics*. 103, 2 (Feb. 1993), 138–146. DOI:[https://doi.org/10.1016/S0889-5406\(05\)81763-9](https://doi.org/10.1016/S0889-5406(05)81763-9).

[37]

Brin, I. et al. 2003. External apical root resorption in Class II malocclusion: a retrospective review of 1- versus 2-phase treatment. *American Journal of Orthodontics and Dentofacial Orthopedics*. 124, 2 (Aug. 2003), 151–156. DOI:[https://doi.org/10.1016/S0889-5406\(03\)00166-5](https://doi.org/10.1016/S0889-5406(03)00166-5).

[38]

British Society for the Study of Orthodontics and British Association of Orthodontists 1984. *British journal of orthodontics*. Facial profile and orthognathic surgery. 11, 3 (1984).

[39]

British Society for the Study of Orthodontics and British Association of Orthodontists 1998. *British journal of orthodontics*. The Clinical Standards Advisory Group (CSAG) Cleft Lip and Palate Study. 25, 1 (1998). DOI:<https://doi.org/10.1093/ortho/25.1.21>.

[40]

British Standards Institution 1983. British Standard glossary of dental terms: Glossaire des termes utilisés en art dentaire. B.S.I.

[41]

Brooke, P.H. and Show, W.C. The development of an index of orthodontic treatment priority. *European Journal of Orthodontics*. 11, 3, 309–332.

[42]

Burstone, C.J. 1981. Variable-modulus orthodontics. *American Journal of Orthodontics*. 80, 1 (Jul. 1981), 1–16. DOI:[https://doi.org/10.1016/0002-9416\(81\)90192-5](https://doi.org/10.1016/0002-9416(81)90192-5).

[43]

Carter, N.E. and Slattery, D.A. 1988. Bimaxillary proclination in patients of Afro-Caribbean origin. *British journal of orthodontics*. 15, 3 (1988), 175–184.

[44]

Cedro, M. et al. 2012. Adult orthodontics in the absence of orthognathic treatment: a hospital perspective. *Journal of Orthodontics*. 39, 4 (Dec. 2012), 292–302. DOI:<https://doi.org/10.1179/1465312512Z.00000000050>.

[45]

Cedro, M.K. et al. 2010. Adult orthodontics -- who's doing what? *Journal of Orthodontics*. 37, 2 (Jun. 2010), 107–117. DOI:<https://doi.org/10.1179/14653121042966>.

[46]

Chen, S.S.-H. et al. 2010. Systematic review of self-ligating brackets. *American Journal of Orthodontics and Dentofacial Orthopedics*. 137, 6 (Jun. 2010), 726.e1–726.e18. DOI:<https://doi.org/10.1016/j.ajodo.2009.11.009>.

[47]

Chen, Y. et al. 2009. Critical factors for the success of orthodontic mini-implants: A systematic review. *American Journal of Orthodontics and Dentofacial Orthopedics*. 135, 3 (Mar. 2009), 284–291. DOI:<https://doi.org/10.1016/j.ajodo.2007.08.017>.

[48]

Clark, J. 1998. Functional occlusal relationships in a group of post-orthodontic patients: preliminary findings. *The European Journal of Orthodontics*. 20, 2 (Apr. 1998), 103–110. DOI:<https://doi.org/10.1093/ejo/20.2.103>.

[49]

Clark, W. 2010. Design and management of Twin Blocks: reflections after 30 years of clinical use. *Journal of Orthodontics*. 37, 3 (Sep. 2010), 209–216. DOI:<https://doi.org/10.1179/14653121043110>.

[50]

Clark, W.J. 1988. The twin block technique A functional orthopedic appliance system. *American Journal of Orthodontics and Dentofacial Orthopedics*. 93, 1 (Jan. 1988), 1–18. DOI:[https://doi.org/10.1016/0889-5406\(88\)90188-6](https://doi.org/10.1016/0889-5406(88)90188-6).

[51]

Cornelis, M.A. et al. 2007. Systematic review of the experimental use of temporary skeletal anchorage devices in orthodontics. *American Journal of Orthodontics and Dentofacial Orthopedics*. 131, 4 (Apr. 2007), S52–S58. DOI:<https://doi.org/10.1016/j.ajodo.2006.05.033>.

[52]

Cunningham, S.J. et al. 2000. Development of a condition-specific quality of life measure for patients with dentofacial deformity: I. Reliability of the instrument. *Community Dentistry and Oral Epidemiology*. 28, 3 (Jun. 2000), 195–201. DOI:<https://doi.org/10.1034/j.1600-0528.2000.280305.x>.

[53]

Cunningham, S.J. et al. 2002. Development of a condition-specific quality of life measure for patients with dentofacial deformity: II. Validity and responsiveness testing. *Community Dentistry and Oral Epidemiology*. 30, 2 (Apr. 2002), 81–90.  
DOI:<https://doi.org/10.1034/j.1600-0528.2002.300201.x>.

[54]

Daniels, C. and Richmond, S. 2000. The Development of the Index of Complexity, Outcome and Need (ICON). *Journal of Orthodontics*. 27, 2 (2000), 149–162.  
DOI:<https://doi.org/10.1093/ortho/27.2.149>.

[55]

Davidovitch, Z. et al. 1980. Electric currents, bone remodeling, and orthodontic tooth movement. *American Journal of Orthodontics*. 77, 1 (Jan. 1980), 33–47.  
DOI:[https://doi.org/10.1016/0002-9416\(80\)90222-5](https://doi.org/10.1016/0002-9416(80)90222-5).

[56]

Day, P.F. et al. 2008. Dental trauma: part 2. Managing poor prognosis anterior teeth - treatment options for the subsequent space in a growing patient. *Journal of Orthodontics*. 35, 3 (Sep. 2008), 143–155. DOI:<https://doi.org/10.1179/146531207225022590>.

[57]

Delivering Better Oral Health - An Evidence-Based Toolkit for Prevention: A Review: 2008.  
<http://www.dental-update.co.uk/issuesSingleIssueArticle.asp?aKey=683>.

[58]

Devereux, L. et al. 2011. How important are lateral cephalometric radiographs in orthodontic treatment planning? *American Journal of Orthodontics and Dentofacial Orthopedics*. 139, 2 (Feb. 2011), e175–e181.  
DOI:<https://doi.org/10.1016/j.ajodo.2010.09.021>.

[59]

Di, B. and Markus, A. 1998. Cleft lip and palate care in the UK: the CSAG report. *British Dental Journal*. 185, 7 (Oct. 1998), 320–321. DOI:<https://doi.org/10.1038/sj.bdj.4809800>.

[60]

Dixon, V. et al. 2002. A randomised clinical trial to compare three methods of orthodontic space closure. *Journal of Orthodontics*. 29, 1 (2002), 31–36.  
DOI:<https://doi.org/10.1093/ortho/29.1.31>.

[61]

Dung, D.J. and Smith, R.J. 1988. Cephalometric and clinical diagnoses of open bite tendency. *American Journal of Orthodontics and Dentofacial Orthopedics*. 94, 6 (Dec. 1988), 484–490. DOI:[https://doi.org/10.1016/0889-5406\(88\)90006-6](https://doi.org/10.1016/0889-5406(88)90006-6).

[62]

Edwards, G.D. et al. 1995. The ex vivo effect of ligation technique on the static frictional resistance of stainless steel brackets and archwires. *British journal of orthodontics*. 22, 2 (1995), 145–153.

[63]

Edwards, J.G. 1970. A surgical procedure to eliminate rotational relapse. *American Journal of Orthodontics*. 57, 1 (Jan. 1970), 35–46.  
DOI:[https://doi.org/10.1016/0002-9416\(70\)90203-4](https://doi.org/10.1016/0002-9416(70)90203-4).

[64]

Enlow, D.H. 1990. Chapter 14 Cephalometrics, Chapter. Facial growth. Saunders. 346–395.

[65]

Ericson, S. and Kurol, J. 1988. Early treatment of palatally erupting maxillary canines by extraction of the primary canines. *The European Journal of Orthodontics*. 10, 4 (Nov. 1988), 283–295. DOI:<https://doi.org/10.1093/ejo/10.4.283>.

[66]

Ericson, S. and Kurol, J. 2000. Resorption of Incisors After Ectopic Eruption of Maxillary

Canines: A CT Study. *The Angle Orthodontist* -. 70, 6 (2000), 415–423.

[67]

Evans, R. and Shaw, W. 1987. Preliminary evaluation of an illustrated scale for rating dental attractiveness. *The European Journal of Orthodontics*. 9, 4 (Nov. 1987), 314–318. DOI:<https://doi.org/10.1093/ejo/9.4.314>.

[68]

Extraoral vs Intraoral Appliance for Distal Movement of Maxillary First Molars: 2005. <http://www.angle.org/doi/abs/10.1043/0003-3219%282005%2975%5B699%3AEVIAFD%5D2.0.CO%3B2>.

[69]

Feldmann, I. and Bondemark, L. 2008. Anchorage capacity of osseointegrated and conventional anchorage systems: A randomized controlled trial. *American Journal of Orthodontics and Dentofacial Orthopedics*. 133, 3 (Mar. 2008), 339.e19-339.e28. DOI:<https://doi.org/10.1016/j.ajodo.2007.08.014>.

[70]

Felton, J.M. et al. 1987. A computerized analysis of the shape and stability of mandibular arch form. *American Journal of Orthodontics and Dentofacial Orthopedics*. 92, 6 (Dec. 1987), 478–483. DOI:[https://doi.org/10.1016/0889-5406\(87\)90229-0](https://doi.org/10.1016/0889-5406(87)90229-0).

[71]

Fields, H.W. et al. 1984. Facial pattern differences in long-faced children and adults. *American Journal of Orthodontics*. 85, 3 (Mar. 1984), 217–223. DOI:[https://doi.org/10.1016/0002-9416\(84\)90061-7](https://doi.org/10.1016/0002-9416(84)90061-7).

[72]

Fleming, P.S. et al. 2007. How to ... manage the transition from functional to fixed appliances. *Journal of Orthodontics*. 34, 4 (Dec. 2007), 252–259. DOI:<https://doi.org/10.1179/146531207225022311>.

[73]

Fleming, P.S. et al. 2010. How to...mechanically erupt a palatal canine. *Journal of Orthodontics*. 37, 4 (2010), 262–271. DOI:<https://doi.org/10.1179/14653121043200>.

[74]

Fleming, P.S. and Johal, A. 2010. Self-Ligating Brackets in Orthodontics. *The Angle Orthodontist*. 80, 3 (May 2010), 575–584. DOI:<https://doi.org/10.2319/081009-454.1>.

[75]

Fudalej, P. et al. 2007. Determining the cessation of vertical growth of the craniofacial structures to facilitate placement of single-tooth implants. *American Journal of Orthodontics and Dentofacial Orthopedics*. 131, 4 (Apr. 2007), S59–S67. DOI:<https://doi.org/10.1016/j.ajodo.2006.07.022>.

[76]

Gill, D.S. et al. 2008. Counselling Patients with Hypodontia. *Dental update*. 35, 5 (2008), 344–352.

[77]

Gill, D.S. et al. 2007. Smile Aesthetics. *Dental Update*. 34, 3 (2007), 152–158.

[78]

Glenny, A.-M. et al. 1996. Antibiotics for the prophylaxis of bacterial endocarditis in dentistry. *Cochrane Database of Systematic Reviews*. John Wiley & Sons, Ltd.

[79]

Harradine, N.W.T. et al. 1998. The effect of extraction of third molars on late lower incisor crowding: A randomized controlled trial. *Journal of orthodontics*. 25, 2 (1998), 117–122. DOI:<https://doi.org/10.1093/ortho/25.2.117>.

[80]

Hass, A.J. 1980. Long-Term Posttreatment Evaluation of Rapid Palatal Expansion. *The Angle Orthodontist*. 50, 3 (1980), 189–217.

[81]

Hill, P.A. 1998. Bone Remodelling. *British journal of orthodontics*. 25, 2 (1998), 101–107.  
DOI:<https://doi.org/10.1093/ortho/25.2.101>.

[82]

Houston, W.J.B. 1989. Incisor edge-centroid relationships and overbite depth. *European Journal of Orthodontics*. 11, 2 (1989), 139–143.

[83]

Houston, W.J.B. 1983. The analysis of errors in orthodontic measurements. *American Journal of Orthodontics*. 83, 5 (May 1983), 382–390.  
DOI:[https://doi.org/10.1016/0002-9416\(83\)90322-6](https://doi.org/10.1016/0002-9416(83)90322-6).

[84]

Houston, W.J.B. and Edler, R. 1990. Long-term stability of the lower labial segment relative to the A-Pog line. *The European Journal of Orthodontics*. 12, 3 (Aug. 1990), 302–310.  
DOI:<https://doi.org/10.1093/ejo/12.3.302>.

[85]

Hunt, N. 2006. Northcroft Memorial Lecture 2005: Muscling in on malocclusions: Current concepts on the role of muscles in the aetiology and treatment of malocclusion. *Journal of Orthodontics*. 33, 3 (Sep. 2006), 187–197.  
DOI:<https://doi.org/10.1179/146531205225021660>.

[86]

Irvine, R. 2004. The effectiveness of laceback ligatures: A randomized controlled clinical trial. *Journal of Orthodontics*. 31, 4 (Dec. 2004), 303–311.  
DOI:<https://doi.org/10.1179/146531204225020606>.

[87]

Isaacson, K.G. and British Orthodontic Society 2015. Guidelines for the use of radiographs in clinical orthodontics. B.O.S.

[88]

Jacobs, J.D. and Sinclair, P.M. 1983. Principles of orthodontic mechanics in orthognathic surgery cases. *American Journal of Orthodontics*. 84, 5 (1983), 399-407.  
DOI:[https://doi.org/10.1016/0002-9416\(93\)90003-P](https://doi.org/10.1016/0002-9416(93)90003-P).

[89]

Johal, A. et al. 2013. State of the science on controversial topics: orthodontic therapy and gingival recession (a report of the Angle Society of Europe 2013 meeting). *Progress in Orthodontics*. 14, 1 (2013). DOI:<https://doi.org/10.1186/2196-1042-14-16>.

[90]

Jokovic et al., A. 2004. Questionnaire for Measuring Oral Health-related Quality of Life in Eight- to Ten-year-old Children. *Pediatric Dentistry*. 26, 6 (2004), 512-518.

[91]

Kapust, A.J. et al. 1998. Cephalometric effects of face mask/expansion therapy in Class III children: A comparison of three age groups. *American Journal of Orthodontics and Dentofacial Orthopedics*. 113, 2 (Feb. 1998), 204-212.  
DOI:[https://doi.org/10.1016/S0889-5406\(98\)70141-6](https://doi.org/10.1016/S0889-5406(98)70141-6).

[92]

Kerr, W.J.S. 1980. The effect of the premature loss of deciduous canines and molars on the eruption of their successors. *The European Journal of Orthodontics*. 2, 2 (Jan. 1980), 123-128. DOI:<https://doi.org/10.1093/ejo/2.2.123>.

[93]

Kesling, P.C. 1989. Dynamics of the tip-edge bracket. *American Journal of Orthodontics and Dentofacial Orthopedics*. 96, 1 (Jul. 1989), 16-25.  
DOI:[https://doi.org/10.1016/0889-5406\(89\)90224-2](https://doi.org/10.1016/0889-5406(89)90224-2).

[94]

Khalaf, K. et al. 2014. Prevalence of hypodontia and associated factors: a systematic review and meta-analysis. *Journal of Orthodontics*. 41, 4 (Dec. 2014), 299–316. DOI:<https://doi.org/10.1179/1465313314Y.0000000116>.

[95]

Kim, Y.H. 1987. Anterior Openbite and its Treatment with Multiloop Edgewise Archwire. *The Angle Orthodontist*. 57, 4 (1987), 290–321.

[96]

Kim, Y.H. et al. 2000. Stability of anterior openbite correction with multiloop edgewise archwire therapy: A cephalometric follow-up study. *American Journal of Orthodontics and Dentofacial Orthopedics*. 118, 1 (Jul. 2000), 43–54. DOI:<https://doi.org/10.1067/mod.2000.104830>.

[97]

Klages, U. et al. 2004. Dental aesthetics, self-awareness, and oral health-related quality of life in young adults. *European Journal of Orthodontics*. 26, 5 (2004), 507–514.

[98]

Kokich, V. 1994. What's new in dentistry. *Angle Orthodontics*. 64, 4 (1994), 249–249.

[99]

Kokich, V.G. and Spear, F.M. 1997. Guidelines for managing the orthodontic-restorative patient. *Seminars in Orthodontics*. 3, 1 (Mar. 1997), 3–20. DOI:[https://doi.org/10.1016/S1073-8746\(97\)80036-9](https://doi.org/10.1016/S1073-8746(97)80036-9).

[100]

KOKICH, V.O. and KINZER, G.A. 2005. Managing Congenitally Missing Lateral Incisors. Part I: Canine Substitution. *Journal of Esthetic and Restorative Dentistry*. 17, 1 (Jan. 2005), 5–10. DOI:<https://doi.org/10.1111/j.1708-8240.2005.tb00076.x>.

[101]

Koroluk, L.D. et al. 2003. Incisor trauma and early treatment for Class II Division 1 malocclusion. *American Journal of Orthodontics and Dentofacial Orthopedics*. 123, 2 (Feb. 2003), 117–125. DOI:<https://doi.org/10.1067/mod.2003.86>.

[102]

Krishnan, V. and Davidovitch, Z. 2009. On a Path to Unfolding the Biological Mechanisms of Orthodontic Tooth Movement. *Journal of Dental Research*. 88, 7 (2009), 597–608.

[103]

Kuroda, S. et al. 2007. Treatment of severe anterior open bite with skeletal anchorage in adults: Comparison with orthognathic surgery outcomes. *American Journal of Orthodontics and Dentofacial Orthopedics*. 132, 5 (Nov. 2007), 599–605. DOI:<https://doi.org/10.1016/j.ajodo.2005.11.046>.

[104]

Kurol, J. and Thilander, B. 1984. Infraocclusion of primary molars and the effect on occlusal development, a longitudinal study. *The European Journal of Orthodontics*. 6, 4 (Nov. 1984), 277–293. DOI:<https://doi.org/10.1093/ejo/6.4.277>.

[105]

Kusy, R.P. 1981. Comparison of nickel-titanium and beta titanium wire sizes to conventional orthodontic arch wire materials. *American Journal of Orthodontics*. 79, 6 (Jun. 1981), 625–629. DOI:[https://doi.org/10.1016/0002-9416\(81\)90355-9](https://doi.org/10.1016/0002-9416(81)90355-9).

[106]

Kusy, R.P. et al. 1991. Comparison of the frictional coefficients for selected archwire-bracket slot combinations in the dry and wet states. *The Angle Orthodontist*. 61, 4 (1991), 293–302.

[107]

Lee, E.G.L. et al. 2011. The Impact of Altered Sensation Affecting the Lower Lip After Orthognathic Treatment. *Journal of Oral and Maxillofacial Surgery*. 69, 11 (Nov. 2011), e431–e445. DOI:<https://doi.org/10.1016/j.joms.2011.07.013>.

[108]

Levander, E. et al. 1994. Evaluation of root resorption in relation to two orthodontic treatment regimes. A clinical experimental study. *The European Journal of Orthodontics*. 16, 3 (Jun. 1994), 223–228. DOI:<https://doi.org/10.1093/ejo/16.3.223>.

[109]

Levander, E. and Malmgren, O. 2000. Long-term follow-up of maxillary incisors with sever apical root resorption. *European Journal of Orthodontics*. 22, 1 (2000), 85–92.

[110]

Linder-Aronson, S. 1979. Respiratory function in relation to facial morph. *British Journal of Orthodontics*. 6, 2 (1979), 59–71.

[111]

Linder-Aronson, S. 1978. Respiratory function in relation to facial morphology and the dentition. *British journal of orthodontics*. 6, 2 (1978), 59–71.

[112]

Linge, L. and Linge, B.O. 1991. Patient characteristics and treatment variables associated with apical root resorption during orthodontic treatment. *American Journal of Orthodontics and Dentofacial Orthopedics*. 99, 1 (Jan. 1991), 35–43. DOI:[https://doi.org/10.1016/S0889-5406\(05\)81678-6](https://doi.org/10.1016/S0889-5406(05)81678-6).

[113]

Little, R.M. et al. 1990. Mandibular arch length increase during the mixed dentition: Postretention evaluation of stability and relapse. *American Journal of Orthodontics and Dentofacial Orthopedics*. 97, 5 (May 1990), 393–404. DOI:[https://doi.org/10.1016/S0889-5406\(08\)70111-O](https://doi.org/10.1016/S0889-5406(08)70111-O).

[114]

Little, R.M. 1990. Stability and relapse of dental arch alignment. *Journal of orthodontics*. 17, 3 (1990), 235–241.

[115]

Littlewood, S.J. 2006. Orthodontic retention: A systematic review. *Journal of Orthodontics*. 33, 3 (Sep. 2006), 205–212. DOI:<https://doi.org/10.1179/146531205225021624>.

[116]

Littlewood, S.J. et al. 1996. Retention procedures for stabilising tooth position after treatment with orthodontic braces. *Cochrane Database of Systematic Reviews*. John Wiley & Sons, Ltd.

[117]

Long, H. et al. 2013. The effectiveness of laceback ligatures during initial orthodontic alignment: A systematic review and meta-analysis. *European Journal of Orthodontics*. 35, 4 (2013), 547–548.

[118]

Lundstrom, A. 2007. An investigation of 202 pairs of twins regarding fundamental factors in the aetiology of malocclusion. *The European Journal of Orthodontics*. 29, Supplement 1 (Apr. 2007), i51–i57. DOI:<https://doi.org/10.1093/ejo/cjl098>.

[119]

Luther, F. 1998. Orthodontics and the temporomandibular joint: Where are we now? Part 1. Orthodontic treatment and temporomandibular disorders. *The Angle orthodontist*. 68, 4 (1998), 295–304.

[120]

Luther, F. et al. 1996. Orthodontics for treating temporomandibular joint (TMJ) disorders. *Cochrane Database of Systematic Reviews*. John Wiley & Sons, Ltd.

[121]

Luther, F. 2007. TMD and occlusion part I. Damned if we do? Occlusion: the interface of dentistry and orthodontics. *BDJ*. 202, 1 (Jan. 2007), E2-E2.  
DOI:<https://doi.org/10.1038/bdj.2006.122>.

[122]

Luther, F. 2007. TMD and occlusion part II. Damned if we don't? Functional occlusal problems: TMD epidemiology in a wider context. *BDJ*. 202, 1 (Jan. 2007), E3-E3.  
DOI:<https://doi.org/10.1038/bdj.2006.123>.

[123]

Mandall, N. et al. 2006. Which orthodontic archwire sequence? A randomized clinical trial. *The European Journal of Orthodontics*. 28, 6 (Dec. 2006), 561-566.  
DOI:<https://doi.org/10.1093/ejo/cjl030>.

[124]

Mars, M. et al. 1987. The GOSLON Yardstick. A new system for assessing dental arch relationships in children with cleft lip and palate. *The cleft palate journal*. 24, 4 (1987), 314-322.

[125]

Mars, M. et al. 1987. The Goslon Yardstick: A New System of Assessing Dental Arch Relationships in Children with Unilateral Clefts of the Lip and Palate. *The Cleft palate journal*. 24, 4 (1987), 314-322.

[126]

McComb, J.L. Orthodontic treatment and isolated gingival recession: a review. *British journal of orthodontics*. 21, 2 (1994), 151-159.

[127]

McComb, J.L. 1994. Orthodontic treatment and isolated gingival recession: a review. *British journal of orthodontics*. 21, 2 (1994), 151-159.

[128]

McGuinness, N.J. 1992. Prevention in orthodontics--a review. *Dental update*. 19, 4 (1992), 168-175.

[129]

McLAUGHLIN, R.P. and BENNETT, J.C. 1995. Bracket Placement with the Preadjusted Appliance - *Journal of Clinical Orthodontics*. Add to e-Shelf *Journal of clinical orthodontics*. 29, 5 (1995), 302-311.

[130]

McSherry, P.F. 1998. The ectopic maxillary canine: a review. *British Journal of Orthodontics*. 25, 3 (1998), 209-216. DOI:<https://doi.org/10.1093/ortho/25.3.209>.

[131]

Mettes, D.T. et al. 1996. Interventions for treating asymptomatic impacted wisdom teeth in adolescents and adults. *Cochrane Database of Systematic Reviews*. John Wiley & Sons, Ltd.

[132]

Miles, J.R. 1968. The stability of the lower labial segment. A cephalometric survey. *Dental Practitioner*. 18, 8 (1968), 293-306.

[133]

Miller, J. 1970. The application and importance of cephalometry ... [Orthodontist. 1970] - PubMed - NCBI. *The Orthodontist*. 2, 2 (1970), 32-47.

[134]

Millett, D.T. et al. 1996. Adhesives for fixed orthodontic bands. *Cochrane Database of Systematic Reviews*. (Sep. 1996). DOI:<https://doi.org/10.1002/14651858.CD004485.pub3>.

[135]

Mills, J.R.E. 1983. Clinical control of craniofacial growth: A skeptics viewpoint. Clinical alteration of the growing face. Center for Human Growth and Development, University of Michigan. 17-39.

[136]

Moss, J.P. 1980. The soft tissue environment of teeth and jaws. British journal of orthodontics. 7, 3 (1980), 127-137.

[137]

Moyers, R.E. and Bookstein, F.L. 1979. The inappropriateness of conventional cephalometrics. American Journal of Orthodontics. 75, 6 (Jun. 1979), 599-617. DOI:[https://doi.org/10.1016/0002-9416\(79\)90093-9](https://doi.org/10.1016/0002-9416(79)90093-9).

[138]

Naoumova, J. et al. 2011. A systematic review of the interceptive treatment of palatally displaced maxillary canines. The European Journal of Orthodontics. 33, 2 (2011), 143-149. DOI:<https://doi.org/10.1093/ejo/cjq045>.

[139]

NICE Prophylaxis against infective endocarditis: Antimicrobial prophylaxis against infective endocarditis in adults and children undergoing interventional procedures.

[140]

Noar, J. 2014. Interceptive orthodontics: a practical guide to occlusal management. Wiley Blackwell.

[141]

Noar, J. 2014. Interceptive orthodontics: a practical guide to occlusal management. Wiley Blackwell.

[142]

Noar, J.H. and Pabari, S. 2013. Cone beam computed tomography - current understanding and evidence for its orthodontic applications? *Journal of Orthodontics*. 40, 1 (Mar. 2013), 5–13. DOI:<https://doi.org/10.1179/1465313312Y.0000000040>.

[143]

Nunn et al., J.H. 2003. The interdisciplinary management of hypodontia: background and role of paediatric dentistry. *British Dental Journal*. 194, 5 (2003), 245–251.

[144]

O'Brien, K. et al. 2009. Early treatment for Class II malocclusion and perceived improvements in facial profile. *American Journal of Orthodontics and Dentofacial Orthopedics*. 135, 5 (May 2009), 580–585.  
DOI:<https://doi.org/10.1016/j.ajodo.2008.02.020>.

[145]

O'Brien, K. et al. 2003. Effectiveness of early orthodontic treatment with the twin-block appliance: A multicenter, randomized, controlled trial. Part 1: Dental and skeletal effects. *American Journal of Orthodontics and Dentofacial Orthopedics*. 124, 3 (Sep. 2003), 234–243. DOI:[https://doi.org/10.1016/S0889-5406\(03\)00352-4](https://doi.org/10.1016/S0889-5406(03)00352-4).

[146]

O'Brien, K. et al. 2003. Effectiveness of early orthodontic treatment with the twin-block appliance: a multicenter, randomized, controlled trial. Part 2: psychosocial effects. *American Journal of Orthodontics and Dentofacial Orthopedics*. 124, 5 (Nov. 2003), 488–494. DOI:<https://doi.org/10.1016/j.ajodo.2003.06.001>.

[147]

Obwegeser, H.L. and Makek, M.S. 1986. Hemimandibular hyperplasia — Hemimandibular elongation. *Journal of Maxillofacial Surgery*. 14, (Jan. 1986), 183–208.  
DOI:[https://doi.org/10.1016/S0301-0503\(86\)80290-9](https://doi.org/10.1016/S0301-0503(86)80290-9).

[148]

Odman, J. et al. 1988. Osseointegrated titanium implants--a new approach in orthodontic treatment. *The European Journal of Orthodontics*. 10, 2 (May 1988), 98-105.  
DOI:<https://doi.org/10.1093/ejo/10.2.98>.

[149]

Ohtani, J. et al. 2012. Team management and treatment outcomes for patients with hemifacial microsomia. *American Journal of Orthodontics and Dentofacial Orthopedics*. 141, 4 (Apr. 2012), S74-S81. DOI:<https://doi.org/10.1016/j.ajodo.2011.12.015>.

[150]

Olsen, T.M. and Kokich, V.G. 2010. Postorthodontic root approximation after opening space for maxillary lateral incisor implants. *American Journal of Orthodontics and Dentofacial Orthopedics*. 137, 2 (Feb. 2010), 158.e1-158.e8.  
DOI:<https://doi.org/10.1016/j.ajodo.2009.08.024>.

[151]

O'Neill, J. 2013. Limited evidence for interceptive extraction of deciduous teeth to prevent permanent canine impaction. *Evidence-Based Dentistry*. 14, 1 (2013), 23-24.  
DOI:<https://doi.org/10.1038/sj.ebd.6400918>.

[152]

Opdebeeck, H. et al. 1978. Comparative study between the SFS and LFS rotation as a possible morphogenic mechanism. *American Journal of Orthodontics*. 74, 5 (Nov. 1978), 509-521. DOI:[https://doi.org/10.1016/0002-9416\(78\)90026-X](https://doi.org/10.1016/0002-9416(78)90026-X).

[153]

Owais, A.I. et al. 2011. Effectiveness of a lower lingual arch as a space holding device. *The European Journal of Orthodontics*. 33, 1 (Feb. 2011), 37-42.  
DOI:<https://doi.org/10.1093/ejo/cjq022>.

[154]

Pabari, S. et al. 2011. Assessment of motivation and psychological characteristics of adult

orthodontic patients. *American Journal of Orthodontics and Dentofacial Orthopedics*. 140, 6 (Dec. 2011), e263–e272. DOI:<https://doi.org/10.1016/j.ajodo.2011.06.022>.

[155]

Parkin, N. et al. 1996. Extraction of primary (baby) teeth for unerupted palatally displaced permanent canine teeth in children. *Cochrane Database of Systematic Reviews*. John Wiley & Sons, Ltd.

[156]

Parkin, N.A. et al. 2013. Periodontal health of palatally displaced canines treated with open or closed surgical technique: A multicenter, randomized controlled trial. *American Journal of Orthodontics and Dentofacial Orthopedics*. 144, 2 (2013), 176–184. DOI:<https://doi.org/10.1016/j.ajodo.2013.03.016>.

[157]

Patel, A. et al. 2009. Medical disorders and orthodontics. *Journal of Orthodontics*. 36, Suppl (Dec. 2009), 1–21. DOI:<https://doi.org/10.1179/14653120723346>.

[158]

Periodontal Condition in Orthodontically Treated and Untreated Individuals II. Alveolar Bone Loss: Radiographic Findings: 1974.  
<http://www.angle.org/doi/abs/10.1043/0003-3219%281974%29044%3C0048%3APCIOTA%3E2.0.CO%3B2>.

[159]

Pogrel, M. et al. 1992. Surgically assisted rapid maxillary expansion in adults. *The International journal of adult orthodontics and orthognathic surgery*. 7, 1 (1992), 37–41.

[160]

Polder, B.J. et al. 2004. A meta-analysis of the prevalence of dental agenesis of permanent teeth. *Community Dentistry and Oral Epidemiology*. 32, 3 (Jun. 2004), 217–226. DOI:<https://doi.org/10.1111/j.1600-0528.2004.00158.x>.

[161]

Proffit, W. et al. 1996. Orthognathic surgery: a hierarchy of stability. The International journal of adult orthodontics and orthognathic surgery. 11, 3 (1996), 191-204.

[162]

Proffit, W. et al. 1992. Surgical versus orthodontic correction of skeletal Class II malocclusion in adolescents: effects and indications. The International journal of adult orthodontics and orthognathic surgery. 7, 4 (1992), 209-220.

[163]

PROFFIT, W.R. 1978. Equilibrium Theory Revisited: Factors Influencing Position of the Teeth. Angle Orthodontics. 48, 3 (1978), 175-186.

[164]

Proffit, W.R. et al. 2007. The hierarchy of stability and predictability in orthognathic surgery with rigid fixation: an update and extension. Head & Face Medicine. 3, 1 (2007). DOI:<https://doi.org/10.1186/1746-160X-3-21>.

[165]

Reitan, K. and Rygh, P. 1985. Biomechanical principles and reactions. Current orthodontic concepts and techniques. 101-192.

[166]

Richardson, A. 1999. Interceptive orthodontics. British Dental Association.

[167]

Richmond, S. et al. 1992. The development of the PAR Index (Peer Assessment Rating): reliability and validity. The European Journal of Orthodontics. 14, 2 (Apr. 1992), 125-139. DOI:<https://doi.org/10.1093/ejo/14.2.125>.

[168]

Ross, R.B. 1987. Treatment Variables Affecting Facial Growth in Complete Unilateral Cleft Lip and Palate. Part 1: Treatment Affecting Growth. The Cleft Palate Journal. 24, 1 (1987), 5-23.

[169]

Rowland, H. et al. 2007. The effectiveness of Hawley and vacuum-formed retainers: A single-center randomized controlled trial. American Journal of Orthodontics and Dentofacial Orthopedics. 132, 6 (Dec. 2007), 730-737.  
DOI:<https://doi.org/10.1016/j.ajodo.2006.06.019>.

[170]

Rudge, S.J. 1981. Dental arch analysis: arch form A review of the literature. The European Journal of Orthodontics. 3, 4 (Jan. 1981), 279-284. DOI:<https://doi.org/10.1093/ejo/3.4.279>.

[171]

Sadowsky, C. and BeGole, E.A. 1980. Long-term status of temporomandibular joint function and functional occlusion after orthodontic treatment. American Journal of Orthodontics. 78, 2 (Aug. 1980), 201-212. DOI:[https://doi.org/10.1016/0002-9416\(80\)90060-3](https://doi.org/10.1016/0002-9416(80)90060-3).

[172]

Sandler, P.J. et al. 2000. 1 Search Results - VOLUMELIST(117) AND PAGES(418) - ScienceDirect. American Journal of Orthodontics and Dentofacial Orthopedics. 117, 4 (2000), 418-434.

[173]

Sandy, J.R. et al. 1993. Recent advances in understanding mechanically induced bone remodeling and their relevance to orthodontic theory and practice. American Journal of Orthodontics and Dentofacial Orthopedics. 103, 3 (Mar. 1993), 212-222.  
DOI:[https://doi.org/10.1016/0889-5406\(93\)70002-6](https://doi.org/10.1016/0889-5406(93)70002-6).

[174]

Santoro, M. et al. 2001. Pseudoelasticity and thermoelasticity of nickel-titanium alloys: A clinically oriented review. Part II: Deactivation forces. *American Journal of Orthodontics and Dentofacial Orthopedics*. 119, 6 (Jun. 2001), 594–603. DOI:<https://doi.org/10.1067/mod.2001.112447>.

[175]

Sarver, D.M. 2001. The importance of incisor positioning in the esthetic smile: The smile arc. *American Journal of Orthodontics and Dentofacial Orthopedics*. 120, 2 (Aug. 2001), 98–111. DOI:<https://doi.org/10.1067/mod.2001.114301>.

[176]

Seehra, J. et al. 2011. Bullying in orthodontic patients and its relationship to malocclusion, self-esteem and oral health-related quality of life. *Journal of Orthodontics*. 38, 4 (Dec. 2011), 247–256. DOI:<https://doi.org/10.1179/14653121141641>.

[177]

Selwyn-Barnett, B.J. 1996. Class II/Division 2 malocclusion: a method of planning and treatment. *British journal of orthodontics*. 23, 1 (1996), 29–36.

[178]

Selwyn-Barnett, B.J. 1991. Rationale of treatment for Class II division 2 malocclusion. *British journal of orthodontics*. 18, 3 (1991), 173–181.

[179]

Shaw, W.C. et al. 2007. A 20-year cohort study of health gain from orthodontic treatment: Psychological outcome. *American Journal of Orthodontics and Dentofacial Orthopedics*. 132, 2 (Aug. 2007), 146–157. DOI:<https://doi.org/10.1016/j.ajodo.2007.04.009>.

[180]

Shaw, W.C. et al. 1991. Quality control in orthodontics: indices of treatment need and treatment standards. *British Dental Journal*. 170, 3 (Feb. 1991), 107–112. DOI:<https://doi.org/10.1038/sj.bdj.4807429>.

[181]

Shivapuja, P.K. and Berger, J. 1994. A comparative study of conventional ligation and self-ligation bracket systems. *American Journal of Orthodontics and Dentofacial Orthopedics*. 106, 5 (Nov. 1994), 472-480.  
DOI:[https://doi.org/10.1016/S0889-5406\(94\)70069-9](https://doi.org/10.1016/S0889-5406(94)70069-9).

[182]

Smith, R.J. and Burstone, C.J. 1984. Mechanics of tooth movement. *American Journal of Orthodontics*. 85, 4 (Apr. 1984), 294-307.  
DOI:[https://doi.org/10.1016/0002-9416\(84\)90187-8](https://doi.org/10.1016/0002-9416(84)90187-8).

[183]

Tamburrini, G. et al. 2012. Complex craniosynostoses: a review of the prominent clinical features and the related management strategies. *Child's Nervous System*. 28, 9 (Sep. 2012), 1511-1523. DOI:<https://doi.org/10.1007/s00381-012-1819-4>.

[184]

The Angle Orthodontist - Orthodontics and the temporomandibular joint: Where are we now? Part 2. Functional occlusion, malocclusion, and TMD: 1998.  
<http://www.angle.org/doi/abs/10.1043/0003-3219%281998%29068%3C0305%3AOATTJW%3E2.3.CO%3B2>.

[185]

Thickett, E. and Power, S. 2010. A randomized clinical trial of thermoplastic retainer wear. *The European Journal of Orthodontics*. 32, 1 (Feb. 2010), 1-5.  
DOI:<https://doi.org/10.1093/ejo/cjp061>.

[186]

Tulloch, J.F.C. et al. 1998. Benefit of early Class II treatment: Progress report of a two-phase randomized clinical trial. *American Journal of Orthodontics and Dentofacial Orthopedics*. 113, 1 (Jan. 1998), 62-74.  
DOI:[https://doi.org/10.1016/S0889-5406\(98\)70277-X](https://doi.org/10.1016/S0889-5406(98)70277-X).

[187]

Tulloch, J.F.C. et al. 2004. Outcomes in a 2-phase randomized clinical trial of early class II treatment. *American Journal of Orthodontics and Dentofacial Orthopedics*. 125, 6 (Jun. 2004), 657-667. DOI:<https://doi.org/10.1016/j.ajodo.2004.02.008>.

[188]

Tulloch, J.F.C. et al. 1997. The effect of early intervention on skeletal pattern in Class II malocclusion: A randomized clinical trial. *American Journal of Orthodontics and Dentofacial Orthopedics*. 111, 4 (Apr. 1997), 391-400.  
DOI:[https://doi.org/10.1016/S0889-5406\(97\)80021-2](https://doi.org/10.1016/S0889-5406(97)80021-2).

[189]

Waters, N.E. 1992. Superelastic nickel-titanium wires. *British journal of orthodontics*. 19, 4 (1992), 319-322.

[190]

Weiland, F. 2003. Constant versus dissipating forces in orthodontics: The effect on initial tooth movement and root resorption. *European Journal of Orthodontics*. 25, 4 (2003), 335-342.

[191]

Weltman, B. et al. 2010. Root resorption associated with orthodontic tooth movement: A systematic review. *American Journal of Orthodontics and Dentofacial Orthopedics*. 137, 4 (Apr. 2010), 462-476. DOI:<https://doi.org/10.1016/j.ajodo.2009.06.021>.

[192]

Wertz, R.A. 1970. Skeletal and dental changes accompanying rapid midpalatal suture opening. *American Journal of Orthodontics*. 58, 1 (Jul. 1970), 41-66.  
DOI:[https://doi.org/10.1016/0002-9416\(70\)90127-2](https://doi.org/10.1016/0002-9416(70)90127-2).

[193]

Westwood, P.V. et al. 2003. Long-term effects of Class III treatment with rapid maxillary expansion and facemask therapy followed by fixed appliances. *American Journal of Orthodontics and Dentofacial Orthopedics*. 123, 3 (Mar. 2003), 306-320.  
DOI:<https://doi.org/10.1067/mod.2003.44>.

[194]

ZACHRISSON, B.U. and ALNAES, L. 1973. The Angle Orthodontist - Periodontal Condition in Orthodontically Treated and Untreated Individuals I. Loss of Attachment, Gingival Pocket Depth and Clinical Crown Height. The Angle Orthodontist. 43, 4 (1973), 402-411.

[195]

Zahrowski, J.J. 2007. Bisphosphonate treatment: An orthodontic concern calling for a proactive approach. American Journal of Orthodontics and Dentofacial Orthopedics. 131, 3 (Mar. 2007), 311-320. DOI:<https://doi.org/10.1016/j.ajodo.2006.09.035>.

[196]

American Journal of Orthodontics and Dentofacial Orthopedics.

[197]

2013. British Orthodontic Society Advice sheets.

[198]

1993. Retention and stability in orthodontics. W.B. Saunders.

[199]

The tissue reaction as related to the functional factor. Transactions of the European Orthodontic Society. 195, 123-136.