

TMCEDISORT09: MClindent Orthodontics

View Online



Covering modules:EAORG003, EAORG010, EAORG011, EAORG012, EAORG013, EAORG014, EAORG015, EAORG016, EAORG017, EAORG399

Ackerman, J. L., & Proffit, W. R. (1997a). Soft tissue limitations in orthodontics: Treatment planning guidelines. *The Angle Orthodontist*, 67(5), 327–336.
<http://www.angle.org/doi/abs/10.1043/0003-3219%281997%29067%3C0327%3ASTLIOT%3E2.3.CO%3B2>

Ackerman, J. L., & Proffit, W. R. (1997b). Soft tissue limitations in orthodontics: Treatment planning guidelines. *The Angle Orthodontic*, 67(5), 327–336.
<http://www.angle.org/doi/abs/10.1043/0003-3219%281997%29067%3C0327%3ASTLIOT%3E2.3.CO%3B2>

American Journal of Orthodontics and Dentofacial Orthopedics. (n.d.).
<http://www.sciencedirect.com/science/journal/08895406/101/1>

Andrews, L. F. (1972a). The six keys to normal occlusion. *American Journal of Orthodontics*, 62(3), 296–309. [https://doi.org/10.1016/S0002-9416\(72\)90268-0](https://doi.org/10.1016/S0002-9416(72)90268-0)

Andrews, L. F. (1972b). The six keys to normal occlusion. *American Journal of Orthodontics*, 62(3), 296–309. [https://doi.org/10.1016/S0002-9416\(72\)90268-0](https://doi.org/10.1016/S0002-9416(72)90268-0)

Andrews, L. F. (1979). The Straight Wire Appliance. *British Journal of Orthodontics*, 6(3), 125–143.

Anne Mandall, N., Cousley, R., DiBiase, A., Dyer, F., Littlewood, S., Mattick, R., Nute, S., Doherty, B., Stivaros, N., McDowall, R., Shargill, I., Ahmad, A., Walsh, T., & Worthington, H. (2012). Is early class III protraction facemask treatment effective? A multicentre, randomized, controlled trial: 3-year follow-up. *Journal of Orthodontics*, 39(3), 176–185.
<https://doi.org/10.1179/1465312512Z.000000000028>

Asher-McDade, C., Brattström, V., Dahl, E., McWilliam, J., Mølsted, K., Plint, D. A., Prahl-Andersen, B., Semb, G., Shaw, W. C., & The, R. P. S. (1992). A Six-Center International Study of Treatment Outcome in Patients with Clefts of the Lip and Palate: Part 4. Assessment of Nasolabial Appearance. *The Cleft Palate-Craniofacial Journal*, 29(5), 409–412. [https://doi.org/10.1597/1545-1569\(1992\)029<0409:ASCISO>2.3.CO;2](https://doi.org/10.1597/1545-1569(1992)029<0409:ASCISO>2.3.CO;2)

Ashley et al., F. R. (1998). The relationship between irregularity of the incisor teeth, plaque, and gingivitis: a study in a group of schoolchildren aged 11–14 years. *European Journal of Orthodontics*, 20(1), 65–72.
<http://search.ebscohost.com/login.aspx?direct=true&AuthType=ip,shib&db=ddh&AN=4337265&site=ehost-live&scope=site>

Atack, N. E. (n.d.). The Orthodontic Implications of Traumatized Upper IncisorTeeth. *Dental*

Update, 26(10), 432–436.

<http://www.dental-update.co.uk/issuesSingleIssueArticle.asp?aKey=63>

Atack, N. E., Sandy, J. R., & Addy, M. (1996). Periodontal and Microbiological Changes Associated With the Placement of Orthodontic Appliances. A Review*. *Journal of Periodontology*, 67(2), 78–85. <https://doi.org/10.1902/jop.1996.67.2.78>

Auluck, A. (2013). Lingual orthodontic treatment: what is the current evidence base? *Journal of Orthodontics*, 40(s1), s27–s33.

<https://doi.org/10.1179/1465313313Y.0000000073>

Baccetti, T., Franchi, L., & McNamara, J. A. (2000). Treatment and posttreatment craniofacial changes after rapid maxillary expansion and facemask therapy. *American Journal of Orthodontics and Dentofacial Orthopedics*, 118(4), 404–413.

<https://doi.org/10.1067/mod.2000.109840>

Baccetti, T., Franchi, L., & McNamara, J. A. (2004). Cephalometric variables predicting the long-term success or failure of combined rapid maxillary expansion and facial mask therapy. *American Journal of Orthodontics and Dentofacial Orthopedics*, 126(1), 16–22.

<https://doi.org/10.1016/j.ajodo.2003.06.010>

Baccetti, T., Franchi, L., & McNamara, J. A. (2005). The Cervical Vertebral Maturation (CVM) Method for the Assessment of Optimal Treatment Timing in Dentofacial Orthopedics.

Seminars in Orthodontics, 11(3), 119–129. <https://doi.org/10.1053/j.sodo.2005.04.005>

Baccetti, T., Leonardi, M., & Armi, P. (2008). A randomized clinical study of two interceptive approaches to palatally displaced canines. *The European Journal of Orthodontics*, 30(4), 381–385. <https://doi.org/10.1093/ejo/cjn023>

Bailey et al., D. L. (2009). Regression of Post-orthodontic Lesions by a Remineralizing Cream. *Journal of Dental Research*, 88(12), 1148–1153.

<http://search.ebscohost.com/login.aspx?direct=true&AuthType=ip,shib&db=ddh&AN=45402358&site=ehost-live&scope=site>

Banks, P., Wright, J., & O'Brien, K. (2004). Incremental versus maximum bite advancement during twin-block therapy: A randomized controlled clinical trial. *American Journal of Orthodontics and Dentofacial Orthopedics*, 126(5), 583–588.

<https://doi.org/10.1016/j.ajodo.2004.03.024>

Barlin, S., Smith, R., Reed, R., Sandy, J., & Ireland, A. J. (2011). A retrospective randomized double-blind comparison study of the effectiveness of Hawley vs vacuum-formed retainers. *The Angle Orthodontist*, 81(3), 404–409.

<http://www.angle.org/doi/abs/10.2319/072610-437.1>

Baumrind, S., & Frantz, R. C. (1971a). The reliability of head film measurements. *American Journal of Orthodontics*, 60(2), 111–127. [https://doi.org/10.1016/0002-9416\(71\)90028-5](https://doi.org/10.1016/0002-9416(71)90028-5)

Baumrind, S., & Frantz, R. C. (1971b). The reliability of head film measurements. *American Journal of Orthodontics*, 60(5), 505–517. [https://doi.org/10.1016/0002-9416\(71\)90116-3](https://doi.org/10.1016/0002-9416(71)90116-3)

Baumrind, S., Miller, D., & Molthen, R. (1976). The reliability of head film measurements: 3. Tracing superimposition. *American Journal of Orthodontics*, 70(6), 617–644.

[https://doi.org/10.1016/0002-9416\(76\)90224-4](https://doi.org/10.1016/0002-9416(76)90224-4)

Becker, A. (1984). Etiology of maxillary canine impactions. *American Journal of Orthodontics*, 86(5), 437–438. [https://doi.org/10.1016/S0002-9416\(84\)90038-1](https://doi.org/10.1016/S0002-9416(84)90038-1)

Benson, P. E., Tinsley, D., O'Dwyer, J. J., Majumdar, A., Doyle, P., & Sandler, P. J. (2007). Midpalatal implants vs headgear for orthodontic anchorage—a randomized clinical trial: Cephalometric results. *American Journal of Orthodontics and Dentofacial Orthopedics*, 132(5), 606–615. <https://doi.org/10.1016/j.ajodo.2006.01.040>

Bishara, S. E., Burkey, P. S., & Kharouf, H. G. (1994). The Angle Orthodontist - Dental and facial asymmetries: a review. *The Angle Orthodontist*, 64(2), 89–98. <http://www.angle.org/doi/abs/10.1043/0003-3219%281994%29064%3C0089%3ADAFAAR%3E2.0.CO%3B2>

Bishara, S. E., & Ortho., D. (1992). Impacted maxillary canines: A review. *American Journal of Orthodontics and Dentofacial Orthopedics*, 101(2), 159–171. [https://doi.org/10.1016/0889-5406\(92\)70008-X](https://doi.org/10.1016/0889-5406(92)70008-X)

Bishara, S. E., & Ziaja, R. R. (1989). Functional appliances: A review. *American Journal of Orthodontics and Dentofacial Orthopedics*, 95(3), 250–258. [https://doi.org/10.1016/0889-5406\(89\)90055-3](https://doi.org/10.1016/0889-5406(89)90055-3)

Bjerklin, K., & Bennett, J. (2000). The long-term survival of lower second primary molars in subjects with agenesis of the premolars. *European Journal of Orthodontics*, 22(3), 245–255. <http://search.ebscohost.com/login.aspx?direct=true&AuthType=ip,shib&db=ddh&AN=4637930&site=ehost-live&scope=site>

Bjork, A. (1955). Facial growth in man, studied with the aid of metallic implants. *Acta Odontologica Scandinavica*, 13(1), 9–34.

Bjork, A. (1964). Sutural growth of the upper face studied by the implant method. *Transactions of the European Orthodontic Society*, 49–65.

Bjork, A., & Skieller, V. (1977). Growth of the maxilla in three dimensions as revealed radiographically by the implant method. *British Journal of Orthodontics*, 4(2), 53–64.

Bjork, A., & Skieller, V. (1983). Normal and abnormal growth of the mandible. A synthesis of longitudinal cephalometric implant studies over a period of 25 years. *The European Journal of Orthodontics*, 5(1), 1–46. <https://doi.org/10.1093/ejo/5.1.1>

Bondemark, L., & Karlsson, A. (2005). Extraoral vs Intraoral Appliance for Distal Movement of Maxillary First Molars: The Angle Orthodontist -. <http://www.angle.org/doi/abs/10.1043/0003-3219%282005%2975%5B699%3AEVIAFD%5D2.0.CO%3B2>

Bowden, D. E. (1978a). Theoretical considerations of headgear therapy: a literature review. 1. Mechanical principles. *British Journal of Orthodontics*, 5(3), 145–152. <http://jorthod.maneyjournals.org/content/5/3/145.citation>

Bowden, D. E. (1978b). Theoretical considerations of headgear therapy: a literature review. 2. Clinical response and usage. *British Journal of Orthodontics*, 5(4), 173–181.

<http://jorthod.maneyjournals.org/content/5/4/173.citation>

Brezniak, N., & Wasserstein, A. (1993a). Root resorption after orthodontic treatment: Part 1. Literature review. *American Journal of Orthodontics and Dentofacial Orthopedics*, 103 (1), 62–66. [https://doi.org/10.1016/0889-5406\(93\)70106-X](https://doi.org/10.1016/0889-5406(93)70106-X)

Brezniak, N., & Wasserstein, A. (1993b). Root resorption after orthodontic treatment: Part 2. Literature review. *American Journal of Orthodontics and Dentofacial Orthopedics*, 103 (2), 138–146. [https://doi.org/10.1016/S0889-5406\(05\)81763-9](https://doi.org/10.1016/S0889-5406(05)81763-9)

Brezniak, N., & Wasserstein, A. (2002). Orthodontically Induced Inflammatory Root Resorption. Part II: The Clinical Aspects. *Angle Orthodontist*, 72(2), 180–184. <http://www.angle.org/doi/abs/10.1043/0003-3219%282002%29072%3C0180%3AOIIRRP%3E2.0.CO%3B2>

Brin, I., Tulloch, J. F. C., Koroluk, L., & Philips, C. (2003). External apical root resorption in Class II malocclusion: a retrospective review of 1- versus 2-phase treatment. *American Journal of Orthodontics and Dentofacial Orthopedics*, 124(2), 151–156. [https://doi.org/10.1016/S0889-5406\(03\)00166-5](https://doi.org/10.1016/S0889-5406(03)00166-5)

British Orthodontic Society Advice sheets (pp. 1–30). (2013). <http://www.bos.org.uk/Professionals-Members/Directorates-Committees-Groups/Directorates/Clinical-Governance/Clinical-Governance-Publication-Committee/Members-advice-sheet> S

British Society for the Study of Orthodontics & British Association of Orthodontists. (1984). *British journal of orthodontics. Facial Profile and Orthognathic Surgery.*, 11(3).

British Society for the Study of Orthodontics & British Association of Orthodontists. (1998). *British journal of orthodontics. The Clinical Standards Advisory Group (CSAG) Cleft Lip and Palate Study.*, 25(1). <https://doi.org/10.1093/ortho/25.1.21>

British Standards Institution. (1983). *British Standard glossary of dental terms: Glossaire des termes utilisés en art dentaire: Vol. BS ([1st revision]).* B.S.I.

Brooke, P. H., & Show, W. C. (n.d.). The development of an index of orthodontic treatment priority. *European Journal of Orthodontics*, 11(3), 309–332. <http://ejo.oxfordjournals.org/content/11/3/309.abstract>

Burstone, C. J. (1981). Variable-modulus orthodontics. *American Journal of Orthodontics*, 80 (1), 1–16. [https://doi.org/10.1016/0002-9416\(81\)90192-5](https://doi.org/10.1016/0002-9416(81)90192-5)

Carter, N. E., & Slattery, D. A. (1988). Bimaxillary proclination in patients of Afro-Caribbean origin. *British Journal of Orthodontics*, 15(3), 175–184.

Cedro, M. K., Moles, D. R., & Hodges, S. J. (2010). Adult orthodontics -- who's doing what? *Journal of Orthodontics*, 37(2), 107–117. <https://doi.org/10.1179/14653121042966>

Cedro, M., Moles, D. R., & Hodges, S. (2012). Adult orthodontics in the absence of orthognathic treatment: a hospital perspective. *Journal of Orthodontics*, 39(4), 292–302. <https://doi.org/10.1179/1465312512Z.00000000050>

- Chen, S. S.-H., Greenlee, G. M., Kim, J.-E., Smith, C. L., & Huang, G. J. (2010). Systematic review of self-ligating brackets. *American Journal of Orthodontics and Dentofacial Orthopedics*, 137(6), 726.e1-726.e18. <https://doi.org/10.1016/j.ajodo.2009.11.009>
- Chen, Y., Kyung, H. M., Zhao, W. T., & Yu, W. J. (2009). Critical factors for the success of orthodontic mini-implants: A systematic review. *American Journal of Orthodontics and Dentofacial Orthopedics*, 135(3), 284-291. <https://doi.org/10.1016/j.ajodo.2007.08.017>
- Clark, J. (1998). Functional occlusal relationships in a group of post-orthodontic patients: preliminary findings. *The European Journal of Orthodontics*, 20(2), 103-110. <https://doi.org/10.1093/ejo/20.2.103>
- Clark, W. (2010). Design and management of Twin Blocks: reflections after 30 years of clinical use. *Journal of Orthodontics*, 37(3), 209-216. <https://doi.org/10.1179/14653121043110>
- Clark, W. J. (1988). The twin block technique A functional orthopedic appliance system. *American Journal of Orthodontics and Dentofacial Orthopedics*, 93(1), 1-18. [https://doi.org/10.1016/0889-5406\(88\)90188-6](https://doi.org/10.1016/0889-5406(88)90188-6)
- Cornelis, M. A., Scheffler, N. R., De Clerck, H. J., Tulloch, J. F. C., & Behets, C. N. (2007). Systematic review of the experimental use of temporary skeletal anchorage devices in orthodontics. *American Journal of Orthodontics and Dentofacial Orthopedics*, 131(4), S52-S58. <https://doi.org/10.1016/j.ajodo.2006.05.033>
- Cunningham, S. J., Garratt, A. M., & Hunt, N. P. (2000). Development of a condition-specific quality of life measure for patients with dentofacial deformity: I. Reliability of the instrument. *Community Dentistry and Oral Epidemiology*, 28(3), 195-201. <https://doi.org/10.1034/j.1600-0528.2000.280305.x>
- Cunningham, S. J., Garratt, A. M., & Hunt, N. P. (2002). Development of a condition-specific quality of life measure for patients with dentofacial deformity: II. Validity and responsiveness testing. *Community Dentistry and Oral Epidemiology*, 30(2), 81-90. <https://doi.org/10.1034/j.1600-0528.2002.300201.x>
- Daniels, C., & Richmond, S. (2000). The Development of the Index of Complexity, Outcome and Need (ICON). *Journal of Orthodontics*, 27(2), 149-162. <https://doi.org/10.1093/ortho/27.2.149>
- Davidovitch, Z., Finkelson, M. D., Steigman, S., Shanfeld, J. L., Montgomery, P. C., & Korostoff, E. (1980). Electric currents, bone remodeling, and orthodontic tooth movement. *American Journal of Orthodontics*, 77(1), 33-47. [https://doi.org/10.1016/0002-9416\(80\)90222-5](https://doi.org/10.1016/0002-9416(80)90222-5)
- Davies, G., & Davies, R. (2008). Delivering Better Oral Health - An Evidence-Based Toolkit for Prevention: A Review. Dental Update. <http://www.dental-update.co.uk/issuesSingleIssueArticle.asp?aKey=683>
- Day, P. F., Kindelan, S. A., Spencer, J. R., Kindelan, J. D., & Duggal, M. S. (2008). Dental trauma: part 2. Managing poor prognosis anterior teeth - treatment options for the subsequent space in a growing patient. *Journal of Orthodontics*, 35(3), 143-155. <https://doi.org/10.1179/146531207225022590>

Devereux, L., Moles, D., Cunningham, S. J., & McKnight, M. (2011). How important are lateral cephalometric radiographs in orthodontic treatment planning? *American Journal of Orthodontics and Dentofacial Orthopedics*, 139(2), e175–e181. <https://doi.org/10.1016/j.ajodo.2010.09.021>

Di, B., & Markus, A. (1998). Cleft lip and palate care in the UK: the CSAG report. *British Dental Journal*, 185(7), 320–321. <https://doi.org/10.1038/sj.bdj.4809800>

Dixon, V., Read, M. J. F., O'Brien, K. D., Worthington, H. V., & Mandall, N. A. (2002). A randomised clinical trial to compare three methods of orthodontic space closure. *Journal of Orthodontics*, 29(1), 31–36. <https://doi.org/10.1093/ortho/29.1.31>

Dung, D. J., & Smith, R. J. (1988). Cephalometric and clinical diagnoses of open bite tendency. *American Journal of Orthodontics and Dentofacial Orthopedics*, 94(6), 484–490. [https://doi.org/10.1016/0889-5406\(88\)90006-6](https://doi.org/10.1016/0889-5406(88)90006-6)

Edwards, G. D., Davies, E. H., & Jones, S. P. (1995). The ex vivo effect of ligation technique on the static frictional resistance of stainless steel brackets and archwires. *British Journal of Orthodontics*, 22(2), 145–153. <http://jorthod.maneyjournals.org/content/22/2/145.abstract>

Edwards, J. G. (1970). A surgical procedure to eliminate rotational relapse. *American Journal of Orthodontics*, 57(1), 35–46. [https://doi.org/10.1016/0002-9416\(70\)90203-4](https://doi.org/10.1016/0002-9416(70)90203-4)

Enlow, D. H. (1990). Chapter 14 Cephalometrics, Chapter. In *Facial growth* (3rd ed, pp. 346–395). Saunders.

Ericson, S., & Kurol, J. (1988). Early treatment of palatally erupting maxillary canines by extraction of the primary canines. *The European Journal of Orthodontics*, 10(4), 283–295. <https://doi.org/10.1093/ejo/10.4.283>

Ericson, S., & Kurol, J. (2000). Resorption of Incisors After Ectopic Eruption of Maxillary Canines: A CT Study. *The Angle Orthodontist* -, 70(6), 415–423. <http://www.angle.org/doi/abs/10.1043/0003-3219%282000%29070%3C0415%3AROIIEE%3E2.0.CO%3B2>

Evans, R., & Shaw, W. (1987). Preliminary evaluation of an illustrated scale for rating dental attractiveness. *The European Journal of Orthodontics*, 9(4), 314–318. <https://doi.org/10.1093/ejo/9.4.314>

Feldmann, I., & Bondemark, L. (2008). Anchorage capacity of osseointegrated and conventional anchorage systems: A randomized controlled trial. *American Journal of Orthodontics and Dentofacial Orthopedics*, 133(3), 339.e19–339.e28. <https://doi.org/10.1016/j.ajodo.2007.08.014>

Felton, J. M., Sinclair, P. M., Jones, D. L., & Alexander, R. G. (1987). A computerized analysis of the shape and stability of mandibular arch form. *American Journal of Orthodontics and Dentofacial Orthopedics*, 92(6), 478–483. [https://doi.org/10.1016/0889-5406\(87\)90229-0](https://doi.org/10.1016/0889-5406(87)90229-0)

Fields, H. W., Proffit, W. R., Nixon, W. L., Phillips, C., & Stanek, E. (1984). Facial pattern differences in long-faced children and adults. *American Journal of Orthodontics*, 85(3), 217–223. [https://doi.org/10.1016/0002-9416\(84\)90061-7](https://doi.org/10.1016/0002-9416(84)90061-7)

Fleming, P. S., & Johal, A. (2010). Self-Ligating Brackets in Orthodontics. *The Angle Orthodontist*, 80(3), 575–584. <https://doi.org/10.2319/081009-454.1>

Fleming, P. S., Scott, P., & DiBiase, A. T. (2007). How to ... manage the transition from functional to fixed appliances. *Journal of Orthodontics*, 34(4), 252–259. <https://doi.org/10.1179/146531207225022311>

Fleming, P. S., Sharma, P. K., & DiBiase, A. T. (2010). How to...mechanically erupt a palatal canine. *Journal of Orthodontics*, 37(4), 262–271. <https://doi.org/10.1179/14653121043200>

Fudalej, P., Kokich, V. G., & Leroux, B. (2007). Determining the cessation of vertical growth of the craniofacial structures to facilitate placement of single-tooth implants. *American Journal of Orthodontics and Dentofacial Orthopedics*, 131(4), S59–S67. <https://doi.org/10.1016/j.ajodo.2006.07.022>

Gill, D. S., Jones, S., Hobkrik, J., Bassi, S., Hemmings, K., & Goodman, J. (2008). Counselling Patients with Hypodontia. *Dental Update*, 35(5), 344–352. <http://www.dental-update.co.uk/issuesSingleIssueArticle.asp?aKey=670>

Gill, D. S., Naini, F. B., & Tredwin, C. (2007). Smile Aesthetics. *Dental Update*, 34(3), 152–158. <http://www.dental-update.co.uk/issuesSingleIssueArticle.asp?aKey=582>

Glenny, A.-M., Oliver, R., Roberts, G. J., Hooper, L., & Worthington, H. V. (1996). Antibiotics for the prophylaxis of bacterial endocarditis in dentistry. In *Cochrane Database of Systematic Reviews*. John Wiley & Sons, Ltd. <https://doi.org/10.1002/14651858.CD003813.pub4>

Harradine, N. W. T., Pearson, M. H., & Toth, B. (1998). The effect of extraction of third molars on late lower incisor crowding: A randomized controlled trial. *Journal of Orthodontics*, 25(2), 117–122. <https://doi.org/10.1093/ortho/25.2.117>

Hass, A. J. (1980). Long-Term Posttreatment Evaluation of Rapid Palatal Expansion. *The Angle Orthodontist*, 50(3), 189–217. <http://www.angle.org/doi/abs/10.1043/0003-3219%281980%29050%3C0189%3ALPEORP%3E2.0.CO%3B2>

Hill, P. A. (1998). Bone Remodelling. *British Journal of Orthodontics*, 25(2), 101–107. <https://doi.org/10.1093/ortho/25.2.101>

Houston, W. J. B. (1983). The analysis of errors in orthodontic measurements. *American Journal of Orthodontics*, 83(5), 382–390. [https://doi.org/10.1016/0002-9416\(83\)90322-6](https://doi.org/10.1016/0002-9416(83)90322-6)

Houston, W. J. B. (1989). Incisor edge-centroid relationships and overbite depth. *European Journal of Orthodontics*, 11(2), 139–143. <http://ejo.oxfordjournals.org/content/11/2/139.abstract>

Houston, W. J. B., & Edler, R. (1990). Long-term stability of the lower labial segment relative to the A-Pog line. *The European Journal of Orthodontics*, 12(3), 302–310. <https://doi.org/10.1093/ejo/12.3.302>

Hunt, N. (2006). Northcroft Memorial Lecture 2005: Muscling in on malocclusions: Current

- concepts on the role of muscles in the aetiology and treatment of malocclusion. *Journal of Orthodontics*, 33(3), 187–197. <https://doi.org/10.1179/146531205225021660>
- Irvine, R. (2004). The effectiveness of laceback ligatures: A randomized controlled clinical trial. *Journal of Orthodontics*, 31(4), 303–311. <https://doi.org/10.1179/146531204225020606>
- Isaacson, K. G. & British Orthodontic Society. (2015). *Guidelines for the use of radiographs in clinical orthodontics* (3rd ed). B.O.S.
- Jacobs, J. D., & Sinclair, P. M. (1983). Principles of orthodontic mechanics in orthognathic surgery cases. *American Journal of Orthodontics*, 84(5), 399–407. [https://doi.org/10.1016/0002-9416\(93\)90003-P](https://doi.org/10.1016/0002-9416(93)90003-P)
- Johal, A., Katsaros, C., Kiliardis, S., Leito, P., Rosa, M., Sculean, A., Weiland, F., & Zachrisson, B. (2013). State of the science on controversial topics: orthodontic therapy and gingival recession (a report of the Angle Society of Europe 2013 meeting). *Progress in Orthodontics*, 14(1). <https://doi.org/10.1186/2196-1042-14-16>
- Jokovic et al., A. (2004). Questionnaire for Measuring Oral Health-related Quality of Life in Eight- to Ten-year-old Children. *Pediatric Dentistry*, 26(6), 512–518. <http://search.ebscohost.com/login.aspx?direct=true&AuthType=ip,shib&db=ddh&AN=15340090&site=ehost-live&scope=site>
- Kapust, A. J., Sinclair, P. M., & Turley, P. K. (1998). Cephalometric effects of face mask/expansion therapy in Class III children: A comparison of three age groups. *American Journal of Orthodontics and Dentofacial Orthopedics*, 113(2), 204–212. [https://doi.org/10.1016/S0889-5406\(98\)70141-6](https://doi.org/10.1016/S0889-5406(98)70141-6)
- Kerr, W. J. S. (1980). The effect of the premature loss of deciduous canines and molars on the eruption of their successors. *The European Journal of Orthodontics*, 2(2), 123–128. <https://doi.org/10.1093/ejo/2.2.123>
- Kesling, P. C. (1989). Dynamics of the tip-edge bracket. *American Journal of Orthodontics and Dentofacial Orthopedics*, 96(1), 16–25. [https://doi.org/10.1016/0889-5406\(89\)90224-2](https://doi.org/10.1016/0889-5406(89)90224-2)
- Khalaf, K., Miskelly, J., Voge, E., & Macfarlane, T. V. (2014). Prevalence of hypodontia and associated factors: a systematic review and meta-analysis. *Journal of Orthodontics*, 41(4), 299–316. <https://doi.org/10.1179/1465313314Y.0000000116>
- Kim, Y. H. (1987). Anterior Openbite and its Treatment with Multiloop Edgewise Archwire. *The Angle Orthodontist*, 57(4), 290–321. <http://www.angle.org/doi/abs/10.1043/0003-3219%281987%29057%3C0290%3AAOAITW%3E2.0.CO%3B2>
- Kim, Y. H., Han, U. K., Lim, D. D., & Serranon, Ma. L. P. (2000). Stability of anterior openbite correction with multiloop edgewise archwire therapy: A cephalometric follow-up study. *American Journal of Orthodontics and Dentofacial Orthopedics*, 118(1), 43–54. <https://doi.org/10.1067/mod.2000.104830>
- Klages, U., Bruckner, A., & Zentne, A. (2004). Dental aesthetics, self-awareness, and oral

health-related quality of life in young adults. *European Journal of Orthodontics*, 26(5), 507–514.

<http://search.ebscohost.com/login.aspx?direct=true&AuthType=ip,shib&db=ddh&AN=43316384&site=ehost-live&scope=site>

Kokich, V. (1994). What's new in dentistry. *Angle Orthodontics*, 64(4), 249–249.

<http://www.angle.org/doi/abs/10.1043/0003-3219%281994%29064%3C0249%3AWNID%3E2.0.CO%3B2>

Kokich, V. G., & Spear, F. M. (1997). Guidelines for managing the orthodontic-restorative patient. *Seminars in Orthodontics*, 3(1), 3–20.

[https://doi.org/10.1016/S1073-8746\(97\)80036-9](https://doi.org/10.1016/S1073-8746(97)80036-9)

KOKICH, V. O., & KINZER, G. A. (2005). Managing Congenitally Missing Lateral Incisors. Part I: Canine Substitution. *Journal of Esthetic and Restorative Dentistry*, 17(1), 5–10.

<https://doi.org/10.1111/j.1708-8240.2005.tb00076.x>

Koroluk, L. D., Tulloch, J. F. C., & Phillips, C. (2003). Incisor trauma and early treatment for Class II Division 1 malocclusion. *American Journal of Orthodontics and Dentofacial Orthopedics*, 123(2), 117–125. <https://doi.org/10.1067/mod.2003.86>

Krishnan, V., & Davidovitch, Z. (2009). On a Path to Unfolding the Biological Mechanisms of Orthodontic Tooth Movement. *Journal of Dental Research*, 88(7), 597–608.

<http://search.ebscohost.com/login.aspx?direct=true&AuthType=ip,shib&db=ddh&AN=43550283&site=ehost-live&scope=site>

Kuroda, S., Sakai, Y., Tamamura, N., Deguchi, T., & Takano-Yamamoto, T. (2007).

Treatment of severe anterior open bite with skeletal anchorage in adults: Comparison with orthognathic surgery outcomes. *American Journal of Orthodontics and Dentofacial Orthopedics*, 132(5), 599–605. <https://doi.org/10.1016/j.ajodo.2005.11.046>

Kurol, J., & Thilander, B. (1984). Infraocclusion of primary molars and the effect on occlusal development, a longitudinal study. *The European Journal of Orthodontics*, 6(4), 277–293.

<https://doi.org/10.1093/ejo/6.4.277>

Kusy, R. P. (1981). Comparison of nickel-titanium and beta titanium wire sizes to conventional orthodontic arch wire materials. *American Journal of Orthodontics*, 79(6), 625–629. [https://doi.org/10.1016/0002-9416\(81\)90355-9](https://doi.org/10.1016/0002-9416(81)90355-9)

Kusy, R. P., Whitley, J. Q., & Prewitt, M. J. (1991). Comparison of the frictional coefficients for selected archwire-bracket slot combinations in the dry and wet states. *The Angle Orthodontist*, 61(4), 293–302.

<http://www.angle.org/doi/abs/10.1043/0003-3219%281991%29061%3C0293%3ACOTFCF%3E2.0.CO%3B2>

Lee, E. G. L., Ryan, F. S., Shute, J., & Cunningham, S. J. (2011). The Impact of Altered Sensation Affecting the Lower Lip After Orthognathic Treatment. *Journal of Oral and Maxillofacial Surgery*, 69(11), e431–e445. <https://doi.org/10.1016/j.joms.2011.07.013>

Levander, E., & Malmgren, O. (2000). Long-term follow-up of maxillary incisors with severe apical root resorption. *European Journal of Orthodontics*, 22(1), 85–92.

<http://search.ebscohost.com/login.aspx?direct=true&AuthType=ip,shib&db=ddh>

&AN=4637898&site=ehost-live&scope=site

Levander, E., Malmgren, O., & Eliasson, S. (1994). Evaluation of root resorption in relation to two orthodontic treatment regimes. A clinical experimental study. *The European Journal of Orthodontics*, 16(3), 223–228. <https://doi.org/10.1093/ejo/16.3.223>

Linder-Aronson, S. (1978). Respiratory function in relation to facial morphology and the dentition. *British Journal of Orthodontics*, 6(2), 59–71.

Linder-Aronson, S. (1979). Respiratory function in relation to facial morph. *British Journal of Orthodontics*, 6(2), 59–71.

Linge, L., & Linge, B. O. (1991). Patient characteristics and treatment variables associated with apical root resorption during orthodontic treatment. *American Journal of Orthodontics and Dentofacial Orthopedics*, 99(1), 35–43. [https://doi.org/10.1016/S0889-5406\(05\)81678-6](https://doi.org/10.1016/S0889-5406(05)81678-6)

Little, R. M. (1990). Stability and relapse of dental arch alignment. *Journal of Orthodontics*, 17(3), 235–241. <http://jorthod.maneyjournals.org/content/17/3/235.abstract>

Little, R. M., Riedel, R. A., & Stein, A. (1990). Mandibular arch length increase during the mixed dentition: Postretention evaluation of stability and relapse. *American Journal of Orthodontics and Dentofacial Orthopedics*, 97(5), 393–404. [https://doi.org/10.1016/S0889-5406\(08\)70111-O](https://doi.org/10.1016/S0889-5406(08)70111-O)

Littlewood, S. J. (2006). Orthodontic retention: A systematic review. *Journal of Orthodontics*, 33(3), 205–212. <https://doi.org/10.1179/146531205225021624>

Littlewood, S. J., Millett, D. T., Doubleday, B., Bearn, D. R., & Worthington, H. V. (1996). Retention procedures for stabilising tooth position after treatment with orthodontic braces. In *Cochrane Database of Systematic Reviews*. John Wiley & Sons, Ltd. <https://doi.org/10.1002/14651858.CD002283.pub3>

Long, H., Zhou, Y., & Lai, W. (2013). The effectiveness of laceback ligatures during initial orthodontic alignment: A systematic review and meta-analysis. *European Journal of Orthodontics*, 35(4), 547–548. <http://search.ebscohost.com/login.aspx?direct=true&AuthType=ip,shib&db=ddh&AN=89354375&site=ehost-live&scope=site>

Lundstrom, A. (2007). An investigation of 202 pairs of twins regarding fundamental factors in the aetiology of malocclusion. *The European Journal of Orthodontics*, 29(Supplement 1), i51–i57. <https://doi.org/10.1093/ejo/cjl098>

Luther, F. (1998a). Orthodontics and the temporomandibular joint: Where are we now? Part 1. Orthodontic treatment and temporomandibular disorders. *The Angle Orthodontist*, 68(4), 295–304. <http://www.angle.org/doi/abs/10.1043/0003-3219%281998%29068%3C0295%3AOATTJW%3E2.3.CO%3B2>

Luther, F. (1998b). The Angle Orthodontist - Orthodontics and the temporomandibular joint: Where are we now? Part 2. Functional occlusion, malocclusion, and TMD. *The Angle Orthodontist*.

<http://www.angle.org/doi/abs/10.1043/0003-3219%281998%29068%3C0305%3AOATTJW%3E2.3.CO%3B2>

Luther, F. (2007a). TMD and occlusion part I. Damned if we do? Occlusion: the interface of dentistry and orthodontics. *BDJ*, 202(1), E2-E2. <https://doi.org/10.1038/bdj.2006.122>

Luther, F. (2007b). TMD and occlusion part II. Damned if we don't? Functional occlusal problems: TMD epidemiology in a wider context. *BDJ*, 202(1), E3-E3. <https://doi.org/10.1038/bdj.2006.123>

Luther, F., Layton, S., & McDonald, F. (1996). Orthodontics for treating temporomandibular joint (TMJ) disorders. In *Cochrane Database of Systematic Reviews*. John Wiley & Sons, Ltd. <https://doi.org/10.1002/14651858.CD006541.pub2>

Mandall, N., Lowe, C., Worthington, H., Sandler, J., Derwent, S., Abdi-Oskouei, M., & Ward, S. (2006). Which orthodontic archwire sequence? A randomized clinical trial. *The European Journal of Orthodontics*, 28(6), 561-566. <https://doi.org/10.1093/ejo/cjl030>

Mars, M., Plint, D. A., Bergland, O., Houston, W. J. B., & Semb, G. (1987). The GOSLON Yardstick. A new system for assessing dental arch relationships in children with cleft lip and palate. *The Cleft Palate Journal*, 24(4), 314-322. <http://digital.library.pitt.edu/c/cleftpalate/pdf/e20986v24n4.08.pdf>

Mars, M., Plint, D. A., Houston, W. J. B., Bergland, O., & Semb, G. (1987). The Goslon Yardstick: A New System of Assessing Dental Arch Relationships in Children with Unilateral Clefts of the Lip and Palate. *The Cleft Palate Journal*, 24(4), 314-322. <http://digital.library.pitt.edu/c/cleftpalate/pdf/e20986v24n4.08.pdf>

McComb, J. L. (n.d.). Orthodontic treatment and isolated gingival recession: a review. *British Journal of Orthodontics*, 21(2), 151-159.

McComb, J. L. (1994). Orthodontic treatment and isolated gingival recession: a review. *British Journal of Orthodontics*, 21(2), 151-159. <http://jorthod.maneyjournals.org/content/21/2/151.abstract>

McGuinness, N. J. (1992). Prevention in orthodontics--a review. *Dental Update*, 19(4), 168-175. [http://ucl-primo.hosted.exlibrisgroup.com/primo_library/libweb/action/display.do;jsessionid=A5725199FE9CECD3244DA16625175521?tabs=detailsTab&ct=display&fn=search&doc=dedupmrg113557014&indx=1&reclds=dedupmrg113557014&recldxs=0&elementId=0&renderMode=poppedOut&displayMode=full&frbrVersion=&dscnt=0&onCampus=false&query=any%2Ccontains%2Cdental+update&scp.scps=scope%3A%28LMS_JRNL_S%29&tab=local&dstmp=1416479797935&dym=true&highlight=true&vl\(2235343UI0\)=any&search_scope=LSCOP_UCL_JNL&displayField=title&bulkSize=10&vl\(freeText0\)=dental%20update&vid=UCL_VU1&institution=UCL](http://ucl-primo.hosted.exlibrisgroup.com/primo_library/libweb/action/display.do;jsessionid=A5725199FE9CECD3244DA16625175521?tabs=detailsTab&ct=display&fn=search&doc=dedupmrg113557014&indx=1&reclds=dedupmrg113557014&recldxs=0&elementId=0&renderMode=poppedOut&displayMode=full&frbrVersion=&dscnt=0&onCampus=false&query=any%2Ccontains%2Cdental+update&scp.scps=scope%3A%28LMS_JRNL_S%29&tab=local&dstmp=1416479797935&dym=true&highlight=true&vl(2235343UI0)=any&search_scope=LSCOP_UCL_JNL&displayField=title&bulkSize=10&vl(freeText0)=dental%20update&vid=UCL_VU1&institution=UCL)

McLAUGHLIN, R. P., & BENNETT, J. C. (1995). Bracket Placement with the Preadjusted Appliance - *Journal of Clinical Orthodontics*. Add to E-Shelf *Journal of Clinical Orthodontics*, 29(5), 302-311. <http://www.jco-online.com.libproxy.ucl.ac.uk/archive/article-view.aspx?year=1995&month=05&articlenum=302>

- McSherry, P. F. (1998). The ectopic maxillary canine: a review. *British Journal of Orthodontics*, 25(3), 209–216. <https://doi.org/10.1093/ortho/25.3.209>
- Mettes, D. T., Nienhuijs, M. M., van der Sanden, W. J., Verdonschot, E. H., & Plasschaert, A. (1996). Interventions for treating asymptomatic impacted wisdom teeth in adolescents and adults. In *Cochrane Database of Systematic Reviews*. John Wiley & Sons, Ltd. <https://doi.org/10.1002/14651858.CD003879.pub2>
- Miles, J. R. (1968). The stability of the lower labial segment. A cephalometric survey. *Dental Practitioner*, 18(8), 293–306.
- Miller, J. (1970). The application and importance of cephalometry ... [Orthodontist. 1970] - PubMed - NCBI. *The Orthodontist*, 2(2), 32–47.
- Millett, D. T., Glenny, A.-M., Mattick, R. C., Hickman, J., & Mandall, N. A. (1996). Adhesives for fixed orthodontic bands. *Cochrane Database of Systematic Reviews*. <https://doi.org/10.1002/14651858.CD004485.pub3>
- Mills, J. R. E. (1983). Clinical control of craniofacial growth: A skeptics viewpoint. In *Clinical alteration of the growing face: Vol. Craniofacial growth series* (pp. 17–39). Center for Human Growth and Development, University of Michigan.
- Moss, J. P. (1980). The soft tissue environment of teeth and jaws. *British Journal of Orthodontics*, 7(3), 127–137. <http://jorthod.maneyjournals.org/content/7/3/127.citation>
- Moyers, R. E., & Bookstein, F. L. (1979). The inappropriateness of conventional cephalometrics. *American Journal of Orthodontics*, 75(6), 599–617. [https://doi.org/10.1016/0002-9416\(79\)90093-9](https://doi.org/10.1016/0002-9416(79)90093-9)
- Naoumova, J., Kurol, J., & Kjellberg, H. (2011). A systematic review of the interceptive treatment of palatally displaced maxillary canines. *The European Journal of Orthodontics*, 33(2), 143–149. <https://doi.org/10.1093/ejo/cjq045>
- NICE. (n.d.). Prophylaxis against infective endocarditis: Antimicrobial prophylaxis against infective endocarditis in adults and children undergoing interventional procedures. <http://www.nice.org.uk/guidance/cg64>
- Noar, J. (2014a). *Interceptive orthodontics: a practical guide to occlusal management* (First edition). Wiley Blackwell. <http://dx.doi.org/10.1002/9781118917336>
- Noar, J. (2014b). *Interceptive orthodontics: a practical guide to occlusal management* (First edition). Wiley Blackwell. <http://dx.doi.org/10.1002/9781118917336>
- Noar, J. H., & Pabari, S. (2013). Cone beam computed tomography - current understanding and evidence for its orthodontic applications? *Journal of Orthodontics*, 40(1), 5–13. <https://doi.org/10.1179/1465313312Y.0000000040>
- Nunn et al., J. H. (2003). The interdisciplinary management of hypodontia: background and role of paediatric dentistry. *British Dental Journal*, 194(5), 245–251. <http://search.ebscohost.com/login.aspx?direct=true&AuthType=ip,shib&db=ddh&AN=9512085&site=ehost-live&scope=site>

O'Brien, K., Macfarlane, T., Wright, J., Conboy, F., Appelbe, P., Birnie, D., Chadwick, S., Connolly, I., Hammond, M., Harradine, N., Lewis, D., Littlewood, S., McDade, C., Mitchell, L., Murray, A., O'Neill, J., Sandler, J., Read, M., Robinson, S., ... Turbill, E. (2009). Early treatment for Class II malocclusion and perceived improvements in facial profile. *American Journal of Orthodontics and Dentofacial Orthopedics*, 135(5), 580–585. <https://doi.org/10.1016/j.ajodo.2008.02.020>

O'Brien, K., Wright, J., Conboy, F., Chadwick, S., Connolly, I., Cook, P., Birnie, D., Hammond, M., Harradine, N., Lewis, D., McDade, C., Mitchell, L., Murray, A., O'Neill, J., Read, M., Robinson, S., Roberts-Harry, D., Sandler, J., Shaw, I., & Berk, N. W. (2003). Effectiveness of early orthodontic treatment with the twin-block appliance: a multicenter, randomized, controlled trial. Part 2: psychosocial effects. *American Journal of Orthodontics and Dentofacial Orthopedics*, 124(5), 488–494. <https://doi.org/10.1016/j.ajodo.2003.06.001>

O'Brien, K., Wright, J., Conboy, F., Sanjie, Y., Mandall, N., Chadwick, S., Connolly, I., Cook, P., Birnie, D., Hammond, M., Harradine, N., Lewis, D., McDade, C., Mitchell, L., Murray, A., O'Neill, J., Read, M., Robinson, S., Roberts-Harry, D., ... Shaw, I. (2003). Effectiveness of early orthodontic treatment with the twin-block appliance: A multicenter, randomized, controlled trial. Part 1: Dental and skeletal effects. *American Journal of Orthodontics and Dentofacial Orthopedics*, 124(3), 234–243. [https://doi.org/10.1016/S0889-5406\(03\)00352-4](https://doi.org/10.1016/S0889-5406(03)00352-4)

Obwegeser, H. L., & Makek, M. S. (1986). Hemimandibular hyperplasia — Hemimandibular elongation. *Journal of Maxillofacial Surgery*, 14, 183–208. [https://doi.org/10.1016/S0301-0503\(86\)80290-9](https://doi.org/10.1016/S0301-0503(86)80290-9)

Odman, J., Lekholm, U., Jemt, T., Branemark, P.-I., & Thilander, B. (1988). Osseointegrated titanium implants—a new approach in orthodontic treatment. *The European Journal of Orthodontics*, 10(2), 98–105. <https://doi.org/10.1093/ejo/10.2.98>

Ohtani, J., Hoffman, W. Y., Vargervik, K., & Oberoi, S. (2012). Team management and treatment outcomes for patients with hemifacial microsomia. *American Journal of Orthodontics and Dentofacial Orthopedics*, 141(4), S74–S81. <https://doi.org/10.1016/j.ajodo.2011.12.015>

Olsen, T. M., & Kokich, V. G. (2010). Postorthodontic root approximation after opening space for maxillary lateral incisor implants. *American Journal of Orthodontics and Dentofacial Orthopedics*, 137(2), 158.e1–158.e8. <https://doi.org/10.1016/j.ajodo.2009.08.024>

O'Neill, J. (2013). Limited evidence for interceptive extraction of deciduous teeth to prevent permanent canine impaction. *Evidence-Based Dentistry*, 14(1), 23–24. <https://doi.org/10.1038/sj.ebd.6400918>

Opdebeeck, H., Bell, W. H., Eisenfeld, J., & Mischelevich, D. (1978). Comparative study between the SFS and LFS rotation as a possible morphogenic mechanism. *American Journal of Orthodontics*, 74(5), 509–521. [https://doi.org/10.1016/0002-9416\(78\)90026-X](https://doi.org/10.1016/0002-9416(78)90026-X)

Owais, A. I., Rousan, M. E., Badran, S. A., & Abu Alhaija, E. S. (2011). Effectiveness of a lower lingual arch as a space holding device. *The European Journal of Orthodontics*, 33(1), 37–42. <https://doi.org/10.1093/ejo/cjq022>

Pabari, S., Moles, D. R., & Cunningham, S. J. (2011). Assessment of motivation and psychological characteristics of adult orthodontic patients. *American Journal of Orthodontics and Dentofacial Orthopedics*, 140(6), e263–e272. <https://doi.org/10.1016/j.ajodo.2011.06.022>

Parkin, N. A., Milner, R. S., Deery, C., Tinsley, D., Smith, A.-M., Germain, P., Freeman, J. V., Bell, S. J., & Benson, P. E. (2013). Periodontal health of palatally displaced canines treated with open or closed surgical technique: A multicenter, randomized controlled trial. *American Journal of Orthodontics and Dentofacial Orthopedics*, 144(2), 176–184. <https://doi.org/10.1016/j.ajodo.2013.03.016>

Parkin, N., Furness, S., Shah, A., Thind, B., Marshman, Z., Glenroy, G., Dyer, F., & Benson, P. E. (1996). Extraction of primary (baby) teeth for unerupted palatally displaced permanent canine teeth in children. In *Cochrane Database of Systematic Reviews*. John Wiley & Sons, Ltd. <https://doi.org/10.1002/14651858.CD004621.pub3>

Patel, A., Burden, D. J., & Sandler, J. (2009). Medical disorders and orthodontics. *Journal of Orthodontics*, 36(Suppl), 1–21. <https://doi.org/10.1179/14653120723346>

Pogrel, M., Kaban, L., Vargervik, K., & Baumrind, S. (1992). Surgically assisted rapid maxillary expansion in adults. *The International Journal of Adult Orthodontics and Orthognathic Surgery*, 7(1), 37–41.

Polder, B. J., Van't Hof, M. A., Van der Linden, F. P. G. M., & Kuijpers-Jagtman, A. M. (2004). A meta-analysis of the prevalence of dental agenesis of permanent teeth. *Community Dentistry and Oral Epidemiology*, 32(3), 217–226. <https://doi.org/10.1111/j.1600-0528.2004.00158.x>

Proffit, W., Phillips, C., Tulloch, J., & Medland, P. (1992). Surgical versus orthodontic correction of skeletal Class II malocclusion in adolescents: effects and indications. *The International Journal of Adult Orthodontics and Orthognathic Surgery*, 7(4), 209–220.

PROFFIT, W. R. (1978). Equilibrium Theory Revisited: Factors Influencing Position of the Teeth. *Angle Orthodontics*, 48(3), 175–186. <http://www.angle.org/doi/abs/10.1043/0003-3219%281978%29048%3C0175%3AETRFIP%3E2.0.CO%3B2>

Proffit, W. R., Turvey, T. A., & Phillips, C. (2007). The hierarchy of stability and predictability in orthognathic surgery with rigid fixation: an update and extension. *Head & Face Medicine*, 3(1). <https://doi.org/10.1186/1746-160X-3-21>

Proffit, W., Turvey, T., & Phillips, C. (1996). Orthognathic surgery: a hierarchy of stability. *The International Journal of Adult Orthodontics and Orthognathic Surgery*, 11(3), 191–204.

Reitan, K., & Rygh, P. (1985). Biomechanical principles and reactions. In *Current orthodontic concepts and techniques*. (pp. 101–192).

Retention and stability in orthodontics. (1993). W.B. Saunders.

Richardson, A. (1999). *Interceptive orthodontics* (4th ed). British Dental Association.

Richmond, S., Shaw, W. C., O'Brien, K. D., Buchanan, I. B., Jones, R., Stephens, C. D., Roberts, C. T., & Andrews, M. (1992). The development of the PAR Index (Peer Assessment Rating): reliability and validity. *The European Journal of Orthodontics*, 14(2), 125–139. <https://doi.org/10.1093/ejo/14.2.125>

Ross, R. B. (1987). Treatment Variables Affecting Facial Growth in Complete Unilateral Cleft Lip and Palate. Part 1: Treatment Affecting Growth. *The Cleft Palate Journal*, 24(1), 5–23. <http://digital.library.pitt.edu/c/cleftpalate/pdf/e20986v24n1.02.pdf>

Rowland, H., Hichens, L., Williams, A., Hills, D., Killingback, N., Ewings, P., Clark, S., Ireland, A. J., & Sandy, J. R. (2007). The effectiveness of Hawley and vacuum-formed retainers: A single-center randomized controlled trial. *American Journal of Orthodontics and Dentofacial Orthopedics*, 132(6), 730–737. <https://doi.org/10.1016/j.ajodo.2006.06.019>

Rudge, S. J. (1981). Dental arch analysis: arch form A review of the literature. *The European Journal of Orthodontics*, 3(4), 279–284. <https://doi.org/10.1093/ejo/3.4.279>

Sadowsky, C., & BeGole, E. A. (1980). Long-term status of temporomandibular joint function and functional occlusion after orthodontic treatment. *American Journal of Orthodontics*, 78(2), 201–212. [https://doi.org/10.1016/0002-9416\(80\)90060-3](https://doi.org/10.1016/0002-9416(80)90060-3)

Sandler, P. J., Atkinson, R., & Murray, A. M. (2000). 1 Search Results - VOLUMELIST(117) AND PAGES(418) - ScienceDirect. *American Journal of Orthodontics and Dentofacial Orthopedics*, 117(4), 418–434. http://www.sciencedirect.com/science?_ob=ArticleListURL&_method=list&_ArticleListID=-635795253&_sort=r&_st=13&view=c&md5=0141b36afcd91ad46f654b53faa2e9fe&searchtype=a

Sandy, J. R., Farndale, R. W., & Meikle, M. C. (1993). Recent advances in understanding mechanically induced bone remodeling and their relevance to orthodontic theory and practice. *American Journal of Orthodontics and Dentofacial Orthopedics*, 103(3), 212–222. [https://doi.org/10.1016/0889-5406\(93\)70002-6](https://doi.org/10.1016/0889-5406(93)70002-6)

Santoro, M., Nicolay, O. F., & Cangialosi, T. J. (2001). Pseudoelasticity and thermoelasticity of nickel-titanium alloys: A clinically oriented review. Part II: Deactivation forces. *American Journal of Orthodontics and Dentofacial Orthopedics*, 119(6), 594–603. <https://doi.org/10.1067/mod.2001.112447>

Sarver, D. M. (2001). The importance of incisor positioning in the esthetic smile: The smile arc. *American Journal of Orthodontics and Dentofacial Orthopedics*, 120(2), 98–111. <https://doi.org/10.1067/mod.2001.114301>

Seehra, J., Fleming, P. S., Newton, T., & DiBiase, A. T. (2011). Bullying in orthodontic patients and its relationship to malocclusion, self-esteem and oral health-related quality of life. *Journal of Orthodontics*, 38(4), 247–256. <https://doi.org/10.1179/14653121141641>

Selwyn-Barnett, B. J. (1991). Rationale of treatment for Class II division 2 malocclusion. *British Journal of Orthodontics*, 18(3), 173–181.

Selwyn-Barnett, B. J. (1996). Class II/Division 2 malocclusion: a method of planning and treatment. *British Journal of Orthodontics*, 23(1), 29–36. <http://jorthod.maneyjournals.org/content/23/1/29.abstract>

- Shaw, W. C., Richmond, S., Kenealy, P. M., Kingdon, A., & Worthington, H. (2007). A 20-year cohort study of health gain from orthodontic treatment: Psychological outcome. *American Journal of Orthodontics and Dentofacial Orthopedics*, 132(2), 146–157. <https://doi.org/10.1016/j.ajodo.2007.04.009>
- Shaw, W. C., Richmond, S., O'Brien, K. D., Brook, P., & Stephens, C. D. (1991). Quality control in orthodontics: indices of treatment need and treatment standards. *British Dental Journal*, 170(3), 107–112. <https://doi.org/10.1038/sj.bdj.4807429>
- Shivapuja, P. K., & Berger, J. (1994). A comparative study of conventional ligation and self-ligation bracket systems. *American Journal of Orthodontics and Dentofacial Orthopedics*, 106(5), 472–480. [https://doi.org/10.1016/S0889-5406\(94\)70069-9](https://doi.org/10.1016/S0889-5406(94)70069-9)
- Smith, R. J., & Burstone, C. J. (1984). Mechanics of tooth movement. *American Journal of Orthodontics*, 85(4), 294–307. [https://doi.org/10.1016/0002-9416\(84\)90187-8](https://doi.org/10.1016/0002-9416(84)90187-8)
- Tamburrini, G., Caldarelli, M., Massimi, L., Gasparini, G., Pelo, S., & Di Rocco, C. (2012). Complex craniosynostoses: a review of the prominent clinical features and the related management strategies. *Child's Nervous System*, 28(9), 1511–1523. <https://doi.org/10.1007/s00381-012-1819-4>
- The tissue reaction as related to the functional factor. (n.d.). *Transactions of the European Orthodontic Society*, 195, 123–136.
- Thickett, E., & Power, S. (2010). A randomized clinical trial of thermoplastic retainer wear. *The European Journal of Orthodontics*, 32(1), 1–5. <https://doi.org/10.1093/ejo/cjp061>
- Tulloch, J. F. C., Phillips, C., Koch, G., & Proffit, W. R. (1997). The effect of early intervention on skeletal pattern in Class II malocclusion: A randomized clinical trial. *American Journal of Orthodontics and Dentofacial Orthopedics*, 111(4), 391–400. [https://doi.org/10.1016/S0889-5406\(97\)80021-2](https://doi.org/10.1016/S0889-5406(97)80021-2)
- Tulloch, J. F. C., Phillips, C., & Proffit, W. R. (1998). Benefit of early Class II treatment: Progress report of a two-phase randomized clinical trial. *American Journal of Orthodontics and Dentofacial Orthopedics*, 113(1), 62–74. [https://doi.org/10.1016/S0889-5406\(98\)70277-X](https://doi.org/10.1016/S0889-5406(98)70277-X)
- Tulloch, J. F. C., Proffit, W. R., & Phillips, C. (2004). Outcomes in a 2-phase randomized clinical trial of early class II treatment. *American Journal of Orthodontics and Dentofacial Orthopedics*, 125(6), 657–667. <https://doi.org/10.1016/j.ajodo.2004.02.008>
- Waters, N. E. (1992). Superelastic nickel-titanium wires. *British Journal of Orthodontics*, 19(4), 319–322.
- Weiland, F. (2003). Constant versus dissipating forces in orthodontics: The effect on initial tooth movement and root resorption. *European Journal of Orthodontics*, 25(4), 335–342. <http://search.ebscohost.com/login.aspx?direct=true&AuthType=ip,shib&db=ddh&AN=43293270&site=ehost-live&scope=site>
- Weltman, B., Vig, K. W. L., Fields, H. W., Shanker, S., & Kaizar, E. E. (2010). Root resorption associated with orthodontic tooth movement: A systematic review. *American Journal of Orthodontics and Dentofacial Orthopedics*, 137(4), 462–476.

<https://doi.org/10.1016/j.ajodo.2009.06.021>

Wertz, R. A. (1970). Skeletal and dental changes accompanying rapid midpalatal suture opening. *American Journal of Orthodontics*, 58(1), 41–66.
[https://doi.org/10.1016/0002-9416\(70\)90127-2](https://doi.org/10.1016/0002-9416(70)90127-2)

Westwood, P. V., McNamara, J. A., Baccetti, T., Franchi, L., & Sarver, D. M. (2003). Long-term effects of Class III treatment with rapid maxillary expansion and facemask therapy followed by fixed appliances. *American Journal of Orthodontics and Dentofacial Orthopedics*, 123(3), 306–320. <https://doi.org/10.1067/mod.2003.44>

ZACHRISSON, B. U., & ALNAES, L. (1973). The Angle Orthodontist - Periodontal Condition in Orthodontically Treated and Untreated Individuals I. Loss of Attachment, Gingival Pocket Depth and Clinical Crown Height. *The Angle Orthodontist*, 43(4), 402–411.
<http://www.angle.org/doi/abs/10.1043/0003-3219%281973%29043%3C0402%3APCIOTA%3E2.0.CO%3B2>

ZACHRISSON, B. U., & ALNÆS, L. (1974). Periodontal Condition in Orthodontically Treated and Untreated Individuals II. Alveolar Bone Loss: Radiographic Findings. *The Angle Orthodontist*.
<http://www.angle.org/doi/abs/10.1043/0003-3219%281974%29044%3C0048%3APCIOTA%3E2.0.CO%3B2>

Zahrowski, J. J. (2007). Bisphosphonate treatment: An orthodontic concern calling for a proactive approach. *American Journal of Orthodontics and Dentofacial Orthopedics*, 131(3), 311–320. <https://doi.org/10.1016/j.ajodo.2006.09.035>