

TMCEDISORT09: MClindent Orthodontics

Covering modules:EAORG003, EAORG010, EAORG011, EAORG012, EAORG013, EAORG014, EAORG015, EAORG016, EAORG017, EAORG399

View Online



Ackerman, James L. and Proffit, W.R. (1997) 'Soft tissue limitations in orthodontics: Treatment planning guidelines', *The Angle Orthodontist*, 67(5), pp. 327–336. Available at: <http://www.angle.org/doi/abs/10.1043/0003-3219%281997%29067%3C0327%3ASTLIOT%3E2.3.CO%3B2>.

Ackerman, James L and Proffit, W.R. (1997) 'Soft tissue limitations in orthodontics: Treatment planning guidelines', *The Angle Orthodontic*, 67(5), pp. 327–336. Available at: <http://www.angle.org/doi/abs/10.1043/0003-3219%281997%29067%3C0327%3ASTLIOT%3E2.3.CO%3B2>.

'American Journal of Orthodontics and Dentofacial Orthopedics' (no date). Available at: <http://www.sciencedirect.com/science/journal/08895406/101/1>.

Andrews, L.F. (1972a) 'The six keys to normal occlusion', *American Journal of Orthodontics*, 62(3), pp. 296–309. Available at: [https://doi.org/10.1016/S0002-9416\(72\)90268-0](https://doi.org/10.1016/S0002-9416(72)90268-0).

Andrews, L.F. (1972b) 'The six keys to normal occlusion', *American Journal of Orthodontics*, 62(3), pp. 296–309. Available at: [https://doi.org/10.1016/S0002-9416\(72\)90268-0](https://doi.org/10.1016/S0002-9416(72)90268-0).

Andrews, L.F. (1979) 'The Straight Wire Appliance', *British journal of orthodontics*, 6(3), pp. 125–143.

Anne Mandall, N. et al. (2012) 'Is early class III protraction facemask treatment effective? A multicentre, randomized, controlled trial: 3-year follow-up', *Journal of Orthodontics*, 39(3), pp. 176–185. Available at: <https://doi.org/10.1179/1465312512Z.00000000028>.

Asher-McDade, C. et al. (1992) 'A Six-Center International Study of Treatment Outcome in Patients with Clefts of the Lip and Palate: Part 4. Assessment of Nasolabial Appearance', *The Cleft Palate-Craniofacial Journal*, 29(5), pp. 409–412. Available at: [https://doi.org/10.1597/1545-1569\(1992\)029<0409:ASCISO>2.3.CO;2](https://doi.org/10.1597/1545-1569(1992)029<0409:ASCISO>2.3.CO;2).

Ashley et al., F.R. (1998) 'The relationship between irregularity of the incisor teeth, plaque, and gingivitis: a study in a group of schoolchildren aged 11-14 years', *European Journal of Orthodontics*, 20(1), pp. 65–72. Available at: <http://search.ebscohost.com/login.aspx?direct=true&AuthType=ip,shib&db=ddh&AN=4337265&site=ehost-live&scope=site>.

Atack, N.E. (no date) 'The Orthodontic Implications of Traumatized Upper IncisorTeeth', *Dental Update*, 26(10), pp. 432–436. Available at: <http://www.dental-update.co.uk/issuesSingleIssueArticle.asp?aKey=63>.

Atack, N.E., Sandy, J.R. and Addy, M. (1996) 'Periodontal and Microbiological Changes Associated With the Placement of Orthodontic Appliances. A Review*', *Journal of Periodontology*, 67(2), pp. 78–85. Available at: <https://doi.org/10.1902/jop.1996.67.2.78>.

Auluck, A. (2013) 'Lingual orthodontic treatment: what is the current evidence base?', *Journal of Orthodontics*, 40(s1), pp. s27–s33. Available at: <https://doi.org/10.1179/1465313313Y.0000000073>.

Baccetti, T., Franchi, L. and McNamara, J.A. (2000) 'Treatment and posttreatment craniofacial changes after rapid maxillary expansion and facemask therapy', *American Journal of Orthodontics and Dentofacial Orthopedics*, 118(4), pp. 404–413. Available at: <https://doi.org/10.1067/mod.2000.109840>.

Baccetti, T., Franchi, L. and McNamara, J.A. (2004) 'Cephalometric variables predicting the long-term success or failure of combined rapid maxillary expansion and facial mask therapy', *American Journal of Orthodontics and Dentofacial Orthopedics*, 126(1), pp. 16–22. Available at: <https://doi.org/10.1016/j.ajodo.2003.06.010>.

Baccetti, T., Franchi, L. and McNamara, J.A. (2005) 'The Cervical Vertebral Maturation (CVM) Method for the Assessment of Optimal Treatment Timing in Dentofacial Orthopedics', *Seminars in Orthodontics*, 11(3), pp. 119–129. Available at: <https://doi.org/10.1053/j.sodo.2005.04.005>.

Baccetti, T., Leonardi, M. and Armi, P. (2008) 'A randomized clinical study of two interceptive approaches to palatally displaced canines', *The European Journal of Orthodontics*, 30(4), pp. 381–385. Available at: <https://doi.org/10.1093/ejo/cjn023>.

Bailey et al., D.L. (2009) 'Regression of Post-orthodontic Lesions by a Remineralizing Cream', *Journal of Dental Research*, 88(12), pp. 1148–1153. Available at: <http://search.ebscohost.com/login.aspx?direct=true&AuthType=ip,shib&db=ddh&AN=45402358&site=ehost-live&scope=site>.

Banks, P., Wright, J. and O'Brien, K. (2004) 'Incremental versus maximum bite advancement during twin-block therapy: A randomized controlled clinical trial', *American Journal of Orthodontics and Dentofacial Orthopedics*, 126(5), pp. 583–588. Available at: <https://doi.org/10.1016/j.ajodo.2004.03.024>.

Barlin, S. et al. (2011) 'A retrospective randomized double-blind comparison study of the effectiveness of Hawley vs vacuum-formed retainers', *The Angle Orthodontist*, 81(3), pp. 404–409. Available at: <http://www.angle.org/doi/abs/10.2319/072610-437.1>.

Baumrind, S. and Frantz, R.C. (1971a) 'The reliability of head film measurements', *American Journal of Orthodontics*, 60(2), pp. 111–127. Available at: [https://doi.org/10.1016/0002-9416\(71\)90028-5](https://doi.org/10.1016/0002-9416(71)90028-5).

Baumrind, S. and Frantz, R.C. (1971b) 'The reliability of head film measurements', *American Journal of Orthodontics*, 60(5), pp. 505–517. Available at: [https://doi.org/10.1016/0002-9416\(71\)90116-3](https://doi.org/10.1016/0002-9416(71)90116-3).

Baumrind, S., Miller, D. and Molthen, R. (1976) 'The reliability of head film measurements: 3. Tracing superimposition.', *American Journal of Orthodontics*, 70(6), pp. 617–644. Available at: [https://doi.org/10.1016/0002-9416\(76\)90224-4](https://doi.org/10.1016/0002-9416(76)90224-4).

- Becker, A. (1984) 'Etiology of maxillary canine impactions', *American Journal of Orthodontics*, 86(5), pp. 437–438. Available at: [https://doi.org/10.1016/S0002-9416\(84\)90038-1](https://doi.org/10.1016/S0002-9416(84)90038-1).
- Benson, P.E. et al. (2007) 'Midpalatal implants vs headgear for orthodontic anchorage—a randomized clinical trial: Cephalometric results', *American Journal of Orthodontics and Dentofacial Orthopedics*, 132(5), pp. 606–615. Available at: <https://doi.org/10.1016/j.ajodo.2006.01.040>.
- Bishara, S.E., Burkey, P.S. and Kharouf, H.G. (1994) 'The Angle Orthodontist - Dental and facial asymmetries: a review', *The Angle Orthodontist*, 64(2), pp. 89–98. Available at: <http://www.angle.org/doi/abs/10.1043/0003-3219%281994%29064%3C0089%3ADAFAR%3E2.0.CO%3B2>.
- Bishara, S.E. and Ortho., D. (1992) 'Impacted maxillary canines: A review', *American Journal of Orthodontics and Dentofacial Orthopedics*, 101(2), pp. 159–171. Available at: [https://doi.org/10.1016/0889-5406\(92\)70008-X](https://doi.org/10.1016/0889-5406(92)70008-X).
- Bishara, S.E. and Ziaja, R.R. (1989) 'Functional appliances: A review', *American Journal of Orthodontics and Dentofacial Orthopedics*, 95(3), pp. 250–258. Available at: [https://doi.org/10.1016/0889-5406\(89\)90055-3](https://doi.org/10.1016/0889-5406(89)90055-3).
- Bjerklin, K. and Bennett, J. (2000) 'The long-term survival of lower second primary molars in subjects with agenesis of the premolars', *European Journal of Orthodontics*, 22(3), pp. 245–255. Available at: <http://search.ebscohost.com/login.aspx?direct=true&AuthType=ip,shib&db=ddh&AN=4637930&site=ehost-live&scope=site>.
- Bjork, A. (1955) 'Facial growth in man, studied with the aid of metallic implants', *Acta odontologica scandinavica*, 13(1), pp. 9–34.
- Bjork, A. (1964) 'Sutural growth of the upper face studied by the implant method', *Transactions of the European Orthodontic Society*, pp. 49–65.
- Bjork, A. and Skieller, V. (1977) 'Growth of the maxilla in three dimensions as revealed radiographically by the implant method.', *British journal of orthodontics*, 4(2), pp. 53–64.
- Bjork, A. and Skieller, V. (1983) 'Normal and abnormal growth of the mandible. A synthesis of longitudinal cephalometric implant studies over a period of 25 years', *The European Journal of Orthodontics*, 5(1), pp. 1–46. Available at: <https://doi.org/10.1093/ejo/5.1.1>.
- Bondemark, L. and Karlsson, A. (2005) Extraoral vs Intraoral Appliance for Distal Movement of Maxillary First Molars:, *The Angle Orthodontist* -. Available at: <http://www.angle.org/doi/abs/10.1043/0003-3219%282005%2975%5B699%3AEVIAFD%5D2.0.CO%3B2>.
- Bowden, D.E. (1978a) 'Theoretical considerations of headgear therapy: a literature review. 1. Mechanical principles.', *British journal of orthodontics*, 5(3), pp. 145–152. Available at: <http://jorthod.maneyjournals.org/content/5/3/145.citation>.
- Bowden, D.E. (1978b) 'Theoretical considerations of headgear therapy: a literature review. 2. Clinical response and usage.', *British journal of orthodontics*, 5(4), pp. 173–181.

Available at: <http://jorthod.maneyjournals.org/content/5/4/173.citation>.

Brezniak, N. and Wasserstein, A. (1993a) 'Root resorption after orthodontic treatment: Part 1. Literature review', *American Journal of Orthodontics and Dentofacial Orthopedics*, 103(1), pp. 62–66. Available at: [https://doi.org/10.1016/0889-5406\(93\)70106-X](https://doi.org/10.1016/0889-5406(93)70106-X).

Brezniak, N. and Wasserstein, A. (1993b) 'Root resorption after orthodontic treatment: Part 2. Literature review', *American Journal of Orthodontics and Dentofacial Orthopedics*, 103(2), pp. 138–146. Available at: [https://doi.org/10.1016/S0889-5406\(05\)81763-9](https://doi.org/10.1016/S0889-5406(05)81763-9).

Brezniak, N. and Wasserstein, A. (2002) 'Orthodontically Induced Inflammatory Root Resorption. Part II: The Clinical Aspects', *Angle Orthodontist*, 72(2), pp. 180–184. Available at: <http://www.angle.org/doi/abs/10.1043/0003-3219%282002%29072%3C0180%3AOIIRRP%3E2.0.CO%3B2>.

Brin, I. et al. (2003) 'External apical root resorption in Class II malocclusion: a retrospective review of 1- versus 2-phase treatment', *American Journal of Orthodontics and Dentofacial Orthopedics*, 124(2), pp. 151–156. Available at: [https://doi.org/10.1016/S0889-5406\(03\)00166-5](https://doi.org/10.1016/S0889-5406(03)00166-5).

'British Orthodontic Society Advice sheets' (2013). Available at: <http://www.bos.org.uk/Professionals-Members/Directorates-Committees-Groups/Directorates/Clinical-Governance/Clinical-Governance-Publication-Committee/Members-advice-sheet> S.

British Society for the Study of Orthodontics and British Association of Orthodontists (1984) 'British journal of orthodontics', *Facial profile and orthognathic surgery.*, 11(3).

British Society for the Study of Orthodontics and British Association of Orthodontists (1998) 'British journal of orthodontics', *The Clinical Standards Advisory Group (CSAG) Cleft Lip and Palate Study.*, 25(1). Available at: <https://doi.org/10.1093/ortho/25.1.21>.

British Standards Institution (1983) *British Standard glossary of dental terms: Glossaire des termes utilisés en art dentaire*. [1st revision]. London: B.S.I.

Brooke, P.H. and Show, W.C. (no date) 'The development of an index of orthodontic treatment priority', *European Journal of Orthodontics*, 11(3), pp. 309–332. Available at: <http://ejo.oxfordjournals.org/content/11/3/309.abstract>.

Burstone, C.J. (1981) 'Variable-modulus orthodontics', *American Journal of Orthodontics*, 80(1), pp. 1–16. Available at: [https://doi.org/10.1016/0002-9416\(81\)90192-5](https://doi.org/10.1016/0002-9416(81)90192-5).

Carter, N.E. and Slattery, D.A. (1988) 'Bimaxillary proclination in patients of Afro-Caribbean origin.', *British journal of orthodontics*, 15(3), pp. 175–184.

Cedro, M., Moles, D.R. and Hodges, S. (2012) 'Adult orthodontics in the absence of orthognathic treatment: a hospital perspective', *Journal of Orthodontics*, 39(4), pp. 292–302. Available at: <https://doi.org/10.1179/1465312512Z.000000000050>.

Cedro, M.K., Moles, D.R. and Hodges, S.J. (2010) 'Adult orthodontics -- who's doing what?', *Journal of Orthodontics*, 37(2), pp. 107–117. Available at:

<https://doi.org/10.1179/14653121042966>.

Chen, S.S.-H. et al. (2010) 'Systematic review of self-ligating brackets', *American Journal of Orthodontics and Dentofacial Orthopedics*, 137(6), p. 726.e1-726.e18. Available at: <https://doi.org/10.1016/j.ajodo.2009.11.009>.

Chen, Y. et al. (2009) 'Critical factors for the success of orthodontic mini-implants: A systematic review', *American Journal of Orthodontics and Dentofacial Orthopedics*, 135(3), pp. 284–291. Available at: <https://doi.org/10.1016/j.ajodo.2007.08.017>.

Clark, J. (1998) 'Functional occlusal relationships in a group of post-orthodontic patients: preliminary findings', *The European Journal of Orthodontics*, 20(2), pp. 103–110. Available at: <https://doi.org/10.1093/ejo/20.2.103>.

Clark, W. (2010) 'Design and management of Twin Blocks: reflections after 30 years of clinical use', *Journal of Orthodontics*, 37(3), pp. 209–216. Available at: <https://doi.org/10.1179/14653121043110>.

Clark, W.J. (1988) 'The twin block technique A functional orthopedic appliance system', *American Journal of Orthodontics and Dentofacial Orthopedics*, 93(1), pp. 1–18. Available at: [https://doi.org/10.1016/0889-5406\(88\)90188-6](https://doi.org/10.1016/0889-5406(88)90188-6).

Cornelis, M.A. et al. (2007) 'Systematic review of the experimental use of temporary skeletal anchorage devices in orthodontics', *American Journal of Orthodontics and Dentofacial Orthopedics*, 131(4), pp. S52–S58. Available at: <https://doi.org/10.1016/j.ajodo.2006.05.033>.

Cunningham, S.J., Garratt, A.M. and Hunt, N.P. (2000) 'Development of a condition-specific quality of life measure for patients with dentofacial deformity: I. Reliability of the instrument', *Community Dentistry and Oral Epidemiology*, 28(3), pp. 195–201. Available at: <https://doi.org/10.1034/j.1600-0528.2000.280305.x>.

Cunningham, S.J., Garratt, A.M. and Hunt, N.P. (2002) 'Development of a condition-specific quality of life measure for patients with dentofacial deformity: II. Validity and responsiveness testing', *Community Dentistry and Oral Epidemiology*, 30(2), pp. 81–90. Available at: <https://doi.org/10.1034/j.1600-0528.2002.300201.x>.

Daniels, C. and Richmond, S. (2000) 'The Development of the Index of Complexity, Outcome and Need (ICON)', *Journal of Orthodontics*, 27(2), pp. 149–162. Available at: <https://doi.org/10.1093/ortho/27.2.149>.

Davidovitch, Z. et al. (1980) 'Electric currents, bone remodeling, and orthodontic tooth movement', *American Journal of Orthodontics*, 77(1), pp. 33–47. Available at: [https://doi.org/10.1016/0002-9416\(80\)90222-5](https://doi.org/10.1016/0002-9416(80)90222-5).

Davies, G. and Davies, R. (2008) *Delivering Better Oral Health - An Evidence-Based Toolkit for Prevention: A Review*, Dental Update. Available at: <http://www.dental-update.co.uk/issuesSingleIssueArticle.asp?aKey=683>.

Day, P.F. et al. (2008) 'Dental trauma: part 2. Managing poor prognosis anterior teeth - treatment options for the subsequent space in a growing patient', *Journal of Orthodontics*, 35(3), pp. 143–155. Available at: <https://doi.org/10.1179/146531207225022590>.

Devereux, L. et al. (2011) 'How important are lateral cephalometric radiographs in orthodontic treatment planning?', *American Journal of Orthodontics and Dentofacial Orthopedics*, 139(2), pp. e175–e181. Available at: <https://doi.org/10.1016/j.ajodo.2010.09.021>.

Di, B. and Markus, A. (1998) 'Cleft lip and palate care in the UK: the CSAG report', *British Dental Journal*, 185(7), pp. 320–321. Available at: <https://doi.org/10.1038/sj.bdj.4809800>.
Dixon, V. et al. (2002) 'A randomised clinical trial to compare three methods of orthodontic space closure', *Journal of Orthodontics*, 29(1), pp. 31–36. Available at: <https://doi.org/10.1093/ortho/29.1.31>.

Dung, D.J. and Smith, R.J. (1988) 'Cephalometric and clinical diagnoses of open bite tendency', *American Journal of Orthodontics and Dentofacial Orthopedics*, 94(6), pp. 484–490. Available at: [https://doi.org/10.1016/0889-5406\(88\)90006-6](https://doi.org/10.1016/0889-5406(88)90006-6).

Edwards, G.D., Davies, E.H. and Jones, S.P. (1995) 'The ex vivo effect of ligation technique on the static frictional resistance of stainless steel brackets and archwires.', *British journal of orthodontics*, 22(2), pp. 145–153. Available at: <http://jorthod.maneyjournals.org/content/22/2/145.abstract>.

Edwards, J.G. (1970) 'A surgical procedure to eliminate rotational relapse', *American Journal of Orthodontics*, 57(1), pp. 35–46. Available at: [https://doi.org/10.1016/0002-9416\(70\)90203-4](https://doi.org/10.1016/0002-9416(70)90203-4).

Enlow, D.H. (1990) 'Chapter 14 Cephalometrics, Chapter', in *Facial growth*. 3rd ed. Philadelphia: Saunders, pp. 346–395.

Ericson, S. and Kurol, J. (1988) 'Early treatment of palatally erupting maxillary canines by extraction of the primary canines', *The European Journal of Orthodontics*, 10(4), pp. 283–295. Available at: <https://doi.org/10.1093/ejo/10.4.283>.

Ericson, S. and Kurol, J. (2000) 'Resorption of Incisors After Ectopic Eruption of Maxillary Canines: A CT Study', *The Angle Orthodontist* -, 70(6), pp. 415–423. Available at: <http://www.angle.org/doi/abs/10.1043/0003-3219%282000%29070%3C0415%3AROIAGE%3E2.0.CO%3B2>.

Evans, R. and Shaw, W. (1987) 'Preliminary evaluation of an illustrated scale for rating dental attractiveness', *The European Journal of Orthodontics*, 9(4), pp. 314–318. Available at: <https://doi.org/10.1093/ejo/9.4.314>.

Feldmann, I. and Bondemark, L. (2008) 'Anchorage capacity of osseointegrated and conventional anchorage systems: A randomized controlled trial', *American Journal of Orthodontics and Dentofacial Orthopedics*, 133(3), p. 339.e19-339.e28. Available at: <https://doi.org/10.1016/j.ajodo.2007.08.014>.

Felton, J.M. et al. (1987) 'A computerized analysis of the shape and stability of mandibular arch form', *American Journal of Orthodontics and Dentofacial Orthopedics*, 92(6), pp. 478–483. Available at: [https://doi.org/10.1016/0889-5406\(87\)90229-0](https://doi.org/10.1016/0889-5406(87)90229-0).

Fields, H.W. et al. (1984) 'Facial pattern differences in long-faced children and adults', *American Journal of Orthodontics*, 85(3), pp. 217–223. Available at: [https://doi.org/10.1016/0002-9416\(84\)90061-7](https://doi.org/10.1016/0002-9416(84)90061-7).

Fleming, P.S. and Johal, A. (2010) 'Self-Ligating Brackets in Orthodontics', *The Angle Orthodontist*, 80(3), pp. 575–584. Available at: <https://doi.org/10.2319/081009-454.1>.

Fleming, P.S., Scott, P. and DiBiase, A.T. (2007) 'How to ... manage the transition from functional to fixed appliances', *Journal of Orthodontics*, 34(4), pp. 252–259. Available at: <https://doi.org/10.1179/146531207225022311>.

Fleming, P.S., Sharma, P.K. and DiBiase, A.T. (2010) 'How to...mechanically erupt a palatal canine', *Journal of Orthodontics*, 37(4), pp. 262–271. Available at: <https://doi.org/10.1179/14653121043200>.

Fudalej, P., Kokich, V.G. and Leroux, B. (2007) 'Determining the cessation of vertical growth of the craniofacial structures to facilitate placement of single-tooth implants', *American Journal of Orthodontics and Dentofacial Orthopedics*, 131(4), pp. S59–S67. Available at: <https://doi.org/10.1016/j.ajodo.2006.07.022>.

Gill, D.S. et al. (2008) 'Counselling Patients with Hypodontia', *Dental update*, 35(5), pp. 344–352. Available at: <http://www.dental-update.co.uk/issuesSingleIssueArticle.asp?aKey=670>.

Gill, D.S., Naini, F.B. and Tredwin, C. (2007) 'Smile Aesthetics', *Dental Update*, 34(3), pp. 152–158. Available at: <http://www.dental-update.co.uk/issuesSingleIssueArticle.asp?aKey=582>.

Glenny, A.-M. et al. (1996) 'Antibiotics for the prophylaxis of bacterial endocarditis in dentistry', in *Cochrane Database of Systematic Reviews*. Chichester, UK: John Wiley & Sons, Ltd. Available at: <https://doi.org/10.1002/14651858.CD003813.pub4>.

Harradine, N.W.T., Pearson, M.H. and Toth, B. (1998) 'The effect of extraction of third molars on late lower incisor crowding: A randomized controlled trial', *Journal of orthodontics*, 25(2), pp. 117–122. Available at: <https://doi.org/10.1093/ortho/25.2.117>.

Hass, A.J. (1980) 'Long-Term Posttreatment Evaluation of Rapid Palatal Expansion', *The Angle Orthodontist*, 50(3), pp. 189–217. Available at: <http://www.angle.org/doi/abs/10.1043/0003-3219%281980%29050%3C0189%3ALPEORP%3E2.0.CO%3B2>.

Hill, P.A. (1998) 'Bone Remodelling', *British journal of orthodontics*, 25(2), pp. 101–107. Available at: <https://doi.org/10.1093/ortho/25.2.101>.

Houston, W.J.B. (1983) 'The analysis of errors in orthodontic measurements', *American Journal of Orthodontics*, 83(5), pp. 382–390. Available at: [https://doi.org/10.1016/0002-9416\(83\)90322-6](https://doi.org/10.1016/0002-9416(83)90322-6).

Houston, W.J.B. (1989) 'Incisor edge-centroid relationships and overbite depth', *European Journal of Orthodontics*, 11(2), pp. 139–143. Available at: <http://ejo.oxfordjournals.org/content/11/2/139.abstract>.

Houston, W.J.B. and Edler, R. (1990) 'Long-term stability of the lower labial segment relative to the A-Pog line', *The European Journal of Orthodontics*, 12(3), pp. 302–310. Available at: <https://doi.org/10.1093/ejo/12.3.302>.

Hunt, N. (2006) 'Northcroft Memorial Lecture 2005: Muscling in on malocclusions: Current concepts on the role of muscles in the aetiology and treatment of malocclusion', *Journal of Orthodontics*, 33(3), pp. 187–197. Available at: <https://doi.org/10.1179/146531205225021660>.

Irvine, R. (2004) 'The effectiveness of laceback ligatures: A randomized controlled clinical trial', *Journal of Orthodontics*, 31(4), pp. 303–311. Available at: <https://doi.org/10.1179/146531204225020606>.

Isaacson, K.G. and British Orthodontic Society (2015) *Guidelines for the use of radiographs in clinical orthodontics*. 3rd ed. London: B.O.S.

Jacobs, J.D. and Sinclair, P.M. (1983) 'Principles of orthodontic mechanics in orthognathic surgery cases', *American Journal of Orthodontics*, 84(5), pp. 399–407. Available at: [https://doi.org/10.1016/0002-9416\(93\)90003-P](https://doi.org/10.1016/0002-9416(93)90003-P).

Johal, A. et al. (2013) 'State of the science on controversial topics: orthodontic therapy and gingival recession (a report of the Angle Society of Europe 2013 meeting)', *Progress in Orthodontics*, 14(1). Available at: <https://doi.org/10.1186/2196-1042-14-16>.

Jokovic et al., A. (2004) 'Questionnaire for Measuring Oral Health-related Quality of Life in Eight- to Ten-year-old Children', *Pediatric Dentistry*, 26(6), pp. 512–518. Available at: <http://search.ebscohost.com/login.aspx?direct=true&AuthType=ip,shib&db=ddh&AN=15340090&site=ehost-live&scope=site>.

Kapust, A.J., Sinclair, P.M. and Turley, P.K. (1998) 'Cephalometric effects of face mask/expansion therapy in Class III children: A comparison of three age groups', *American Journal of Orthodontics and Dentofacial Orthopedics*, 113(2), pp. 204–212. Available at: [https://doi.org/10.1016/S0889-5406\(98\)70141-6](https://doi.org/10.1016/S0889-5406(98)70141-6).

Kerr, W.J.S. (1980) 'The effect of the premature loss of deciduous canines and molars on the eruption of their successors', *The European Journal of Orthodontics*, 2(2), pp. 123–128. Available at: <https://doi.org/10.1093/ejo/2.2.123>.

Kesling, P.C. (1989) 'Dynamics of the tip-edge bracket', *American Journal of Orthodontics and Dentofacial Orthopedics*, 96(1), pp. 16–25. Available at: [https://doi.org/10.1016/0889-5406\(89\)90224-2](https://doi.org/10.1016/0889-5406(89)90224-2).

Khalaf, K. et al. (2014) 'Prevalence of hypodontia and associated factors: a systematic review and meta-analysis', *Journal of Orthodontics*, 41(4), pp. 299–316. Available at: <https://doi.org/10.1179/1465313314Y.0000000116>.

Kim, Y.H. (1987) 'Anterior Openbite and its Treatment with Multiloop Edgewise Archwire', *The Angle Orthodontist*, 57(4), pp. 290–321. Available at: <http://www.angle.org/doi/abs/10.1043/0003-3219%281987%29057%3C0290%3AAOAITW%3E2.0.CO%3B2>.

Kim, Y.H. et al. (2000) 'Stability of anterior openbite correction with multiloop edgewise archwire therapy: A cephalometric follow-up study', *American Journal of Orthodontics and Dentofacial Orthopedics*, 118(1), pp. 43–54. Available at: <https://doi.org/10.1067/mod.2000.104830>.

Klages, U., Bruckner, A. and Zentne, A. (2004) 'Dental aesthetics, self-awareness, and oral health-related quality of life in young adults', *European Journal of Orthodontics*, 26(5), pp. 507–514. Available at: <http://search.ebscohost.com/login.aspx?direct=true&AuthType=ip,shib&db=ddh&AN=43316384&site=ehost-live&scope=site>.

Kokich, V. (1994) 'What's new in dentistry', *Angle Orthodontics*, 64(4), pp. 249–249. Available at: <http://www.angle.org/doi/abs/10.1043/0003-3219%281994%29064%3C0249%3AWNID%3E2.0.CO%3B2>.

Kokich, V.G. and Spear, F.M. (1997) 'Guidelines for managing the orthodontic-restorative patient', *Seminars in Orthodontics*, 3(1), pp. 3–20. Available at: [https://doi.org/10.1016/S1073-8746\(97\)80036-9](https://doi.org/10.1016/S1073-8746(97)80036-9).

KOKICH, V.O. and KINZER, G.A. (2005) 'Managing Congenitally Missing Lateral Incisors. Part I: Canine Substitution', *Journal of Esthetic and Restorative Dentistry*, 17(1), pp. 5–10. Available at: <https://doi.org/10.1111/j.1708-8240.2005.tb00076.x>.

Koroluk, L.D., Tulloch, J.F.C. and Phillips, C. (2003) 'Incisor trauma and early treatment for Class II Division 1 malocclusion', *American Journal of Orthodontics and Dentofacial Orthopedics*, 123(2), pp. 117–125. Available at: <https://doi.org/10.1067/mod.2003.86>.

Krishnan, V. and Davidovitch, Z. (2009) 'On a Path to Unfolding the Biological Mechanisms of Orthodontic Tooth Movement', *Journal of Dental Research*, 88(7), pp. 597–608. Available at: <http://search.ebscohost.com/login.aspx?direct=true&AuthType=ip,shib&db=ddh&AN=43550283&site=ehost-live&scope=site>.

Kuroda, S. et al. (2007) 'Treatment of severe anterior open bite with skeletal anchorage in adults: Comparison with orthognathic surgery outcomes', *American Journal of Orthodontics and Dentofacial Orthopedics*, 132(5), pp. 599–605. Available at: <https://doi.org/10.1016/j.ajodo.2005.11.046>.

Kurol, J. and Thilander, B. (1984) 'Infraocclusion of primary molars and the effect on occlusal development, a longitudinal study', *The European Journal of Orthodontics*, 6(4), pp. 277–293. Available at: <https://doi.org/10.1093/ejo/6.4.277>.

Kusy, R.P. (1981) 'Comparison of nickel-titanium and beta titanium wire sizes to conventional orthodontic arch wire materials', *American Journal of Orthodontics*, 79(6), pp. 625–629. Available at: [https://doi.org/10.1016/0002-9416\(81\)90355-9](https://doi.org/10.1016/0002-9416(81)90355-9).

Kusy, R.P., Whitley, J.Q. and Prewitt, M.J. (1991) 'Comparison of the frictional coefficients for selected archwire-bracket slot combinations in the dry and wet states', *The Angle Orthodontist*, 61(4), pp. 293–302. Available at: <http://www.angle.org/doi/abs/10.1043/0003-3219%281991%29061%3C0293%3ACOTFCF%3E2.0.CO%3B2>.

Lee, E.G.L. et al. (2011) 'The Impact of Altered Sensation Affecting the Lower Lip After Orthognathic Treatment', *Journal of Oral and Maxillofacial Surgery*, 69(11), pp. e431–e445. Available at: <https://doi.org/10.1016/j.joms.2011.07.013>.

Levander, E. and Malmgren, O. (2000) 'Long-term follow-up of maxillary incisors with severe apical root resorption.', *European Journal of Orthodontics*, 22(1), pp. 85–92. Available at: <http://search.ebscohost.com/login.aspx?direct=true&AuthType=ip,shib&db=ddh&AN=4637898&site=ehost-live&scope=site>.

Levander, E., Malmgren, O. and Eliasson, S. (1994) 'Evaluation of root resorption in relation to two orthodontic treatment regimes. A clinical experimental study', *The European Journal of Orthodontics*, 16(3), pp. 223–228. Available at: <https://doi.org/10.1093/ejo/16.3.223>.

Linder-Aronson, S. (1978) 'Respiratory function in relation to facial morphology and the dentition.', *British journal of orthodontics*, 6(2), pp. 59–71.

Linder-Aronson, S. (1979) 'Respiratory function in relation to facial morph.', *British Journal of Orthodontics*, 6(2), pp. 59–71.

Linge, L. and Linge, B.O. (1991) 'Patient characteristics and treatment variables associated with apical root resorption during orthodontic treatment', *American Journal of Orthodontics and Dentofacial Orthopedics*, 99(1), pp. 35–43. Available at: [https://doi.org/10.1016/S0889-5406\(05\)81678-6](https://doi.org/10.1016/S0889-5406(05)81678-6).

Little, R.M. (1990) 'Stability and relapse of dental arch alignment.', *Journal of orthodontics*, 17(3), pp. 235–241. Available at: <http://jorthod.maneyjournals.org/content/17/3/235.abstract>.

Little, R.M., Riedel, R.A. and Stein, A. (1990) 'Mandibular arch length increase during the mixed dentition: Postretention evaluation of stability and relapse', *American Journal of Orthodontics and Dentofacial Orthopedics*, 97(5), pp. 393–404. Available at: [https://doi.org/10.1016/S0889-5406\(08\)70111-O](https://doi.org/10.1016/S0889-5406(08)70111-O).

Littlewood, S.J. et al. (1996) 'Retention procedures for stabilising tooth position after treatment with orthodontic braces', in *Cochrane Database of Systematic Reviews*. Chichester, UK: John Wiley & Sons, Ltd. Available at: <https://doi.org/10.1002/14651858.CD002283.pub3>.

Littlewood, S.J. (2006) 'Orthodontic retention: A systematic review', *Journal of Orthodontics*, 33(3), pp. 205–212. Available at: <https://doi.org/10.1179/146531205225021624>.

Long, H., Zhou, Y. and Lai, W. (2013) 'The effectiveness of laceback ligatures during initial orthodontic alignment: A systematic review and meta-analysis', *European Journal of Orthodontics*, 35(4), pp. 547–548. Available at: <http://search.ebscohost.com/login.aspx?direct=true&AuthType=ip,shib&db=ddh&AN=89354375&site=ehost-live&scope=site>.

Lundstrom, A. (2007) 'An investigation of 202 pairs of twins regarding fundamental factors in the aetiology of malocclusion', *The European Journal of Orthodontics*, 29(Supplement 1), pp. i51–i57. Available at: <https://doi.org/10.1093/ejo/cjl098>.

Luther, F. (1998a) 'Orthodontics and the temporomandibular joint: Where are we now? Part 1. Orthodontic treatment and temporomandibular disorders', *The Angle orthodontist*, 68(4), pp. 295–304. Available at: <http://www.angle.org/doi/abs/10.1043/0003-3219%281998%29068%3C0295%3AOATTJW%3E2.3.CO%3B2>.

Luther, F. (1998b) The Angle Orthodontist - Orthodontics and the temporomandibular joint: Where are we now? Part 2. Functional occlusion, malocclusion, and TMD, The Angle orthodontist. Available at:
<http://www.angle.org/doi/abs/10.1043/0003-3219%281998%29068%3C0305%3AOATTJW%3E2.3.CO%3B2>.

Luther, F. (2007a) 'TMD and occlusion part I. Damned if we do? Occlusion: the interface of dentistry and orthodontics', BDJ, 202(1), pp. E2-E2. Available at:
<https://doi.org/10.1038/bdj.2006.122>.

Luther, F. (2007b) 'TMD and occlusion part II. Damned if we don't? Functional occlusal problems: TMD epidemiology in a wider context', BDJ, 202(1), pp. E3-E3. Available at:
<https://doi.org/10.1038/bdj.2006.123>.

Luther, F., Layton, S. and McDonald, F. (1996) 'Orthodontics for treating temporomandibular joint (TMJ) disorders', in Cochrane Database of Systematic Reviews. Chichester, UK: John Wiley & Sons, Ltd. Available at:
<https://doi.org/10.1002/14651858.CD006541.pub2>.

Mandall, N. et al. (2006) 'Which orthodontic archwire sequence? A randomized clinical trial', The European Journal of Orthodontics, 28(6), pp. 561-566. Available at:
<https://doi.org/10.1093/ejo/cjl030>.

Mars, M et al. (1987) 'The GOSLON Yardstick. A new system for assessing dental arch relationships in children with cleft lip and palate', The cleft palate journal, 24(4), pp. 314-322. Available at: <http://digital.library.pitt.edu/c/cleftpalate/pdf/e20986v24n4.08.pdf>.

Mars, Michael et al. (1987) 'The Goslon Yardstick: A New System of Assessing Dental Arch Relationships in Children with Unilateral Clefts of the Lip and Palate', The Cleft palate journal, 24(4), pp. 314-322. Available at:
<http://digital.library.pitt.edu/c/cleftpalate/pdf/e20986v24n4.08.pdf>.

McComb, J.L. (1994) 'Orthodontic treatment and isolated gingival recession: a review.', British journal of orthodontics, 21(2), pp. 151-159. Available at:
<http://jorthod.maneyjournals.org/content/21/2/151.abstract>.

McComb, J.L. (no date) 'Orthodontic treatment and isolated gingival recession: a review.', British journal of orthodontics, 21(2).

McGuinness, N.J. (1992) 'Prevention in orthodontics--a review.', Dental update, 19(4), pp. 168-175. Available at:
[http://ucl-primo.hosted.exlibrisgroup.com/primo_library/libweb/action/display.do;jsessionid=A5725199FE9CECD3244DA16625175521?tabs=detailsTab&ct=display&fn=search&doc=dedupmrg113557014&indx=1&reclds=dedupmrg113557014&recldxs=0&elementId=0&renderMode=poppedOut&displayMode=full&frbrVersion=&dscnt=0&onCampus=false&query=any%2Ccontains%2Cdental+update&scp.scps=scope%3A%28LMS_JRNL_S%29&tab=local&dstmp=1416479797935&dym=true&highlight=true&vl\(2235343UI0\)=any&search_scope=LSCOP_UCL_JNL&displayField=title&bulkSize=10&vl\(freeText0\)=dental%20update&vid=UCL_VU1&institution=UCL](http://ucl-primo.hosted.exlibrisgroup.com/primo_library/libweb/action/display.do;jsessionid=A5725199FE9CECD3244DA16625175521?tabs=detailsTab&ct=display&fn=search&doc=dedupmrg113557014&indx=1&reclds=dedupmrg113557014&recldxs=0&elementId=0&renderMode=poppedOut&displayMode=full&frbrVersion=&dscnt=0&onCampus=false&query=any%2Ccontains%2Cdental+update&scp.scps=scope%3A%28LMS_JRNL_S%29&tab=local&dstmp=1416479797935&dym=true&highlight=true&vl(2235343UI0)=any&search_scope=LSCOP_UCL_JNL&displayField=title&bulkSize=10&vl(freeText0)=dental%20update&vid=UCL_VU1&institution=UCL).

McLAUGHLIN, R.P. and BENNETT, J.C. (1995) 'Bracket Placement with the Preadjusted

Appliance - Journal of Clinical Orthodontics', Add to e-Shelf Journal of clinical orthodontics, 29(5), pp. 302–311. Available at: <http://www.jco-online.com.libproxy.ucl.ac.uk/archive/article-view.aspx?year=1995&month=05&articlenum=302>.

McSherry, P.F. (1998) 'The ectopic maxillary canine: a review', British Journal of Orthodontics, 25(3), pp. 209–216. Available at: <https://doi.org/10.1093/ortho/25.3.209>.

Mettes, D.T. et al. (1996) 'Interventions for treating asymptomatic impacted wisdom teeth in adolescents and adults', in Cochrane Database of Systematic Reviews. Chichester, UK: John Wiley & Sons, Ltd. Available at: <https://doi.org/10.1002/14651858.CD003879.pub2>.

Miles, J.R. (1968) 'The stability of the lower labial segment. A cephalometric survey', Dental Practitioner, 18(8), pp. 293–306.

Miller, J. (1970) 'The application and importance of cephalometry ... [Orthodontist. 1970] - PubMed - NCBI', The Orthodontist, 2(2), pp. 32–47.

Millett, D.T. et al. (1996) 'Adhesives for fixed orthodontic bands', Cochrane Database of Systematic Reviews [Preprint]. Available at: <https://doi.org/10.1002/14651858.CD004485.pub3>.

Mills, J.R.E. (1983) 'Clinical control of craniofacial growth: A skeptics viewpoint.', in Clinical alteration of the growing face. Ann Arbor, Mich: Center for Human Growth and Development, University of Michigan, pp. 17–39.

Moss, J.P. (1980) 'The soft tissue environment of teeth and jaws.', British journal of orthodontics, 7(3), pp. 127–137. Available at: <http://jorthod.maneyjournals.org/content/7/3/127.citation>.

Moyers, R.E. and Bookstein, F.L. (1979) 'The inappropriateness of conventional cephalometrics', American Journal of Orthodontics, 75(6), pp. 599–617. Available at: [https://doi.org/10.1016/0002-9416\(79\)90093-9](https://doi.org/10.1016/0002-9416(79)90093-9).

Naoumova, J., Kurol, J. and Kjellberg, H. (2011) 'A systematic review of the interceptive treatment of palatally displaced maxillary canines', The European Journal of Orthodontics, 33(2), pp. 143–149. Available at: <https://doi.org/10.1093/ejo/cjq045>.

NICE (no date) 'Prophylaxis against infective endocarditis: Antimicrobial prophylaxis against infective endocarditis in adults and children undergoing interventional procedures'. Available at: <http://www.nice.org.uk/guidance/cg64>.

Noar, J. (2014a) Interceptive orthodontics: a practical guide to occlusal management. First edition. Chichester, West Sussex, UK: Wiley Blackwell. Available at: <http://dx.doi.org/10.1002/9781118917336>.

Noar, J. (2014b) Interceptive orthodontics: a practical guide to occlusal management. First edition. Chichester, West Sussex, UK: Wiley Blackwell. Available at: <http://dx.doi.org/10.1002/9781118917336>.

Noar, J.H. and Pabari, S. (2013) 'Cone beam computed tomography - current understanding and evidence for its orthodontic applications?', Journal of Orthodontics,

40(1), pp. 5–13. Available at: <https://doi.org/10.1179/1465313312Y.0000000040>.

Nunn et al., J.H. (2003) 'The interdisciplinary management of hypodontia: background and role of paediatric dentistry', *British Dental Journal*, 194(5), pp. 245–251. Available at: <http://search.ebscohost.com/login.aspx?direct=true&AuthType=ip,shib&db=ddh&AN=9512085&site=ehost-live&scope=site>.

O'Brien, K., Wright, J., Conboy, F., Sanjie, Y., et al. (2003) 'Effectiveness of early orthodontic treatment with the twin-block appliance: A multicenter, randomized, controlled trial. Part 1: Dental and skeletal effects', *American Journal of Orthodontics and Dentofacial Orthopedics*, 124(3), pp. 234–243. Available at: [https://doi.org/10.1016/S0889-5406\(03\)00352-4](https://doi.org/10.1016/S0889-5406(03)00352-4).

O'Brien, K., Wright, J., Conboy, F., Chadwick, S., et al. (2003) 'Effectiveness of early orthodontic treatment with the twin-block appliance: a multicenter, randomized, controlled trial. Part 2: psychosocial effects', *American Journal of Orthodontics and Dentofacial Orthopedics*, 124(5), pp. 488–494. Available at: <https://doi.org/10.1016/j.ajodo.2003.06.001>.

O'Brien, K. et al. (2009) 'Early treatment for Class II malocclusion and perceived improvements in facial profile', *American Journal of Orthodontics and Dentofacial Orthopedics*, 135(5), pp. 580–585. Available at: <https://doi.org/10.1016/j.ajodo.2008.02.020>.

Obwegeser, H.L. and Makek, M.S. (1986) 'Hemimandibular hyperplasia — Hemimandibular elongation', *Journal of Maxillofacial Surgery*, 14, pp. 183–208. Available at: [https://doi.org/10.1016/S0301-0503\(86\)80290-9](https://doi.org/10.1016/S0301-0503(86)80290-9).

Odman, J. et al. (1988) 'Osseointegrated titanium implants--a new approach in orthodontic treatment', *The European Journal of Orthodontics*, 10(2), pp. 98–105. Available at: <https://doi.org/10.1093/ejo/10.2.98>.

Ohtani, J. et al. (2012) 'Team management and treatment outcomes for patients with hemifacial microsomia', *American Journal of Orthodontics and Dentofacial Orthopedics*, 141(4), pp. S74–S81. Available at: <https://doi.org/10.1016/j.ajodo.2011.12.015>.

Olsen, T.M. and Kokich, V.G. (2010) 'Postorthodontic root approximation after opening space for maxillary lateral incisor implants', *American Journal of Orthodontics and Dentofacial Orthopedics*, 137(2), p. 158.e1-158.e8. Available at: <https://doi.org/10.1016/j.ajodo.2009.08.024>.

O'Neill, J. (2013) 'Limited evidence for interceptive extraction of deciduous teeth to prevent permanent canine impaction', *Evidence-Based Dentistry*, 14(1), pp. 23–24. Available at: <https://doi.org/10.1038/sj.ebd.6400918>.

Opdebeeck, H. et al. (1978) 'Comparative study between the SFS and LFS rotation as a possible morphogenic mechanism', *American Journal of Orthodontics*, 74(5), pp. 509–521. Available at: [https://doi.org/10.1016/0002-9416\(78\)90026-X](https://doi.org/10.1016/0002-9416(78)90026-X).

Owais, A.I. et al. (2011) 'Effectiveness of a lower lingual arch as a space holding device', *The European Journal of Orthodontics*, 33(1), pp. 37–42. Available at: <https://doi.org/10.1093/ejo/cjq022>.

Pabari, S., Moles, D.R. and Cunningham, S.J. (2011) 'Assessment of motivation and psychological characteristics of adult orthodontic patients', *American Journal of Orthodontics and Dentofacial Orthopedics*, 140(6), pp. e263–e272. Available at: <https://doi.org/10.1016/j.ajodo.2011.06.022>.

Parkin, N. et al. (1996) 'Extraction of primary (baby) teeth for unerupted palatally displaced permanent canine teeth in children', in *Cochrane Database of Systematic Reviews*. Chichester, UK: John Wiley & Sons, Ltd. Available at: <https://doi.org/10.1002/14651858.CD004621.pub3>.

Parkin, N.A. et al. (2013) 'Periodontal health of palatally displaced canines treated with open or closed surgical technique: A multicenter, randomized controlled trial', *American Journal of Orthodontics and Dentofacial Orthopedics*, 144(2), pp. 176–184. Available at: <https://doi.org/10.1016/j.ajodo.2013.03.016>.

Patel, A., Burden, D.J. and Sandler, J. (2009) 'Medical disorders and orthodontics', *Journal of Orthodontics*, 36(Suppl), pp. 1–21. Available at: <https://doi.org/10.1179/146531207233346>.

Pogrel, M. et al. (1992) 'Surgically assisted rapid maxillary expansion in adults.', *The International journal of adult orthodontics and orthognathic surgery*, 7(1), pp. 37–41.

Polder, B.J. et al. (2004) 'A meta-analysis of the prevalence of dental agenesis of permanent teeth', *Community Dentistry and Oral Epidemiology*, 32(3), pp. 217–226. Available at: <https://doi.org/10.1111/j.1600-0528.2004.00158.x>.

Proffit, W. et al. (1992) 'Surgical versus orthodontic correction of skeletal Class II malocclusion in adolescents: effects and indications', *The International journal of adult orthodontics and orthognathic surgery*, 7(4), pp. 209–220.

Proffit, W., Turvey, T. and Phillips, C. (1996) 'Orthognathic surgery: a hierarchy of stability', *The International journal of adult orthodontics and orthognathic surgery*, 11(3), pp. 191–204.

PROFFIT, W.R. (1978) 'Equilibrium Theory Revisited: Factors Influencing Position of the Teeth', *Angle Orthodontics*, 48(3), pp. 175–186. Available at: <http://www.angle.org/doi/abs/10.1043/0003-3219%281978%29048%3C0175%3AETRFIP%3E2.0.CO%3B2>.

Proffit, W.R., Turvey, T.A. and Phillips, C. (2007) 'The hierarchy of stability and predictability in orthognathic surgery with rigid fixation: an update and extension', *Head & Face Medicine*, 3(1). Available at: <https://doi.org/10.1186/1746-160X-3-21>.

Reitan, K. and Rygh, P. (1985) 'Biomechanical principles and reactions', in *Current orthodontic concepts and techniques*, pp. 101–192.

Retention and stability in orthodontics (1993). Philadelphia: W.B. Saunders.

Richardson, A. (1999) *Interceptive orthodontics*. 4th ed. London: British Dental Association.

Richmond, S. et al. (1992) 'The development of the PAR Index (Peer Assessment Rating):

reliability and validity', *The European Journal of Orthodontics*, 14(2), pp. 125–139. Available at: <https://doi.org/10.1093/ejo/14.2.125>.

Ross, R.B. (1987) 'Treatment Variables Affecting Facial Growth in Complete Unilateral Cleft Lip and Palate. Part 1: Treatment Affecting Growth', *The Cleft Palate Journal*, 24(1), pp. 5–23. Available at: <http://digital.library.pitt.edu/c/cleftpalate/pdf/e20986v24n1.02.pdf>.

Rowland, H. et al. (2007) 'The effectiveness of Hawley and vacuum-formed retainers: A single-center randomized controlled trial', *American Journal of Orthodontics and Dentofacial Orthopedics*, 132(6), pp. 730–737. Available at: <https://doi.org/10.1016/j.ajodo.2006.06.019>.

Rudge, S.J. (1981) 'Dental arch analysis: arch form A review of the literature', *The European Journal of Orthodontics*, 3(4), pp. 279–284. Available at: <https://doi.org/10.1093/ejo/3.4.279>.

Sadowsky, C. and BeGole, E.A. (1980) 'Long-term status of temporomandibular joint function and functional occlusion after orthodontic treatment', *American Journal of Orthodontics*, 78(2), pp. 201–212. Available at: [https://doi.org/10.1016/0002-9416\(80\)90060-3](https://doi.org/10.1016/0002-9416(80)90060-3).

Sandler, P.J., Atkinson, R. and Murray, A.M. (2000) '1 Search Results - VOLUME117(4) AND PAGES(418) - ScienceDirect', *American Journal of Orthodontics and Dentofacial Orthopedics*, 117(4), pp. 418–434. Available at: http://www.sciencedirect.com/science?_ob=ArticleListURL&_method=list&_ArticleListID=-635795253&_sort=r&_st=13&view=c&md5=0141b36afcd91ad46f654b53faa2e9fe&searchtype=a.

Sandy, J.R., Farndale, R.W. and Meikle, M.C. (1993) 'Recent advances in understanding mechanically induced bone remodeling and their relevance to orthodontic theory and practice', *American Journal of Orthodontics and Dentofacial Orthopedics*, 103(3), pp. 212–222. Available at: [https://doi.org/10.1016/0889-5406\(93\)70002-6](https://doi.org/10.1016/0889-5406(93)70002-6).

Santoro, M., Nicolay, O.F. and Cangialosi, T.J. (2001) 'Pseudoelasticity and thermoelasticity of nickel-titanium alloys: A clinically oriented review. Part II: Deactivation forces', *American Journal of Orthodontics and Dentofacial Orthopedics*, 119(6), pp. 594–603. Available at: <https://doi.org/10.1067/mod.2001.112447>.

Sarver, D.M. (2001) 'The importance of incisor positioning in the esthetic smile: The smile arc', *American Journal of Orthodontics and Dentofacial Orthopedics*, 120(2), pp. 98–111. Available at: <https://doi.org/10.1067/mod.2001.114301>.

Seehra, J. et al. (2011) 'Bullying in orthodontic patients and its relationship to malocclusion, self-esteem and oral health-related quality of life', *Journal of Orthodontics*, 38(4), pp. 247–256. Available at: <https://doi.org/10.1179/14653121141641>.

Selwyn-Barnett, B.J. (1991) 'Rationale of treatment for Class II division 2 malocclusion', *British journal of orthodontics*, 18(3), pp. 173–181.

Selwyn-Barnett, B.J. (1996) 'Class II/Division 2 malocclusion: a method of planning and treatment.', *British journal of orthodontics*, 23(1), pp. 29–36. Available at: <http://jorthod.maneyjournals.org/content/23/1/29.abstract>.

Shaw, W.C. et al. (1991) 'Quality control in orthodontics: indices of treatment need and treatment standards', *British Dental Journal*, 170(3), pp. 107–112. Available at: <https://doi.org/10.1038/sj.bdj.4807429>.

Shaw, W.C. et al. (2007) 'A 20-year cohort study of health gain from orthodontic treatment: Psychological outcome', *American Journal of Orthodontics and Dentofacial Orthopedics*, 132(2), pp. 146–157. Available at: <https://doi.org/10.1016/j.ajodo.2007.04.009>.

Shivapuja, P.K. and Berger, J. (1994) 'A comparative study of conventional ligation and self-ligation bracket systems', *American Journal of Orthodontics and Dentofacial Orthopedics*, 106(5), pp. 472–480. Available at: [https://doi.org/10.1016/S0889-5406\(94\)70069-9](https://doi.org/10.1016/S0889-5406(94)70069-9).

Smith, R.J. and Burstone, C.J. (1984) 'Mechanics of tooth movement', *American Journal of Orthodontics*, 85(4), pp. 294–307. Available at: [https://doi.org/10.1016/0002-9416\(84\)90187-8](https://doi.org/10.1016/0002-9416(84)90187-8).

Tamburrini, G. et al. (2012) 'Complex craniosynostoses: a review of the prominent clinical features and the related management strategies', *Child's Nervous System*, 28(9), pp. 1511–1523. Available at: <https://doi.org/10.1007/s00381-012-1819-4>.

'The tissue reaction as related to the functional factor' (no date) *Transactions of the European Orthodontic Society*, 195, pp. 123–136.

Thickett, E. and Power, S. (2010) 'A randomized clinical trial of thermoplastic retainer wear', *The European Journal of Orthodontics*, 32(1), pp. 1–5. Available at: <https://doi.org/10.1093/ejo/cjp061>.

Tulloch, J.F.C. et al. (1997) 'The effect of early intervention on skeletal pattern in Class II malocclusion: A randomized clinical trial', *American Journal of Orthodontics and Dentofacial Orthopedics*, 111(4), pp. 391–400. Available at: [https://doi.org/10.1016/S0889-5406\(97\)80021-2](https://doi.org/10.1016/S0889-5406(97)80021-2).

Tulloch, J.F.C., Phillips, C. and Proffit, W.R. (1998) 'Benefit of early Class II treatment: Progress report of a two-phase randomized clinical trial', *American Journal of Orthodontics and Dentofacial Orthopedics*, 113(1), pp. 62–74. Available at: [https://doi.org/10.1016/S0889-5406\(98\)70277-X](https://doi.org/10.1016/S0889-5406(98)70277-X).

Tulloch, J.F.C., Proffit, W.R. and Phillips, C. (2004) 'Outcomes in a 2-phase randomized clinical trial of early class II treatment', *American Journal of Orthodontics and Dentofacial Orthopedics*, 125(6), pp. 657–667. Available at: <https://doi.org/10.1016/j.ajodo.2004.02.008>.

Waters, N.E. (1992) 'Superelastic nickel-titanium wires.', *British journal of orthodontics*, 19(4), pp. 319–322.

Weiland, F. (2003) 'Constant versus dissipating forces in orthodontics: The effect on initial tooth movement and root resorption', *European Journal of Orthodontics*, 25(4), pp. 335–342. Available at: <http://search.ebscohost.com/login.aspx?direct=true&AuthType=ip,shib&db=ddh&AN=43293270&site=ehost-live&scope=site>.

Weltman, B. et al. (2010) 'Root resorption associated with orthodontic tooth movement: A systematic review', *American Journal of Orthodontics and Dentofacial Orthopedics*, 137(4), pp. 462–476. Available at: <https://doi.org/10.1016/j.ajodo.2009.06.021>.

Wertz, R.A. (1970) 'Skeletal and dental changes accompanying rapid midpalatal suture opening', *American Journal of Orthodontics*, 58(1), pp. 41–66. Available at: [https://doi.org/10.1016/0002-9416\(70\)90127-2](https://doi.org/10.1016/0002-9416(70)90127-2).

Westwood, P.V. et al. (2003) 'Long-term effects of Class III treatment with rapid maxillary expansion and facemask therapy followed by fixed appliances', *American Journal of Orthodontics and Dentofacial Orthopedics*, 123(3), pp. 306–320. Available at: <https://doi.org/10.1067/mod.2003.44>.

ZACHRISSON, B.U. and ALNAES, L. (1973) 'The Angle Orthodontist - Periodontal Condition in Orthodontically Treated and Untreated Individuals I. Loss of Attachment, Gingival Pocket Depth and Clinical Crown Height', *The Angle Orthodontist*, 43(4), pp. 402–411. Available at: <http://www.angle.org/doi/abs/10.1043/0003-3219%281973%29043%3C0402%3APCIOTA%3E2.0.CO%3B2>.

ZACHRISSON, B.U. and ALNÆS, L. (1974) Periodontal Condition in Orthodontically Treated and Untreated Individuals II. Alveolar Bone Loss: Radiographic Findings, *The Angle Orthodontist*. Available at: <http://www.angle.org/doi/abs/10.1043/0003-3219%281974%29044%3C0048%3APCIOTA%3E2.0.CO%3B2>.

Zahrowski, J.J. (2007) 'Bisphosphonate treatment: An orthodontic concern calling for a proactive approach', *American Journal of Orthodontics and Dentofacial Orthopedics*, 131(3), pp. 311–320. Available at: <https://doi.org/10.1016/j.ajodo.2006.09.035>.