

CLNEG058: Neurorehabilitation

[View Online](#)

Amy J. Bastian. (2008). Understanding sensorimotor adaptation and learning for rehabilitation. *Current Opinion in Neurology*, 21(6).
<https://doi.org/10.1097/WCO.0b013e328315a293>

Archy O. de Berker. (2013). Predicting the behavioral impact of transcranial direct current stimulation: issues and limitations. *Frontiers in Human Neuroscience*, 7.
<https://doi.org/10.3389/fnhum.2013.00613>

Baker, K., Cano, S. J., & Playford, E. D. (2011). Outcome Measurement in Stroke: A Scale Selection Strategy. *Stroke*, 42(6), 1787–1794.
<https://doi.org/10.1161/STROKEAHA.110.608505>

Bernhardt, J., Thuy, M. N., Collier, J. M., & Legg, L. A. (2009). Very early versus delayed mobilisation after stroke. *Cochrane Database of Systematic Reviews*.
<https://doi.org/10.1002/14651858.CD006187.pub2>

Berthier, M. L. (2014). Cognitive enhancing drugs in aphasia: A vote for hope. *Aphasiology*, 28(2), 128–132. <https://doi.org/10.1080/02687038.2013.857756>

Bhogal, S. K., Teasell, R., Speechley, M., & Albert, M. L. (2003a). Intensity of Aphasia Therapy, Impact on Recovery * Aphasia Therapy Works! *Stroke*, 34(4), 987–993.
<https://doi.org/10.1161/01.STR.0000062343.64383.D0>

Bhogal, S. K., Teasell, R., Speechley, M., & Albert, M. L. (2003b). Intensity of Aphasia Therapy, Impact on Recovery * Aphasia Therapy Works! *Stroke*, 34(4), 987–993.
<https://doi.org/10.1161/01.STR.0000062343.64383.D0>

Bowen, A., Hazelton, C., Pollock, A., & Lincoln, N. B. (2013). Cognitive rehabilitation for spatial neglect following stroke. *Cochrane Database of Systematic Reviews*.
<https://doi.org/10.1002/14651858.CD003586.pub3>

Brady, M. C., Kelly, H., Godwin, J., Enderby, P., & Campbell, P. (2016a). Speech and language therapy for aphasia following stroke. *Cochrane Database of Systematic Reviews*.
<https://doi.org/10.1002/14651858.CD000425.pub4>

Brady, M. C., Kelly, H., Godwin, J., Enderby, P., & Campbell, P. (2016b). Speech and language therapy for aphasia following stroke. *Cochrane Database of Systematic Reviews*.
<https://doi.org/10.1002/14651858.CD000425.pub4>

Breitenstein, C., Grawe, T., Flöel, A., Ziegler, W., Springer, L., Martus, P., Huber, W., Willmes, K., Ringelstein, E. B., Haeusler, K. G., Abel, S., Glindemann, R., Domahs, F.,

Regenbrecht, F., Schlenck, K.-J., Thomas, M., Obrig, H., de Langen, E., Rocker, R., ... Krüger, S. (2017). Intensive speech and language therapy in patients with chronic aphasia after stroke: a randomised, open-label, blinded-endpoint, controlled trial in a health-care setting. *The Lancet*, 389(10078), 1528–1538.
[https://doi.org/10.1016/S0140-6736\(17\)30067-3](https://doi.org/10.1016/S0140-6736(17)30067-3)

Buchbinder, R., Green, S., Youd, J. M., Johnston, R. V., & Cumpston, M. (2008). Arthrographic distension for adhesive capsulitis (frozen shoulder). Cochrane Database of Systematic Reviews. <https://doi.org/10.1002/14651858.CD007005>

C. Katz, Brooke Hallowell, Chris Co, R. (2000). A multinational comparison of aphasia management practices. *International Journal of Language & Communication Disorders*, 35 (2), 303–314. <https://doi.org/10.1080/136828200247205>

Carey, L., Macdonell, R., & Matyas, T. A. (2011). SENSe: Study of the Effectiveness of Neurorehabilitation on Sensation. *Neurorehabilitation and Neural Repair*, 25(4), 304–313. <https://doi.org/10.1177/1545968310397705>

Carmichael, S. T. (2012). Brain Excitability in Stroke. *Archives of Neurology*, 69(2). <https://doi.org/10.1001/archneurol.2011.1175>

Chae, J., Mascarenhas, D., Yu, D. T., Kirsteins, A., Elovic, E. P., Flanagan, S. R., Harvey, R. L., Zorowitz, R. D., & Fang, Z.-P. (2007). Poststroke Shoulder Pain: Its Relationship to Motor Impairment, Activity Limitation, and Quality of Life. *Archives of Physical Medicine and Rehabilitation*, 88(3), 298–301. <https://doi.org/10.1016/j.apmr.2006.12.007>

Chan, E., Altendorff, S., Healy, C., Werring, D. J., & Cipolotti, L. (2017). The test accuracy of the Montreal Cognitive Assessment (MoCA) by stroke lateralisation. *Journal of the Neurological Sciences*, 373, 100–104. <https://doi.org/10.1016/j.jns.2016.12.028>

Chan, E., Khan, S., Oliver, R., Gill, S. K., Werring, D. J., & Cipolotti, L. (2014). Underestimation of cognitive impairments by the Montreal Cognitive Assessment (MoCA) in an acute stroke unit population. *Journal of the Neurological Sciences*, 343(1-2), 176–179. <https://doi.org/10.1016/j.jns.2014.05.005>

Chaudhuri, A., & Behan, P. O. (2004). Fatigue in neurological disorders. *The Lancet*, 363 (9413), 978–988. [https://doi.org/10.1016/S0140-6736\(04\)15794-2](https://doi.org/10.1016/S0140-6736(04)15794-2)

Cipolotti, L., & Warrington, E. K. (1995). Neuropsychological assessment. *Journal of Neurology, Neurosurgery & Psychiatry*, 58(6), 655–664.
<https://doi.org/10.1136/jnnp.58.6.655>

Clinical Guidelines for Stroke Management 2017. (n.d.).
<https://informme.org.au/Guidelines/Clinical-Guidelines-for-Stroke-Management-2017>

Code of ethics and professional conduct. (n.d.).
https://www.rcot.co.uk/sites/default/files/CODE-OF-ETHICS-2015_0.pdf

Connell, L. A., McMahon, N. E., & Adams, N. (2014). Stroke survivors' experiences of somatosensory impairment after stroke: An Interpretative Phenomenological Analysis. *Physiotherapy*, 100(2), 150–155. <https://doi.org/10.1016/j.physio.2013.09.003>

Connell, L., & Tyson, S. (2012). Measures of sensation in neurological conditions: a systematic review. *Clinical Rehabilitation*, 26(1), 68–80.
<https://doi.org/10.1177/0269215511412982>

Corbetta, M., Kincade, M. J., Lewis, C., Snyder, A. Z., & Sapir, A. (2005). Neural basis and recovery of spatial attention deficits in spatial neglect. *Nature Neuroscience*, 8(11), 1603–1610. <https://doi.org/10.1038/nn1574>

Craig, P., Dieppe, P., Macintyre, S., Michie, S., Nazareth, I., & Petticrew, M. (2008). Developing and evaluating complex interventions: the new Medical Research Council guidance. *BMJ*. <https://doi.org/10.1136/bmj.a1655>

De Doncker, W., Dantzer, R., Ormstad, H., & Kuppuswamy, A. (2017). Mechanisms of poststroke fatigue. *Journal of Neurology, Neurosurgery & Psychiatry*.
<https://doi.org/10.1136/jnnp-2017-316007>

Demetrios, M., Khan, F., Turner-Stokes, L., Brand, C., & McSweeney, S. (2013). Multidisciplinary rehabilitation following botulinum toxin and other focal intramuscular treatment for post-stroke spasticity. *Cochrane Database of Systematic Reviews*.
<https://doi.org/10.1002/14651858.CD009689.pub2>

Dignam, J., Copland, D., McKinnon, E., Burfein, P., O'Brien, K., Farrell, A., & Rodriguez, A. D. (2015). Intensive Versus Distributed Aphasia Therapy. *Stroke*, 46(8), 2206–2211.
<https://doi.org/10.1161/STROKEAHA.115.009522>

Doyle, S., Bennett, S., Fasoli, S. E., & McKenna, K. T. (2010). Interventions for sensory impairment in the upper limb after stroke. *Cochrane Database of Systematic Reviews*.
<https://doi.org/10.1002/14651858.CD006331.pub2>

Duncan, F., Wu, S., & Mead, G. E. (2012). Frequency and natural history of fatigue after stroke: A systematic review of longitudinal studies. *Journal of Psychosomatic Research*, 73 (1), 18–27. <https://doi.org/10.1016/j.jpsychores.2012.04.001>

Effects of neuromuscular electrical stimulation on arterial hemodynamic properties and body composition in paretic upper extremities of patients with subacute stroke. (n.d.). http://biomedj.cgu.edu.tw/pdfs/2014/37/4/images/BiomedJ_2014_37_4_205_117892.pdf

Ferro, J. M., Mariano, G., & Madureira, S. (1999). Recovery from Aphasia and Neglect. *Cerebrovascular Diseases*, 9(Suppl. 5), 6–22. <https://doi.org/10.1159/000047571>

Frassinetti, F., Angeli, V., Meneghelli, F., Avanzi, S., & Ladavas, E. (2002). Long-lasting amelioration of visuospatial neglect by prism adaptation. *Brain*, 125(3), 608–623.
<https://doi.org/10.1093/brain/awf056>

Gamble, G. E., Barberan, E., Bowsher, D., Tyrrell, P. J., & Jones, A. K. P. (2000). Post stroke shoulder pain: more common than previously realized. *European Journal of Pain*, 4(3), 313–315. <https://doi.org/10.1053/eujp.2000.0192>

Gillen, G. & St Bartholomew School of Nursing and Midwifery. (2009). Cognitive and perceptual rehabilitation: optimizing function. Mosby/Elsevier.

Gorgoraptis, N., Mah, Y.-H., Machner, B., Singh-Curry, V., Malhotra, P., Hadji-Michael, M.,

Cohen, D., Simister, R., Nair, A., Kulinskaya, E., Ward, N., Greenwood, R., & Husain, M. (2012). The effects of the dopamine agonist rotigotine on hemispatial neglect following stroke. *Brain*, 135(8), 2478–2491. <https://doi.org/10.1093/brain/aws154>

Green, S., Buchbinder, R., & Hetrick, S. E. (2003). Physiotherapy interventions for shoulder pain. Cochrane Database of Systematic Reviews. <https://doi.org/10.1002/14651858.CD004258>

Grieve, J. I. (2017). Neuropsychology for occupational therapists: cognition in occupational performance (L. Maskill & S. Tempest, Eds.; Fourth edition). Wiley Blackwell.

Harvey, L., de Jong, I., Goehl, G., & Marwedel, S. (2006). Twelve weeks of nightly stretch does not reduce thumb web-space contractures in people with a neurological condition: a randomised controlled trial. *Australian Journal of Physiotherapy*, 52(4), 251–258. [https://doi.org/10.1016/S0004-9514\(06\)70004-6](https://doi.org/10.1016/S0004-9514(06)70004-6)

Holland, A. L. (1984). Language disorders in adults: recent advances. College-Hill Press.

Howlett, O. A., Lannin, N. A., Ada, L., & McKinstry, C. (2015). Functional Electrical Stimulation Improves Activity After Stroke: A Systematic Review With Meta-Analysis. *Archives of Physical Medicine and Rehabilitation*, 96(5), 934–943. <https://doi.org/10.1016/j.apmr.2015.01.013>

Hurford, R., Charidimou, A., Fox, Z., Cipolotti, L., & Werring, D. J. (2013). Domain-specific trends in cognitive impairment after acute ischaemic stroke. *Journal of Neurology*, 260(1), 237–241. <https://doi.org/10.1007/s00415-012-6625-0>

James, K. (2011). The strands of speech and language therapy: weaving a therapy plan for neurorehabilitation. Speechmark.

James, S. E. F., M. (2001). Contractures in orthopaedic and neurological conditions: a review of causes and treatment. *Disability and Rehabilitation*, 23(13), 549–558. <https://doi.org/10.1080/09638280010029930>

Journal of Rehabilitation Medicine - Abstract - Evaluation of functional outcome measures for the hemiparetic upper limb: A systematic review. (n.d.). <https://www.medicaljournals.se/jrm/content/abstract/10.2340/16501977-0276>

Journal of Rehabilitation Medicine - Abstract - The arm studio to intensify the upper limb rehabilitation after stroke: Concept, acceptance, utilization and preliminary clinical results. (n.d.). <https://medicaljournals.se/jrm/content/abstract/10.2340/16501977-0517>

Kaplan, R. F., Verfaellie, M., Meadows, M.-E., Caplan, L. R., Pessin, M. S., & DeWitt, L. D. (1991). Changing Attentional Demands in Left Hemispatial Neglect. *Archives of Neurology*, 48(12), 1263–1266. <https://doi.org/10.1001/archneur.1991.00530240067023>

Katz, R. C., & Wertz, R. T. (1997). The Efficacy of Computer-Provided Reading Treatment for Chronic Aphasic Adults. *Journal of Speech Language and Hearing Research*, 40(3). <https://doi.org/10.1044/jslhr.4003.493>

Kerkhoff, G., Bucher, L., Brasse, M., Leonhart, E., Holzgraefe, M., Völzke, V., Keller, I., & Reinhart, S. (2014). Smooth Pursuit "Bedside" Training Reduces Disability and

Unawareness During the Activities of Daily Living in Neglect. *Neurorehabilitation and Neural Repair*, 28(6), 554–563. <https://doi.org/10.1177/1545968313517757>

Kilbride, C., Hoffman, K., Baird, T., Tuckey, J., Marston, L., & Souza, L. D. (2013). Contemporary splinting practice in the UK for adults with neurological dysfunction: A cross-sectional survey. *International Journal of Therapy and Rehabilitation*, 20(11), 559–566. <https://doi.org/10.12968/ijtr.2013.20.11.559>

Kitago, T., & Krakauer, J. W. (2013). Motor learning principles for neurorehabilitation. In *Neurological Rehabilitation* (Vol. 110, pp. 93–103). Elsevier. <https://doi.org/10.1016/B978-0-444-52901-5.00008-3>

Kleim, J. A., & Jones, T. A. (2008). Principles of Experience-Dependent Neural Plasticity: Implications for Rehabilitation After Brain Damage. *Journal of Speech Language and Hearing Research*, 51(1). [https://doi.org/10.1044/1092-4388\(2008/018\)](https://doi.org/10.1044/1092-4388(2008/018))

Klemens Fheodoroff. (2015). Factors Influencing Goal Attainment in Patients with Post-Stroke Upper Limb Spasticity Following Treatment with Botulinum Toxin A in Real-Life Clinical Practice: Sub-Analyses from the Upper Limb International Spasticity (ULIS)-II Study. *Toxins*, 7(4). <https://doi.org/10.3390/toxins7041192>

Klonoff, P. S. (2010). Psychotherapy after brain injury: principles and techniques. The Guilford Press.

Kojava, N., Ong, Y.-H., Brown, M. M., Acheson, J., Plant, G. T., & Leff, A. P. (2012). A 'web app' for diagnosing hemianopia. *Journal of Neurology, Neurosurgery & Psychiatry*, 83(12), 1222–1224. <https://doi.org/10.1136/jnnp-2012-302270>

Kuppuswamy, A. (2017). The fatigue conundrum. *Brain*, 140(8), 2240–2245. <https://doi.org/10.1093/brain/awx153>

Kuppuswamy, A., Clark, E., Rothwell, J., & Ward, N. S. (2016). Limb Heaviness. *Neurorehabilitation and Neural Repair*, 30(4), 360–362. <https://doi.org/10.1177/1545968315597071>

Kuppuswamy, A., Clark, E. V., Turner, I. F., Rothwell, J. C., & Ward, N. S. (2015). Post-stroke fatigue: a deficit in corticomotor excitability? *Brain*, 138(1), 136–148. <https://doi.org/10.1093/brain/awu306>

Lannin, N. A., Cusick, A., McCluskey, A., & Herbert, R. D. (2007). Effects of Splinting on Wrist Contracture After Stroke: A Randomized Controlled Trial. *Stroke*, 38(1), 111–116. <https://doi.org/10.1161/01.STR.0000251722.77088.12>

Lannin, N. A., Horsley, S. A., Herbert, R., McCluskey, A., & Cusick, A. (2003). Splinting the hand in the functional position after brain impairment: A randomized, controlled trial. *Archives of Physical Medicine and Rehabilitation*, 84(2), 297–302. <https://doi.org/10.1053/apmr.2003.50031>

Lee, J.-H., Baker, L. L., Johnson, R. E., & Tilson, J. K. (2017). Effectiveness of neuromuscular electrical stimulation for management of shoulder subluxation post-stroke: a systematic review with meta-analysis. *Clinical Rehabilitation*, 31(11), 1431–1444. <https://doi.org/10.1177/0269215517700696>

Liao, W., Wu, C., Hsieh, Y., Lin, K., & Chang, W. (2012). Effects of robot-assisted upper limb rehabilitation on daily function and real-world arm activity in patients with chronic stroke: a randomized controlled trial. *Clinical Rehabilitation*, 26(2), 111-120.
<https://doi.org/10.1177/0269215511416383>

Manually add a new bookmark | University College London. (n.d.).
<http://readinglists.ucl.ac.uk/ui/forms/bookmarklet.html?fast=true&title=Journal%20of%20Rehabilitation%20Medicine%20-%20Abstract%20-%20Screening%20for%20cognitive%20impairment%20after%20stroke%3A%20A%20systematic%20review%20of%20psychometric%20properties%20and%20clinical%20utility&uri=https%253A%252F%252Fwww.medicaljournals.se%252Fjrm%252Fcontent%252Fabstract%252F10.2340%252F16501977-1930>

Marshall, J., Booth, T., Devane, N., Galliers, J., Greenwood, H., Hilari, K., Talbot, R., Wilson, S., & Woolf, C. (2016). Evaluating the Benefits of Aphasia Intervention Delivered in Virtual Reality: Results of a Quasi-Randomised Study. *PLOS ONE*, 11(8).
<https://doi.org/10.1371/journal.pone.0160381>

Mateer, C. A., Sira, C. S., & O'Connell, M. E. (2005). Putting Humpty Dumpty Together Again. *Journal of Head Trauma Rehabilitation*, 20(1), 62-75.
<https://doi.org/10.1097/00001199-200501000-00007>

McDonald, S., Togher, L., & Code, C. (2014). Social and communication disorders following traumatic brain injury (Second edition). Psychology Press, Taylor & Francis Group.

McMillan, T. M., & Wood, R. L. (Eds.). (2017). Neurobehavioural disability and social handicap following traumatic brain injury (Second edition). Routledge.

Moorhouse, P., & Rockwood, K. (2008). Vascular cognitive impairment: current concepts and clinical developments. *The Lancet Neurology*, 7(3), 246-255.
[https://doi.org/10.1016/S1474-4422\(08\)70040-1](https://doi.org/10.1016/S1474-4422(08)70040-1)

Murphy, T. H., & Corbett, D. (2009). Plasticity during stroke recovery: from synapse to behaviour. *Nature Reviews Neuroscience*, 10(12), 861-872.
<https://doi.org/10.1038/nrn2735>

Muscle strength and muscle training after stroke. (n.d.).
<https://www.medicaljournals.se/jrm/content/abstract/10.2340/16501977-0018>

Nascimento, L. R., Michaelsen, S. M., Ada, L., Polese, J. C., & Teixeira-Salmela, L. F. (2014). Cyclical electrical stimulation increases strength and improves activity after stroke: a systematic review. *Journal of Physiotherapy*, 60(1), 22-30.
<https://doi.org/10.1016/j.jphys.2013.12.002>

Nys, G. M. S., van Zandvoort, M. J. E., de Kort, P. L. M., van der Worp, H. B., Jansen, B. P. W., Algra, A., de Haan, E. H. F., & Kappelle, L. J. (2005). The prognostic value of domain-specific cognitive abilities in acute first-ever stroke. *Neurology*, 64(5), 821-827.
<https://doi.org/10.1212/01.WNL.0000152984.28420.5A>

PA Mortenson. (2003). The use of casts in the management of joint mobility and hypertonia following brain injury in adults: a systematic review.
<https://www.ncbi.nlm.nih.gov/pubmedhealth/PMH0020153/>

Palmer, R., Enderby, P., Cooper, C., Latimer, N., Julious, S., Paterson, G., Dimairo, M., Dixon, S., Mortley, J., Hilton, R., Delaney, A., & Hughes, H. (2012). Computer Therapy Compared With Usual Care for People With Long-Standing Aphasia Poststroke: A Pilot Randomized Controlled Trial. *Stroke*, 43(7), 1904–1911.
<https://doi.org/10.1161/STROKEAHA.112.650671>

Pollock, A., Farmer, S. E., Brady, M. C., Langhorne, P., Mead, G. E., Mehrholz, J., & van Wijck, F. (2014). Interventions for improving upper limb function after stroke. *Cochrane Database of Systematic Reviews*. <https://doi.org/10.1002/14651858.CD010820.pub2>

Quality Assurance Standards for physiotherapy service delivery | The Chartered Society of Physiotherapy. (n.d.). <http://www.csp.org.uk/publications/quality-assurance-standards>

Rehabilitation of cognitive impairment post stroke. (n.d.).
http://www.ebsr.com/sites/default/files/Chapter%205_Cognitive.pdf

Reinkensmeyer, D. J., Burdet, E., Casadio, M., Krakauer, J. W., Kwakkel, G., Lang, C. E., Swinnen, S. P., Ward, N. S., & Schweighofer, N. (2016). Computational neurorehabilitation: modeling plasticity and learning to predict recovery. *Journal of NeuroEngineering and Rehabilitation*, 13(1). <https://doi.org/10.1186/s12984-016-0148-3>

Rushton, D. N. (2003). Functional Electrical Stimulation and rehabilitation—an hypothesis. *Medical Engineering & Physics*, 25(1), 75–78.
[https://doi.org/10.1016/S1350-4533\(02\)00040-1](https://doi.org/10.1016/S1350-4533(02)00040-1)

Sachdev, P. S., Lipnicki, D. M., Crawford, J. D., Wen, W., & Brodaty, H. (2014). Progression of cognitive impairment in stroke/TIA patients over 3 years. *Journal of Neurology, Neurosurgery & Psychiatry*, 85(12), 1324–1330. <https://doi.org/10.1136/jnnp-2013-306776>

Stein, C., Fritsch, C. G., Robinson, C., Sbruzzi, G., & Plentz, R. D. M. (2015). Effects of Electrical Stimulation in Spastic Muscles After Stroke. *Stroke*, 46(8), 2197–2205.
<https://doi.org/10.1161/STROKEAHA.115.009633>

Steven R Zeiler. (2013). The interaction between training and plasticity in the post-stroke brain. *Current Opinion in Neurology*, 26(6).
<https://doi.org/10.1097/WCO.0000000000000025>

Subhasish Chatterjee. (2016). The California Tri-pull Taping Method in the Treatment of Shoulder Subluxation After Stroke: A Randomized Clinical Trial. *North American Journal of Medical Sciences*, 8(4). <https://doi.org/10.4103/1947-2714.179933>

The national service framework for long term conditions. (n.d.).
<https://www.gov.uk/government/publications/quality-standards-for-supporting-people-with-long-term-conditions>

Tornås, S., Løvstad, M., Solbakk, A.-K., Evans, J., Endestad, T., Hol, P. K., Schanke, A.-K., & Stubberud, J. (2016). Rehabilitation of Executive Functions in Patients with Chronic Acquired Brain Injury with Goal Management Training, External Cuing, and Emotional Regulation: A Randomized Controlled Trial. *Journal of the International Neuropsychological Society*, 22(04), 436–452. <https://doi.org/10.1017/S1355617715001344>

Use of an integrated care pathway: a third round audit of the management of shoulder pain in neurological conditions. (n.d.).

<https://medicaljournals.se/jrm/content/abstract/10.1080/16501970310012446>

Vafadar, A. K., Côté, J. N., & Archambault, P. S. (2015). Effectiveness of Functional Electrical Stimulation in Improving Clinical Outcomes in the Upper Arm following Stroke: A Systematic Review and Meta-Analysis. *BioMed Research International*, 2015, 1-14.
<https://doi.org/10.1155/2015/729768>

Van Heugten, C. M., Walton, L., & Hentschel, U. (2015). Can we forget the Mini-Mental State Examination? A systematic review of the validity of cognitive screening instruments within one month after stroke. *Clinical Rehabilitation*, 29(7), 694-704.

<https://doi.org/10.1177/0269215514553012>

Varley, R., Cowell, P. E., Dyson, L., Inglis, L., Roper, A., & Whiteside, S. P. (2016). Self-Administered Computer Therapy for Apraxia of Speech. *Stroke*.
<https://doi.org/10.1161/STROKEAHA.115.011939>

Veerbeek, J. M., van Wegen, E., van Peppen, R., van der Wees, P. J., Hendriks, E., Rietberg, M., & Kwakkel, G. (2014). What Is the Evidence for Physical Therapy Poststroke? A Systematic Review and Meta-Analysis. *PLoS ONE*, 9(2).
<https://doi.org/10.1371/journal.pone.0087987>

Ward, N. S. (2015). Does neuroimaging help to deliver better recovery of movement after stroke? *Current Opinion in Neurology*, 28(4), 323-329.
<https://doi.org/10.1097/WCO.0000000000000223>

Ward, N. S. (2017). Restoring brain function after stroke — bridging the gap between animals and humans. *Nature Reviews Neurology*, 13(4), 244-255.
<https://doi.org/10.1038/nrneurol.2017.34>

Winegardner, J., Keohane, C., Prince, L., & Neumann, D. (2016). Perspective training to treat anger problems after brain injury: Two case studies. *NeuroRehabilitation*, 39(1), 153-162. <https://doi.org/10.3233/NRE-161347>

Ylvisaker, M., & Feeney, T. (2000a). Reflections on Dobermanns, poodles, and social rehabilitation for difficult-to-serve individuals with traumatic brain injury. *Aphasiology*, 14 (4), 407-431. <https://doi.org/10.1080/026870300401432>

Ylvisaker, M., & Feeney, T. (2000b). Reconstruction of Identity After Brain Injury. *Brain Impairment*, 1(01), 12-28. <https://doi.org/10.1375/brim.1.1.12>