

CLNEG058: Neurorehabilitation

[View Online](#)

1

Murphy TH, Corbett D. Plasticity during stroke recovery: from synapse to behaviour. *Nature Reviews Neuroscience* 2009;**10**:861–72. doi:10.1038/nrn2735

2

Ward NS. Restoring brain function after stroke — bridging the gap between animals and humans. *Nature Reviews Neurology* 2017;**13**:244–55. doi:10.1038/nrneurol.2017.34

3

Reinkensmeyer DJ, Burdet E, Casadio M, et al. Computational neurorehabilitation: modeling plasticity and learning to predict recovery. *Journal of NeuroEngineering and Rehabilitation* 2016;**13**. doi:10.1186/s12984-016-0148-3

4

Steven R Zeiler. The interaction between training and plasticity in the post-stroke brain. *Current opinion in neurology* 2013;**26**. doi:10.1097/WCO.0000000000000025

5

Kitago T, Krakauer JW. Motor learning principles for neurorehabilitation. In: *Neurological Rehabilitation*. Elsevier 2013. 93–103. doi:10.1016/B978-0-444-52901-5.00008-3

6

Carmichael ST. Brain Excitability in Stroke. *Archives of Neurology* 2012;**69**.

doi:10.1001/archneurol.2011.1175

7

Ward NS. Does neuroimaging help to deliver better recovery of movement after stroke? Current Opinion in Neurology 2015;**28**:323–9. doi:10.1097/WCO.0000000000000223

8

Archy O. de Berker. Predicting the behavioral impact of transcranial direct current stimulation: issues and limitations. Frontiers in Human Neuroscience 2013;**7**. doi:10.3389/fnhum.2013.00613

9

Bhogal SK, Teasell R, Speechley M, et al. Intensity of Aphasia Therapy, Impact on Recovery * Aphasia Therapy Works! Stroke 2003;**34**:987–93. doi:10.1161/01.STR.0000062343.64383.D0

10

Brady MC, Kelly H, Godwin J, et al. Speech and language therapy for aphasia following stroke. Cochrane Database of Systematic Reviews Published Online First: 1 June 2016. doi:10.1002/14651858.CD000425.pub4

11

Breitenstein C, Grewe T, Flöel A, et al. Intensive speech and language therapy in patients with chronic aphasia after stroke: a randomised, open-label, blinded-endpoint, controlled trial in a health-care setting. The Lancet 2017;**389**:1528–38. doi:10.1016/S0140-6736(17)30067-3

12

Dignam J, Copland D, McKinnon E, et al. Intensive Versus Distributed Aphasia Therapy. Stroke 2015;**46**:2206–11. doi:10.1161/STROKEAHA.115.009522

13

Berthier ML. Cognitive enhancing drugs in aphasia: A vote for hope. *Aphasiology* 2014;**28**:128–32. doi:10.1080/02687038.2013.857756

14

Bhogal SK, Teasell R, Speechley M, et al. Intensity of Aphasia Therapy, Impact on Recovery * Aphasia Therapy Works! *Stroke* 2003;**34**:987–93.
doi:10.1161/01.STR.0000062343.64383.D0

15

Brady MC, Kelly H, Godwin J, et al. Speech and language therapy for aphasia following stroke. *Cochrane Database of Systematic Reviews* Published Online First: 1 June 2016.
doi:10.1002/14651858.CD000425.pub4

16

Klonoff PS. *Psychotherapy after brain injury: principles and techniques*. New York: : The Guilford Press 2010.

17

Quality Assurance Standards for physiotherapy service delivery | The Chartered Society of Physiotherapy. <http://www.csp.org.uk/publications/quality-assurance-standards>

18

Code of ethics and professional conduct.
https://www.rcot.co.uk/sites/default/files/CODE-OF-ETHICS-2015_0.pdf

19

James SEF M. Contractures in orthopaedic and neurological conditions: a review of causes and treatment. *Disability and Rehabilitation* 2001;**23**:549–58.
doi:10.1080/09638280010029930

20

Harvey L, de Jong I, Goehl G, et al. Twelve weeks of nightly stretch does not reduce thumb web-space contractures in people with a neurological condition: a randomised controlled trial. *Australian Journal of Physiotherapy* 2006;**52**:251–8. doi:10.1016/S0004-9514(06)70004-6

21

Kilbride C, Hoffman K, Baird T, et al. Contemporary splinting practice in the UK for adults with neurological dysfunction: A cross-sectional survey. *International Journal of Therapy and Rehabilitation* 2013;**20**:559–66. doi:10.12968/ijtr.2013.20.11.559

22

Lannin NA, Horsley SA, Herbert R, et al. Splinting the hand in the functional position after brain impairment: A randomized, controlled trial. *Archives of Physical Medicine and Rehabilitation* 2003;**84**:297–302. doi:10.1053/apmr.2003.50031

23

Lannin NA, Cusick A, McCluskey A, et al. Effects of Splinting on Wrist Contracture After Stroke: A Randomized Controlled Trial. *Stroke* 2007;**38**:111–6. doi:10.1161/01.STR.0000251722.77088.12

24

PA Mortenson. The use of casts in the management of joint mobility and hypertonia following brain injury in adults: a systematic review. Published Online First: 2003. <https://www.ncbi.nlm.nih.gov/pubmedhealth/PMH0020153/>

25

Moorhouse P, Rockwood K. Vascular cognitive impairment: current concepts and clinical developments. *The Lancet Neurology* 2008;**7**:246–55. doi:10.1016/S1474-4422(08)70040-1

26

Rehabilitation of cognitive impairment post stroke.
http://www.ebrsr.com/sites/default/files/Chapter%205_Cognitive.pdf

27

Chaudhuri A, Behan PO. Fatigue in neurological disorders. The Lancet 2004;**363**:978–88. doi:10.1016/S0140-6736(04)15794-2

28

Duncan F, Wu S, Mead GE. Frequency and natural history of fatigue after stroke: A systematic review of longitudinal studies. Journal of Psychosomatic Research 2012;**73**:18–27. doi:10.1016/j.jpsychores.2012.04.001

29

De Doncker W, Dantzer R, Ormstad H, et al. Mechanisms of poststroke fatigue. Journal of Neurology, Neurosurgery & Psychiatry Published Online First: 22 September 2017. doi:10.1136/jnnp-2017-316007

30

Kuppuswamy A. The fatigue conundrum. Brain 2017;**140**:2240–5. doi:10.1093/brain/awx153

31

Kuppuswamy A, Clark EV, Turner IF, et al. Post-stroke fatigue: a deficit in corticomotor excitability? Brain 2015;**138**:136–48. doi:10.1093/brain/awu306

32

Kuppuswamy A, Clark E, Rothwell J, et al. Limb Heaviness. Neurorehabilitation and Neural Repair 2016;**30**:360–2. doi:10.1177/1545968315597071

33

Clinical Guidelines for Stroke Management 2017.
<https://informme.org.au/Guidelines/Clinical-Guidelines-for-Stroke-Management-2017>

34

Howlett OA, Lannin NA, Ada L, et al. Functional Electrical Stimulation Improves Activity After Stroke: A Systematic Review With Meta-Analysis. *Archives of Physical Medicine and Rehabilitation* 2015;**96**:934–43. doi:10.1016/j.apmr.2015.01.013

35

Lee J-H, Baker LL, Johnson RE, et al. Effectiveness of neuromuscular electrical stimulation for management of shoulder subluxation post-stroke: a systematic review with meta-analysis. *Clinical Rehabilitation* 2017;**31**:1431–44. doi:10.1177/0269215517700696

36

Nascimento LR, Michaelsen SM, Ada L, et al. Cyclical electrical stimulation increases strength and improves activity after stroke: a systematic review. *Journal of Physiotherapy* 2014;**60**:22–30. doi:10.1016/j.jphys.2013.12.002

37

Pollock A, Farmer SE, Brady MC, et al. Interventions for improving upper limb function after stroke. *Cochrane Database of Systematic Reviews* Published Online First: 12 November 2014. doi:10.1002/14651858.CD010820.pub2

38

Rushton DN. Functional Electrical Stimulation and rehabilitation—an hypothesis. *Medical Engineering & Physics* 2003;**25**:75–8. doi:10.1016/S1350-4533(02)00040-1

39

Stein C, Fritsch CG, Robinson C, et al. Effects of Electrical Stimulation in Spastic Muscles After Stroke. *Stroke* 2015;**46**:2197–205. doi:10.1161/STROKEAHA.115.009633

40

Vafadar AK, Côté JN, Archambault PS. Effectiveness of Functional Electrical Stimulation in Improving Clinical Outcomes in the Upper Arm following Stroke: A Systematic Review and Meta-Analysis. *BioMed Research International* 2015;**2015**:1–14. doi:10.1155/2015/729768

41

Veerbeek JM, van Wegen E, van Peppen R, et al. What Is the Evidence for Physical Therapy Poststroke? A Systematic Review and Meta-Analysis. PLoS ONE 2014;**9**. doi:10.1371/journal.pone.0087987

42

The national service framework for long term conditions.
<https://www.gov.uk/government/publications/quality-standards-for-supporting-people-with-long-term-conditions>

43

James K. The strands of speech and language therapy: weaving a therapy plan for neurorehabilitation. London: : Speechmark 2011.

44

Ylvisaker M, Feeney T. Reflections on Dobermanns, poodles, and social rehabilitation for difficult-to-serve individuals with traumatic brain injury. Aphasiology 2000;**14**:407–31. doi:10.1080/026870300401432

45

Ylvisaker M, Feeney T. Reconstruction of Identity After Brain Injury. Brain Impairment 2000;**1**:12–28. doi:10.1375/brim.1.1.12

46

C. Katz, Brooke Hallowell, Chris Co R. A multinational comparison of aphasia management practices. International Journal of Language & Communication Disorders 2000;**35**:303–14. doi:10.1080/136828200247205

47

Holland AL. Language disorders in adults: recent advances. San Diego, Calif: : College-Hill Press 1984.

48

Kleim JA, Jones TA. Principles of Experience-Dependent Neural Plasticity: Implications for Rehabilitation After Brain Damage. Journal of Speech Language and Hearing Research 2008;**51**. doi:10.1044/1092-4388(2008/018)

49

Journal of Rehabilitation Medicine - Abstract - The arm studio to intensify the upper limb rehabilitation after stroke: Concept, acceptance, utilization and preliminary clinical results. <https://medicaljournals.se/jrm/content/abstract/10.2340/16501977-0517>

50

Liao W, Wu C, Hsieh Y, et al. Effects of robot-assisted upper limb rehabilitation on daily function and real-world arm activity in patients with chronic stroke: a randomized controlled trial. Clinical Rehabilitation 2012;**26**:111-20. doi:10.1177/0269215511416383

51

Journal of Rehabilitation Medicine - Abstract - Evaluation of functional outcome measures for the hemiparetic upper limb: A systematic review. <https://www.medicaljournals.se/jrm/content/abstract/10.2340/16501977-0276>

52

Baker K, Cano SJ, Playford ED. Outcome Measurement in Stroke: A Scale Selection Strategy. Stroke 2011;**42**:1787-94. doi:10.1161/STROKEAHA.110.608505

53

Buchbinder R, Green S, Youd JM, et al. Arthrographic distension for adhesive capsulitis (frozen shoulder). Cochrane Database of Systematic Reviews Published Online First: 23 January 2008. doi:10.1002/14651858.CD007005

54

Subhasish Chatterjee. The California Tri-pull Taping Method in the Treatment of Shoulder Subluxation After Stroke: A Randomized Clinical Trial. *North American Journal of Medical Sciences* 2016;**8**. doi:10.4103/1947-2714.179933

55

Chae J, Mascarenhas D, Yu DT, et al. Poststroke Shoulder Pain: Its Relationship to Motor Impairment, Activity Limitation, and Quality of Life. *Archives of Physical Medicine and Rehabilitation* 2007;**88**:298–301. doi:10.1016/j.apmr.2006.12.007

56

Gamble GE, Barberan E, Bowsher D, et al. Post stroke shoulder pain: more common than previously realized. *European Journal of Pain* 2000;**4**:313–5. doi:10.1053/eujp.2000.0192

57

Green S, Buchbinder R, Hetrick SE. Physiotherapy interventions for shoulder pain. *Cochrane Database of Systematic Reviews* Published Online First: 22 April 2003. doi:10.1002/14651858.CD004258

58

Effects of neuromuscular electrical stimulation on arterial hemodynamic properties and body composition in paretic upper extremities of patients with subacute stroke.
http://biomedj.cgu.edu.tw/pdfs/2014/37/4/images/BiomedJ_2014_37_4_205_117892.pdf

59

Use of an integrated care pathway: a third round audit of the management of shoulder pain in neurological conditions.
<https://medicaljournals.se/jrm/content/abstract/10.1080/16501970310012446>

60

McDonald S, Togher L, Code C. Social and communication disorders following traumatic brain injury. Second edition. London: : Psychology Press, Taylor & Francis Group 2014.

61

Mateer CA, Sira CS, O'Connell ME. Putting Humpty Dumpty Together Again. *Journal of Head Trauma Rehabilitation* 2005;**20**:62–75. doi:10.1097/00001199-200501000-00007

62

Tornås S, Løvstad M, Solbakk A-K, et al. Rehabilitation of Executive Functions in Patients with Chronic Acquired Brain Injury with Goal Management Training, External Cuing, and Emotional Regulation: A Randomized Controlled Trial. *Journal of the International Neuropsychological Society* 2016;**22**:436–52. doi:10.1017/S1355617715001344

63

McMillan TM, Wood RL, editors. *Neurobehavioural disability and social handicap following traumatic brain injury*. Second edition. London: : Routledge 2017.

64

Winegardner J, Keohane C, Prince L, et al. Perspective training to treat anger problems after brain injury: Two case studies. *NeuroRehabilitation* 2016;**39**:153–62. doi:10.3233/NRE-161347

65

Cipolotti L, Warrington EK. Neuropsychological assessment. *Journal of Neurology, Neurosurgery & Psychiatry* 1995;**58**:655–64. doi:10.1136/jnnp.58.6.655

66

Sachdev PS, Lipnicki DM, Crawford JD, et al. Progression of cognitive impairment in stroke/TIA patients over 3 years. *Journal of Neurology, Neurosurgery & Psychiatry* 2014;**85**:1324–30. doi:10.1136/jnnp-2013-306776

67

Nys GMS, van Zandvoort MJE, de Kort PLM, et al. The prognostic value of domain-specific cognitive abilities in acute first-ever stroke. *Neurology* 2005;**64**:821–7.

doi:10.1212/01.WNL.0000152984.28420.5A

68

Hurford R, Charidimou A, Fox Z, et al. Domain-specific trends in cognitive impairment after acute ischaemic stroke. *Journal of Neurology* 2013;**260**:237–41. doi:10.1007/s00415-012-6625-0

69

Van Heugten CM, Walton L, Hentschel U. Can we forget the Mini-Mental State Examination? A systematic review of the validity of cognitive screening instruments within one month after stroke. *Clinical Rehabilitation* 2015;**29**:694–704. doi:10.1177/0269215514553012

70

Manually add a new bookmark | University College London.
<http://readinglists.ucl.ac.uk/ui/forms/bookmarklet.html?fast=true&title=Journal%20of%20Rehabilitation%20Medicine%20-%20Abstract%20-%20Screening%20for%20cognitive%20impairment%20after%20stroke%3A%20A%20systematic%20review%20of%20psychometric%20properties%20and%20clinical%20utility&uri=https%253A%252F%252Fwww.medicaljournals.se%252Fjrm%252Fcontent%252Fabstract%252F10.2340%252F16501977-1930>

71

Chan E, Altendorff S, Healy C, et al. The test accuracy of the Montreal Cognitive Assessment (MoCA) by stroke lateralisation. *Journal of the Neurological Sciences* 2017;**373**:100–4. doi:10.1016/j.jns.2016.12.028

72

Chan E, Khan S, Oliver R, et al. Underestimation of cognitive impairments by the Montreal Cognitive Assessment (MoCA) in an acute stroke unit population. *Journal of the Neurological Sciences* 2014;**343**:176–9. doi:10.1016/j.jns.2014.05.005

73

Craig P, Dieppe P, Macintyre S, et al. Developing and evaluating complex interventions: the new Medical Research Council guidance. *BMJ Published Online First*: 29 September 2008.

doi:10.1136/bmj.a1655

74

Katz RC, Wertz RT. The Efficacy of Computer-Provided Reading Treatment for Chronic Aphasic Adults. *Journal of Speech Language and Hearing Research* 1997;**40**. doi:10.1044/jslhr.4003.493

75

Marshall J, Booth T, Devane N, et al. Evaluating the Benefits of Aphasia Intervention Delivered in Virtual Reality: Results of a Quasi-Randomised Study. *PLOS ONE* 2016;**11**. doi:10.1371/journal.pone.0160381

76

Palmer R, Enderby P, Cooper C, et al. Computer Therapy Compared With Usual Care for People With Long-Standing Aphasia Poststroke: A Pilot Randomized Controlled Trial. *Stroke* 2012;**43**:1904–11. doi:10.1161/STROKEAHA.112.650671

77

Varley R, Cowell PE, Dyson L, et al. Self-Administered Computer Therapy for Apraxia of Speech. *Stroke* Published Online First: 21 January 2016. doi:10.1161/STROKEAHA.115.011939

78

Bowen A, Hazelton C, Pollock A, et al. Cognitive rehabilitation for spatial neglect following stroke. *Cochrane Database of Systematic Reviews* Published Online First: 1 July 2013. doi:10.1002/14651858.CD003586.pub3

79

Corbetta M, Kincade MJ, Lewis C, et al. Neural basis and recovery of spatial attention deficits in spatial neglect. *Nature Neuroscience* 2005;**8**:1603–10. doi:10.1038/nn1574

80

Ferro JM, Mariano G, Madureira S. Recovery from Aphasia and Neglect. *Cerebrovascular Diseases* 1999;**9**:6–22. doi:10.1159/000047571

81

Frassinetti F, Angeli V, Meneghello F, et al. Long-lasting amelioration of visuospatial neglect by prism adaptation. *Brain* 2002;**125**:608–23. doi:10.1093/brain/awf056

82

Gorgoraptis N, Mah Y-H, Machner B, et al. The effects of the dopamine agonist rotigotine on hemispatial neglect following stroke. *Brain* 2012;**135**:2478–91. doi:10.1093/brain/aws154

83

Kaplan RF, Verfaellie M, Meadows M-E, et al. Changing Attentional Demands in Left Hemispatial Neglect. *Archives of Neurology* 1991;**48**:1263–6. doi:10.1001/archneur.1991.00530240067023

84

Kerkhoff G, Bucher L, Brasse M, et al. Smooth Pursuit "Bedside" Training Reduces Disability and Unawareness During the Activities of Daily Living in Neglect. *Neurorehabilitation and Neural Repair* 2014;**28**:554–63. doi:10.1177/1545968313517757

85

Koiava N, Ong Y-H, Brown MM, et al. A 'web app' for diagnosing hemianopia. *Journal of Neurology, Neurosurgery & Psychiatry* 2012;**83**:1222–4. doi:10.1136/jnnp-2012-302270

86

Grieve JJ. *Neuropsychology for occupational therapists: cognition in occupational performance*. Fourth edition. Hoboken, NJ, USA: : Wiley Blackwell 2017.

87

Gillen G, St Bartholomew School of Nursing and Midwifery. *Cognitive and perceptual*

rehabilitation: optimizing function. St. Louis, Mo: : Mosby/Elsevier 2009.

88

Amy J. Bastian. Understanding sensorimotor adaptation and learning for rehabilitation. *Current opinion in neurology* 2008;**21**. doi:10.1097/WCO.0b013e328315a293

89

Bernhardt J, Thuy MN, Collier JM, et al. Very early versus delayed mobilisation after stroke. *Cochrane Database of Systematic Reviews Published Online First*: 21 January 2009. doi:10.1002/14651858.CD006187.pub2

90

Muscle strength and muscle training after stroke.
<https://www.medicaljournals.se/jrm/content/abstract/10.2340/16501977-0018>

91

Carey L, Macdonell R, Matyas TA. SENSE: Study of the Effectiveness of Neurorehabilitation on Sensation. *Neurorehabilitation and Neural Repair* 2011;**25**:304–13. doi:10.1177/1545968310397705

92

Connell L, Tyson S. Measures of sensation in neurological conditions: a systematic review. *Clinical Rehabilitation* 2012;**26**:68–80. doi:10.1177/0269215511412982

93

Connell LA, McMahon NE, Adams N. Stroke survivors' experiences of somatosensory impairment after stroke: An Interpretative Phenomenological Analysis. *Physiotherapy* 2014;**100**:150–5. doi:10.1016/j.physio.2013.09.003

94

Demetrios M, Khan F, Turner-Stokes L, et al. Multidisciplinary rehabilitation following

botulinum toxin and other focal intramuscular treatment for post-stroke spasticity. Cochrane Database of Systematic Reviews Published Online First: 5 June 2013. doi:10.1002/14651858.CD009689.pub2

95

Doyle S, Bennett S, Fasoli SE, et al. Interventions for sensory impairment in the upper limb after stroke. Cochrane Database of Systematic Reviews Published Online First: 16 June 2010. doi:10.1002/14651858.CD006331.pub2

96

Klemens Fheodoroff. Factors Influencing Goal Attainment in Patients with Post-Stroke Upper Limb Spasticity Following Treatment with Botulinum Toxin A in Real-Life Clinical Practice: Sub-Analyses from the Upper Limb International Spasticity (ULIS)-II Study. Toxins 2015;**7**. doi:10.3390/toxins7041192