

ANIMGN11 / ANIMGN20: Advanced Imaging

[View Online](#)

[1]

Andersson, J.L.R. et al. 2001. Modeling Geometric Deformations in EPI Time Series. *NeuroImage*. 13, 5 (May 2001), 903–919. DOI:<https://doi.org/10.1006/nimg.2001.0746>.

[2]

Ashburner, J. 2007. A fast diffeomorphic image registration algorithm. *NeuroImage*. 38, 1 (Oct. 2007), 95–113. DOI:<https://doi.org/10.1016/j.neuroimage.2007.07.007>.

[3]

Ashburner, J. 2009. Computational anatomy with the SPM software. *Magnetic Resonance Imaging*. 27, 8 (Oct. 2009), 1163–1174. DOI:<https://doi.org/10.1016/j.mri.2009.01.006>.

[4]

Ashburner, J. and Friston, K.J. 2009. Computing average shaped tissue probability templates. *NeuroImage*. 45, 2 (Apr. 2009), 333–341. DOI:<https://doi.org/10.1016/j.neuroimage.2008.12.008>.

[5]

Ashburner, J. and Friston, K.J. 2005. Unified segmentation. *NeuroImage*. 26, 3 (Jul. 2005), 839–851. DOI:<https://doi.org/10.1016/j.neuroimage.2005.02.018>.

[6]

Ashburner, J. and Friston, K.J. 2000. Voxel-Based Morphometry—The Methods. *NeuroImage*.

11, 6 (Jun. 2000), 805–821. DOI:<https://doi.org/10.1006/nimg.2000.0582>.

[7]

Ashburner, J. and Friston, K.J. 2000. Voxel-Based Morphometry—The Methods. *NeuroImage*. 11, 6 (Jun. 2000), 805–821. DOI:<https://doi.org/10.1006/nimg.2000.0582>.

[8]

Ashburner, J. and Klöppel, S. 2011. Multivariate models of inter-subject anatomical variability. *NeuroImage*. 56, 2 (May 2011), 422–439. DOI:<https://doi.org/10.1016/j.neuroimage.2010.03.059>.

[9]

Attwell, D. and Iadecola, C. 2002. The neural basis of functional brain imaging signals. *Trends in Neurosciences*. 25, 12 (Dec. 2002), 621–625. DOI:[https://doi.org/10.1016/S0166-2236\(02\)02264-6](https://doi.org/10.1016/S0166-2236(02)02264-6).

[10]

Barnes, J. et al. 2008. A comparison of methods for the automated calculation of volumes and atrophy rates in the hippocampus. *NeuroImage*. 40, 4 (May 2008), 1655–1671. DOI:<https://doi.org/10.1016/j.neuroimage.2008.01.012>.

[11]

Buxton, R.B. 2002. *Introduction to Functional Magnetic Resonance Imaging: Principles and Techniques*. Cambridge University Press.

[12]

Buxton, R.B. et al. 2004. Modeling the hemodynamic response to brain activation. *NeuroImage*. 23, (Jan. 2004), S220–S233. DOI:<https://doi.org/10.1016/j.neuroimage.2004.07.013>.

[13]

By: van Buchem, MA (van Buchem, MA); Tofts, PS (Tofts, PS) 2000. Magnetization transfer imaging. *NEUROIMAGING CLINICS OF NORTH AMERICA* *NEUROIMAGING CLINICS OF NORTH AMERICA*. 10, 4 (2000).

[14]

Chupin, M. et al. 2007. Anatomically constrained region deformation for the automated segmentation of the hippocampus and the amygdala: Method and validation on controls and patients with Alzheimer's disease. *NeuroImage*. 34, 3 (Feb. 2007), 996–1019. DOI:<https://doi.org/10.1016/j.neuroimage.2006.10.035>.

[15]

Daunizeau, J. et al. 2013. An electrophysiological validation of stochastic DCM for fMRI. *Frontiers in Computational Neuroscience*. 6, (2013). DOI:<https://doi.org/10.3389/fncom.2012.00103>.

[16]

Edelman, R.R. et al. 1996. *MRI: clinical magnetic resonance imaging volume 1*. Saunders.

[17]

FIRST - FslWiki: <http://fsl.fmrib.ox.ac.uk/fsl/fslwiki/FIRST>.

[18]

Fischl, B. and Dale, A.M. 2000. Measuring the thickness of the human cerebral cortex from magnetic resonance images. *Proceedings of the National Academy of Sciences*. 97, 20 (Sep. 2000), 11050–11055. DOI:<https://doi.org/10.1073/pnas.200033797>.

[19]

Friston, K. and Penny, W. 2011. Post hoc Bayesian model selection. *NeuroImage*. 56, 4 (Jun. 2011), 2089–2099. DOI:<https://doi.org/10.1016/j.neuroimage.2011.03.062>.

[20]

Friston, K.J. et al. 2003. Dynamic causal modelling. *NeuroImage*. 19, 4 (Aug. 2003), 1273–1302. DOI:[https://doi.org/10.1016/S1053-8119\(03\)00202-7](https://doi.org/10.1016/S1053-8119(03)00202-7).

[21]

Glover, G.H. et al. 2000. Image-based method for retrospective correction of physiological motion effects in fMRI: RETROICOR. *Magnetic Resonance in Medicine*. 44, 1 (Jul. 2000), 162–167.
DOI:[https://doi.org/10.1002/1522-2594\(200007\)44:1<162::AID-MRM23>3.0.CO;2-E](https://doi.org/10.1002/1522-2594(200007)44:1<162::AID-MRM23>3.0.CO;2-E).

[22]

Golay, Xavier PhD* Perfusion Imaging Using Arterial Spin Labeling. *Topics in Magnetic Resonance Imaging*. 15, 1, 10–27.

[23]

Good, C.D. et al. 2001. A Voxel-Based Morphometric Study of Ageing in 465 Normal Adult Human Brains. *NeuroImage*. 14, 1 (Jul. 2001), 21–36.
DOI:<https://doi.org/10.1006/nimg.2001.0786>.

[24]

Hobbs, N.Z. et al. 2011. The structural involvement of the cingulate cortex in premanifest and early Huntington's disease. *Movement Disorders*. 26, 9 (Aug. 2011), 1684–1690.
DOI:<https://doi.org/10.1002/mds.23747>.

[25]

Huettel, S.A. et al. 2014. *Functional magnetic resonance imaging*. Sinauer Associates, Inc., Publishers.

[26]

Human Brain Function: <http://www.fil.ion.ucl.ac.uk/spm/doc/books/hbf1/>.

[27]

Jezzard, P. et al. 2001. Functional magnetic resonance imaging: an introduction to methods . Oxford University Press.

[28]

Jezzard, P. and Balaban, R.S. 1995. Correction for geometric distortion in echo planar images from B0 field variations. *Magnetic Resonance in Medicine*. 34, 1 (Jul. 1995), 65–73. DOI:<https://doi.org/10.1002/mrm.1910340111>.

[29]

Johansen-Berg, H. and Behrens, T.E.J. eds. 2014. *Diffusion MRI: from quantitative measurement to in vivo neuroanatomy*. Academic Press.

[30]

John Detre's slides on ASL fMRI: <https://cfn.upenn.edu/perfusion/index.htm>.

[31]

Johnson, G. *Absolute Beginners Guide to Perfusion MRI*.

[32]

Jones, D.K. 2011. *Diffusion MRI: theory, methods, and applications*. Oxford University Press.

[33]

Kahan, J. and Foltynie, T. 2013. Understanding DCM: Ten simple rules for the clinician. *NeuroImage*. 83, (Dec. 2013), 542–549. DOI:<https://doi.org/10.1016/j.neuroimage.2013.07.008>.

[34]

Le Bihan, D. 2003. Looking into the functional architecture of the brain with diffusion MRI. *Nature Reviews Neuroscience*. 4, 6 (Jun. 2003), 469–480. DOI:<https://doi.org/10.1038/nrn1119>.

[35]

Li, B. et al. 2011. Generalised filtering and stochastic DCM for fMRI. *NeuroImage*. 58, 2 (Sep. 2011), 442–457. DOI:<https://doi.org/10.1016/j.neuroimage.2011.01.085>.

[36]

Logothetis, N.K. 2008. What we can do and what we cannot do with fMRI. *Nature*. 453, 7197 (Jun. 2008), 869–878. DOI:<https://doi.org/10.1038/nature06976>.

[37]

Logothetis, N.K. 2008. What we can do and what we cannot do with fMRI. *Nature*. 453, 7197 (Jun. 2008), 869–878. DOI:<https://doi.org/10.1038/nature06976>.

[38]

Marreiros, A.C. et al. 2008. Dynamic causal modelling for fMRI: A two-state model. *NeuroImage*. 39, 1 (Jan. 2008), 269–278. DOI:<https://doi.org/10.1016/j.neuroimage.2007.08.019>.

[39]

Mechelli, A. 2005. Structural Covariance in the Human Cortex. *Journal of Neuroscience*. 25, 36 (Sep. 2005), 8303–8310. DOI:<https://doi.org/10.1523/JNEUROSCI.0357-05.2005>.

[40]

Mechelli, A. et al. 2005. Voxel-Based Morphometry of the Human Brain: Methods and Applications. *Current Medical Imaging Reviews*. 1, 2 (Jun. 2005), 105–113. DOI:<https://doi.org/10.2174/1573405054038726>.

[41]

Norris, D.G. 2006. Principles of magnetic resonance assessment of brain function. *Journal of Magnetic Resonance Imaging*. 23, 6 (Jun. 2006), 794–807. DOI:<https://doi.org/10.1002/jmri.20587>.

[42]

Parkes, L.M. and Detre, J.A. 2003. ASL: Blood Perfusion Measurements Using Arterial Spin Labelling. Quantitative MRI of the Brain. P. Tofts, ed. John Wiley & Sons, Ltd. 455–473.

[43]

Pennec, X. et al. 1999. Understanding the "Demon's Algorithm": 3D Non-rigid Registration by Gradient Descent. Medical Image Computing and Computer-Assisted Intervention – MICCAI'99. C. Taylor and A. Colchester, eds. Springer Berlin Heidelberg. 597–605.

[44]

Questions and Answers in MRI: <http://mri-q.com/index.html>.

[45]

Razi, A. et al. 2015. Construct validation of a DCM for resting state fMRI. NeuroImage. 106, (Feb. 2015), 1–14. DOI:<https://doi.org/10.1016/j.neuroimage.2014.11.027>.

[46]

Rohlfing, T. 2012. Image Similarity and Tissue Overlaps as Surrogates for Image Registration Accuracy: Widely Used but Unreliable. IEEE Transactions on Medical Imaging. 31, 2 (Feb. 2012), 153–163. DOI:<https://doi.org/10.1109/TMI.2011.2163944>.

[47]

Rosa, M.J. et al. 2012. Post-hoc selection of dynamic causal models. Journal of Neuroscience Methods. 208, 1 (Jun. 2012), 66–78. DOI:<https://doi.org/10.1016/j.jneumeth.2012.04.013>.

[48]

Rueckert, D. et al. 1999. Nonrigid registration using free-form deformations: application to breast MR images. IEEE Transactions on Medical Imaging. 18, 8 (1999), 712–721. DOI:<https://doi.org/10.1109/42.796284>.

[49]

Schmitz, C. and Hof, P.R. 2005. Design-based stereology in neuroscience. *Neuroscience*. 130, 4 (Jan. 2005), 813–831. DOI:<https://doi.org/10.1016/j.neuroscience.2004.08.050>.

[50]

Stephan, K.E. et al. 2008. Nonlinear dynamic causal models for fMRI. *NeuroImage*. 42, 2 (Aug. 2008), 649–662. DOI:<https://doi.org/10.1016/j.neuroimage.2008.04.262>.

[51]

Stephan, K.E. 2004. On the role of general system theory for functional neuroimaging. *Journal of Anatomy*. 205, 6 (Dec. 2004), 443–470. DOI:<https://doi.org/10.1111/j.0021-8782.2004.00359.x>.

[52]

Stephan, K.E. et al. 2010. Ten simple rules for dynamic causal modeling. *NeuroImage*. 49, 4 (Feb. 2010), 3099–3109. DOI:<https://doi.org/10.1016/j.neuroimage.2009.11.015>.

[53]

Studholme, C. et al. 1999. An overlap invariant entropy measure of 3D medical image alignment. *Pattern Recognition*. 32, 1 (Jan. 1999), 71–86. DOI:[https://doi.org/10.1016/S0031-3203\(98\)00091-0](https://doi.org/10.1016/S0031-3203(98)00091-0).

[54]

Tofts, P. and John Wiley & Sons, Ltd 2003. *Quantitative MRI of the brain: measuring changes caused by disease*. Wiley.

[55]

Triantafyllou, C. et al. 2005. Comparison of physiological noise at 1.5 T, 3 T and 7 T and optimization of fMRI acquisition parameters. *NeuroImage*. 26, 1 (May 2005), 243–250. DOI:<https://doi.org/10.1016/j.neuroimage.2005.01.007>.

[56]

Weiskopf, N. et al. 2006. Optimal EPI parameters for reduction of susceptibility-induced BOLD sensitivity losses: A whole-brain analysis at 3 T and 1.5 T. *NeuroImage*. 33, 2 (Nov. 2006), 493–504. DOI:<https://doi.org/10.1016/j.neuroimage.2006.07.029>.

[57]

Wiggins, G.C. et al. 2006. 32-channel 3 Tesla receive-only phased-array head coil with soccer-ball element geometry. *Magnetic Resonance in Medicine*. 56, 1 (Jul. 2006), 216–223. DOI:<https://doi.org/10.1002/mrm.20925>.

[58]

Wright, I.C. et al. 1995. A Voxel-Based Method for the Statistical Analysis of Gray and White Matter Density Applied to Schizophrenia. *NeuroImage*. 2, 4 (Dec. 1995), 244–252. DOI:<https://doi.org/10.1006/nimg.1995.1032>.

[59]

Artifacts in Diffusion MRI.

[60]

15AD. Dynamic magnetic resonance imaging of human brain activity during primary sensory stimulation. *Proceedings of the National Academy of Sciences of the United States of America*. 89, 12 (15AD).