

CHMEGH23: Principles of Health Informatics

[View Online](#)

[1]

P. Taylor, From patient data to medical knowledge: the principles and practice of health informatics. London: BMJ, 2006.

[2]

E. Coiera, Guide to health informatics, Third edition. Boca Raton: CRC Press, 2015.

[3]

T. Foley and F. Fairmichael, 'The Potential of Learning Healthcare Systems'. 2015.

Available:

<http://www.learninghealthcareproject.org/publication/1/112/the-potential-of-learning-health-care-systems>

[4]

R. Wachter, 'Using information technology to improve the NHS'. Department of Health, 2016. Available:

<https://www.gov.uk/government/publications/using-information-technology-to-improve-the-nhs>

[5]

T. GREENHALGH, H. W. W. Potts, G. Wong, P. Bark, and D. Swinglehurst, 'Tensions and paradoxes in electronic patient record research: a systematic literature review using the meta-narrative method.', The Milbank Quarterly, vol. 87, no. 4, pp. 729–788, 2009, doi: 10.1111/j.1468-0009.2009.00578.x

[6]

C. Friedman et al., 'Toward a science of learning systems: a research agenda for the high-functioning Learning Health System', *Journal of the American Medical Informatics Association*, Oct. 2014, doi: 10.1136/amiainl-2014-002977

[7]

E. Yom-Tov, D. Borsa, I. J. Cox, and R. A. McKendry, 'Detecting Disease Outbreaks in Mass Gatherings Using Internet Data', *Journal of Medical Internet Research*, vol. 16, no. 6, June 2014, doi: 10.2196/jmir.3156

[8]

J. Dixon, C. Sanderson, P. Elliott, P. Walls, J. Jones, and M. Petticrew, 'Assessment of the reproducibility of clinical coding in routinely collected hospital activity data: a study in two hospitals', *Journal of Public Health*, vol. 20, no. 1, pp. 63–69, 1998, Available: <http://jpubhealth.oxfordjournals.org/content/20/1/63>

[9]

P. Taylor, 'Rigging the Death Rate', *The London Review of Books*, 11 AD, Available: <http://www.lrb.co.uk/v35/n07/paul-taylor/rigging-the-death-rate>

[10]

N. Freemantle et al., 'Weekend hospitalization and additional risk of death: An analysis of inpatient data', *JRSM*, vol. 105, no. 2, pp. 74–84, Feb. 2012, doi: 10.1258/jrsm.2012.120009

[11]

L. Li and P. M. Rothwell, 'Biases in detection of apparent "weekend effect" on outcome with administrative coding data: population based study of stroke', *BMJ*, May 2016, doi: 10.1136/bmj.i2648

[12]

L. Li et al., 'Identification of type 2 diabetes subgroups through topological analysis of patient similarity', *Science Translational Medicine*, vol. 7, no. 311, pp. 311ra174–311ra174,

Oct. 2015, doi: 10.1126/scitranslmed.aaa9364

[13]

R. B. D'Agostino et al., 'General Cardiovascular Risk Profile for Use in Primary Care: The Framingham Heart Study', *Circulation*, vol. 117, no. 6, pp. 743–753, Feb. 2008, doi: 10.1161/CIRCULATIONAHA.107.699579

[14]

J. S. Weissman et al., 'Comparing Patient-Reported Hospital Adverse Events with Medical Record Review: Do Patients Know Something That Hospitals Do Not?', *Annals of Internal Medicine*, vol. 149, no. 2, July 2008, doi: 10.7326/0003-4819-149-2-200807150-00006

[15]

T.-P. v. Staa et al., 'Pragmatic randomised trials using routine electronic health records: putting them to the test', *BMJ*, vol. 344, no. feb07 1, pp. e55–e55, Mar. 2012, doi: 10.1136/bmj.e55

[16]

T. GREENHALGH, G. ROBERT, F. MACFARLANE, P. BATE, and O. KYRIAKIDOU, 'Diffusion of Innovations in Service Organizations: Systematic Review and Recommendations', *The Milbank Quarterly*, vol. 82, no. 4, pp. 581–629, Dec. 2004, doi: 10.1111/j.0887-378X.2004.00325.x

[17]

S. Michie, M. M. van Stralen, and R. West, 'The behaviour change wheel: A new method for characterising and designing behaviour change interventions', *Implementation Science*, vol. 6, no. 1, Dec. 2011, doi: 10.1186/1748-5908-6-42

[18]

J. Fox, M. Gutenstein, O. Khan, M. South, and R. Thomson, 'OpenClinical.net: A platform for creating and sharing knowledge and promoting best practice in healthcare', *Computers in Industry*, vol. 66, pp. 63–72, Jan. 2015, doi: 10.1016/j.compind.2014.10.001

[19]

C. Sherlaw-Johnson, 'A Method for Detecting Runs of Good and Bad Clinical Outcomes on Variable Life-Adjusted Display (VLAD) Charts', *Health Care Management Science*, vol. 8, no. 1, pp. 61–65, Feb. 2005, doi: 10.1007/s10729-005-5217-2

[20]

T. Rapley et al., 'Doctor–patient interaction in a randomised controlled trial of decision-support tools', *Social Science & Medicine*, vol. 62, no. 9, pp. 2267–2278, May 2006, doi: 10.1016/j.socscimed.2005.10.011

[21]

I. Carpenter, M. B. Ram, G. P. Croft, and J. G. Williams, 'Medical records and record-keeping standards', *Clinical Medicine*, vol. 7, no. 4, pp. 328–331, Aug. 2007, doi: 10.7861/clinmedicine.7-4-328

[22]

J. J. Cimino, 'Desiderata for controlled medical vocabularies in the twenty-first century', *Methods of Information in Medicine*, vol. 37, no. 4–5, pp. 394–403, 1998, Available: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3415631/>

[23]

IHTSDO, 'SNOMED Clinical Terms ® User Guide January 2010 International Release'. 2010.

[24]

A. L. Rector, 'Clinical Terminology: Why Is it so Hard?', *Methods of Information in Medicine*, vol. 38, no. 4/5, pp. 239–252, 1999.

[25]

A. L. Rector, S. Brandt, and T. Schneider, 'Getting the foot out of the pelvis: modeling problems affecting use of SNOMED CT hierarchies in practical applications', *Journal of the American Medical Informatics Association*, vol. 18, no. 4, pp. 432–440, Apr. 2011, doi: 10.1136/amiajnl-2010-000045

[26]

R. Cornet, 'Definitions and Qualifiers in SNOMED CT', *Methods of Information in Medicine*, vol. 48, no. 2, pp. 178–183, 2009.

[27]

M. Bramley, 'A framework for evaluating health classifications ', *Health Information Management*, vol. 34, no. 3, pp. 71–83, 2005, Available: http://www.himaa.org.au/members/journal/34_3_2006/pdf/bramley.pdf

[28]

T. Sampalli, M. Shepherd, J. Duffy, and R. Fox, 'An evaluation of SNOMED CT® in the domain of complex chronic conditions', *International Journal of Integrated Care*, vol. 10, 2010.

[29]

S. Kripalani, F. LeFevre, C. O. Phillips, M. V. Williams, P. Basaviah, and D. W. Baker, 'Deficits in Communication and Information Transfer Between Hospital-Based and Primary Care Physicians Implications for Patient Safety and Continuity of Care', *JAMA: The Journal of the American Medical Association*, vol. 297, no. 8, Feb. 2007, doi: 10.1001/jama.297.8.831

[30]

R. L. Knowles, C. Bull, C. Wren, and C. Dezateux, 'Ethics, governance and consent in the UK: implications for research into the longer-term outcomes of congenital heart defects', *Archives of Disease in Childhood*, vol. 96, no. 1, pp. 14–20, Sept. 2009, doi: 10.1136/adc.2008.152975

[31]

R. A. Lyons et al., 'The SAIL databank: linking multiple health and social care datasets', *BMC Medical Informatics and Decision Making*, vol. 9, no. 1, 2009, doi: 10.1186/1472-6947-9-3

[32]

P. Singleton and M. Wadsworth, 'Consent for the use of personal medical data in research', *BMJ*, vol. 333, no. 7561, pp. 255–258, July 2006, doi: 10.1136/bmj.333.7561.255

[33]

H. F. Willard, M. Angrist, and G. S. Ginsburg, 'Genomic medicine: genetic variation and its impact on the future of health care', *Philosophical Transactions of the Royal Society B: Biological Sciences*, vol. 360, no. 1460, pp. 1543–1550, Aug. 2005, doi: 10.1098/rstb.2005.1683

[34]

M. Eichelbaum, M. Ingelman-Sundberg, and W. E. Evans, 'Pharmacogenomics and Individualized Drug Therapy', *Annual Review of Medicine*, vol. 57, no. 1, pp. 119–137, Feb. 2006, doi: 10.1146/annurev.med.56.082103.104724

[35]

K. El Emam, D. Buckeridge, R. Tamblyn, A. Neisa, E. Jonker, and A. Verma, 'The re-identification risk of Canadians from longitudinal demographics', *BMC Medical Informatics and Decision Making*, vol. 11, no. 1, 2011, doi: 10.1186/1472-6947-11-46

[36]

C. McCowan, B. Kidd, and T. Fahey, 'Factors associated with mortality in Scottish patients receiving methadone in primary care: retrospective cohort study', *BMJ*, vol. 338, no. jun16 4, pp. b2225–b2225, June 2009, doi: 10.1136/bmj.b2225

[37]

H. Xu et al., 'Facilitating pharmacogenetic studies using electronic health records and natural-language processing: a case study of warfarin', *Journal of the American Medical Informatics Association*, vol. 18, no. 4, pp. 387–391, June 2011, doi: 10.1136/amiajnl-2011-000208

[38]

D. J. Willison et al., 'Access to medical records for research purposes: varying perceptions

across research ethics boards', *Journal of Medical Ethics*, vol. 34, no. 4, pp. 308–314, Apr. 2008, doi: 10.1136/jme.2006.020032

[39]

W. E. Winkler, 'Overview of Record Linkage and Current Research Directions (Statistics #2006-2)', RESEARCH REPORT SERIES. Statistical Research Division, U.S. Census Bureau, Feb. 08, 2006.

[40]

M. McCartney, 'Care.data doesn't care enough about consent', *BMJ*, vol. 348, no. apr22 20, pp. g2831–g2831, Apr. 2014, doi: 10.1136/bmj.g2831

[41]

J. Sheather and S. Brannan, 'Patient confidentiality in a time of care.data', *BMJ*, vol. 347, no. nov27 1, pp. f7042–f7042, Nov. 2013, doi: 10.1136/bmj.f7042

[42]

I. P. Fellegi and A. B. Sunter, 'A Theory for Record Linkage', *Journal of the American Statistical Association*, vol. 64, no. 328, pp. 1183–1210, 1969.

[43]

J. M. Finney, A. Walker, T. E. Peto, and D. H. Wyllie, 'An efficient record linkage scheme using graphical analysis for identifier error detection', *BMC Medical Informatics and Decision Making*, vol. 11, no. 1, 2011, doi: 10.1186/1472-6947-11-7

[44]

A. Steventon et al., 'Effect of telehealth on use of secondary care and mortality: findings from the Whole System Demonstrator cluster randomised trial', *BMJ*, vol. 344, no. jun21 3, pp. e3874–e3874, June 2012, doi: 10.1136/bmj.e3874

[45]

E. Cottrell, R. Chambers, and P. O'Connell, 'Using simple telehealth in primary care to reduce blood pressure: a service evaluation', *BMJ Open*, vol. 2, no. 6, pp. e001391-e001391, Oct. 2012, doi: 10.1136/bmjopen-2012-001391

[46]

E. Cottrell, K. McMillan, and R. Chambers, 'A cross-sectional survey and service evaluation of simple telehealth in primary care: what do patients think?', *BMJ Open*, vol. 2, no. 6, pp. e001392-e001392, Nov. 2012, doi: 10.1136/bmjopen-2012-001392

[47]

J. Polisena, K. Tran, K. Cimon, B. Hutton, S. McGill, and K. Palmer, 'Home telehealth for diabetes management: a systematic review and meta-analysis', *Diabetes, Obesity and Metabolism*, vol. 11, no. 10, pp. 913-930, Oct. 2009, doi: 10.1111/j.1463-1326.2009.01057.x

[48]

C. Sanders et al., 'Exploring barriers to participation and adoption of telehealth and telecare within the Whole System Demonstrator trial: a qualitative study', *BMC Health Services Research*, vol. 12, no. 1, 2012, doi: 10.1186/1472-6963-12-220

[49]

'NHS e - Referral Service Vision and Key messages'. Health and Social Care Information Centre. Available: <http://systems.hscic.gov.uk/ers/ersvision.pdf>

[50]

'Choose and Book Directory of Services'. Available: <http://www.chooseandbook.nhs.uk/staff/communications/fact/dos.pdf>

[51]

T. Greenhalgh, R. Stones, and D. Swinglehurst, 'Choose and Book: A sociological analysis of "resistance" to an expert system', *Social Science & Medicine*, vol. 104, pp. 210-219, Mar. 2014, doi: 10.1016/j.socscimed.2013.12.014

[52]

S. Gallivan, M. Utley, T. Treasure, and O. Valencia, 'Booked inpatient admissions and hospital capacity: mathematical modelling study', *BMJ*, vol. 324, no. 7332, pp. 280–282, Feb. 2002, doi: 10.1136/bmj.324.7332.280

[53]

J. Green, Z. McDowall, and H. W. Potts, 'Does Choose & Book fail to deliver the expected choice to patients? A survey of patients' experience of outpatient appointment booking', *BMC Medical Informatics and Decision Making*, vol. 8, no. 1, 2008, doi: 10.1186/1472-6947-8-36

[54]

A. Mol, *The Logic of Care*. Routledge, 2008. doi: 10.4324/9780203927076. Available: <https://www.taylorfrancis.com/books/9781134053179>

[55]

T. Greenhalgh, K. Stramer, T. Bratan, E. Byrne, J. Russell, and H. W. W. Potts, 'Adoption and non-adoption of a shared electronic summary record in England: a mixed-method case study', *BMJ*, vol. 340, no. jun16 4, pp. c3111–c3111, June 2010, doi: 10.1136/bmj.c3111

[56]

T. Greenhalgh, S. Hinder, K. Stramer, T. Bratan, and J. Russell, 'Adoption, non-adoption, and abandonment of a personal electronic health record: case study of HealthSpace', *BMJ*, vol. 341, no. nov16 1, pp. c5814–c5814, Nov. 2010, doi: 10.1136/bmj.c5814

[57]

M. Walport, 'Do summary care records have the potential to do more harm than good? No', *BMJ*, vol. 340, no. jun16 4, pp. c3022–c3022, June 2010, doi: 10.1136/bmj.c3022

[58]

R. Anderson, 'Do summary care records have the potential to do more harm than good? Yes', *BMJ*, vol. 340, no. jun16 4, pp. c3020–c3020, June 2010, doi: 10.1136/bmj.c3020

[59]

T. Greenhalgh, G. W. Wood, T. Bratan, K. Stramer, and S. Hinder, 'Patients' attitudes to the summary care record and HealthSpace: qualitative study', *BMJ*, vol. 336, no. 7656, pp. 1290–1295, June 2008, doi: 10.1136/bmj.a114

[60]

P. C. Tang, J. S. Ash, D. W. Bates, J. M. Overhage, and D. Z. Sands, 'Personal Health Records: Definitions, Benefits, and Strategies for Overcoming Barriers to Adoption', *Journal of the American Medical Informatics Association*, vol. 13, no. 2, pp. 121–126, Mar. 2006, doi: 10.1197/jamia.M2025

[61]

T. Delbanco et al., 'Inviting Patients to Read Their Doctors' Notes: A Quasi-experimental Study and a Look Ahead', *Annals of Internal Medicine*, vol. 157, no. 7, pp. 461–470, Oct. 2012, doi: 10.7326/0003-4819-157-7-201210020-00002

[62]

'Information for health: an information strategy for the modern NHS 1998-2005 - executive summary : Department of Health - Publications'.

[63]

T. Greenhalgh, T. Bratan, E. Byrne, J. Russell, S. Hinder, and H. Potts, 'The Devil's in the Detail: Final report of the independent evaluation of the Summary Care Record and HealthSpace programmes'. University College London, London, May 07, 2010.

[64]

T. Adams, M. Budden, C. Hoare, and H. Sanderson, 'Lessons from the central Hampshire electronic health record pilot project: issues of data protection and consent', *BMJ*, vol. 328, no. 7444, pp. 871–874, Apr. 2004, doi: 10.1136/bmj.328.7444.871

[65]

'BMA Policies BMA General Practitioners, 2006', 2006.

[66]

'National: Medical records: Whose right to know?: What can patients do?', The Guardian Newspaper, Nov. 2006, Available:
<http://search.proquest.com/docview/246527595?accountid=14511>

[67]

K. M. Cresswell, A. Worth, and A. Sheikh, 'Integration of a nationally procured electronic health record system into user work practices', BMC Medical Informatics and Decision Making, vol. 12, no. 1, 2012, doi: 10.1186/1472-6947-12-15

[68]

T. Greenhalgh and J. Keen, 'England's national programme for IT', BMJ, vol. 346, no. jun28 2, pp. f4130-f4130, June 2013, doi: 10.1136/bmj.f4130

[69]

D. Blumenthal, 'Implementation of the Federal Health Information Technology Initiative', New England Journal of Medicine, vol. 365, no. 25, pp. 2426-2431, Dec. 2011, doi: 10.1056/NEJMSr1112158

[70]

A. Wright, S. Henkin, J. Feblowitz, A. B. McCoy, D. W. Bates, and D. F. Sittig, 'Early Results of the Meaningful Use Program for Electronic Health Records', New England Journal of Medicine, vol. 368, no. 8, pp. 779-780, Feb. 2013, doi: 10.1056/NEJMc1213481

[71]

R. Koppel and C. U. Lehmann, 'Implications of an emerging EHR monoculture for hospitals and healthcare systems', Journal of the American Medical Informatics Association, vol. 22, no. 2, pp. 465-471, Oct. 2014, doi: 10.1136/amiajnl-2014-003023

[72]

K. D. Mandl and I. S. Kohane, 'Escaping the EHR Trap — The Future of Health IT', *New England Journal of Medicine*, vol. 366, no. 24, pp. 2240–2242, June 2012, doi: 10.1056/NEJMp1203102

[73]

R. Wachter, *The Digital Doctor: Hope, Hype, and Harm at the Dawn of Medicine's Computer Age*. New York: McGraw-Hill, 2015. Available: <https://go.oreilly.com/university-college-london/library/view/~/9780071849470/?ar>

[74]

A. O'Dowd, 'New e-records system leads to 20% drop in emergency department performance at Addenbrooke's', *BMJ*, vol. 349, no. dec08 3, pp. g7537–g7537, Dec. 2014, doi: 10.1136/bmj.g7537

[75]

National Programme for IT: costs and benefits. Department of Health, 2013. Available: <https://www.gov.uk/government/publications/final-benefits-statement-for-programmes-previously-managed-under-the-national-programme-for-it>

[76]

'Addenbrookes and the Rosie Hospitals (Quality Report)'. Care Quality Commission, 2015. Available: <http://www.cqc.org.uk/location/RGT01>

[77]

J. S. Shapiro, F. Mostashari, G. Hripcsak, N. Soulakakis, and G. Kuperman, 'Using Health Information Exchange to Improve Public Health', *American Journal of Public Health*, vol. 101, no. 4, pp. 616–623, Apr. 2011, doi: 10.2105/AJPH.2008.158980

[78]

B. E. Dixon, J. Pina, H. Kharrazi, F. Gharghabi, and J. Richards, 'What's Past is Prologue: A Scoping Review of Recent Public and Global Health Informatics Literature', *Online Journal of Public Health Informatics*, vol. 7, no. 2, May 2015, doi: 10.5210/ojphi.v7i2.5931

[79]

D. Koo, P. O'Carroll, and M. LaVenture, 'Public Health 101 for Informaticians', Journal of the American Medical Informatics Association : JAMIA, vol. 8, no. 6, 2001, Available: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC130068/>