PSYC0064: Methods in cognitive neuroscience II: neuroimaging: Dr Leun J. Otten

View Online

[1]

M. E. Raichle, 'A brief history of human brain mapping', Trends in Neurosciences, vol. 32, no. 2, pp. 118–126, Feb. 2009, doi: 10.1016/j.tins.2008.11.001.

[2]

'Landmarks in human functional brain imaging'. [Online]. Available: https://wellcome.ac.uk/sites/default/files/wtvm052606.pdf

[3]

F. Rösler and C. Ranganath, 'On how to reconcile mind and brain', in Neuroimaging of Human MemoryLinking cognitive processes to neural systems, Oxford University Press, 2009, pp. 15–24 [Online]. Available: https://doi.org/10.1093/acprof:oso/9780199217298.003.0002

[4]

'Neuroimaging: Separating the Promise from the Pipe Dreams - Dana Foundation'. [Online]. Available: https://www.dana.org/article/neuroimaging-separating-the-promise-from-the-pipe-dreams/

[5]

J. M. Moran and J. Zaki, 'Functional Neuroimaging and Psychology: What Have You Done for Me Lately?', Journal of Cognitive Neuroscience, vol. 25, no. 6, pp. 834–842, Jun. 2013, doi: 10.1162/jocn_a_00380.

[6]

C. Klein, 'Philosophical Issues in Neuroimaging', Philosophy Compass, vol. 5, no. 2, pp. 186–198, Feb. 2010, doi: 10.1111/j.1747-9991.2009.00275.x.

[7]

N. Braisby, Cognitive psychology: a methods companion. Oxford: Oxford University Press in association with the Open University, 2005.

[8]

J. Ward, The Student's Guide to Cognitive Neuroscience, 3rd ed. Hoboken: Taylor and Francis, 2015 [Online]. Available: http://UCL.eblib.com/patron/FullRecord.aspx?p=1974273

[9]

P. A. Bandettini, 'What's New in Neuroimaging Methods?', Annals of the New York Academy of Sciences, vol. 1156, no. 1, pp. 260–293, Mar. 2009, doi: 10.1111/j.1749-6632.2009.04420.x. [Online]. Available: https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2716071/

[10]

N. K. Logothetis, 'What we can do and what we cannot do with fMRI', Nature, vol. 453, no. 7197, pp. 869–878, Jun. 2008, doi: 10.1038/nature06976.

[11]

M. G. Berman, 'Studying mind and brain with fMRI', Social Cognitive and Affective Neuroscience, vol. 1, no. 2, pp. 158–161, Sep. 2006, doi: 10.1093/scan/nsl019.

[12]

M. Strait and M. Scheutz, 'What we can and cannot (yet) do with functional near infrared spectroscopy', Frontiers in Neuroscience, vol. 8, May 2014, doi: 10.3389/fnins.2014.00117.

[13]

G. H. Glover, 'Overview of Functional Magnetic Resonance Imaging', Neurosurgery Clinics of North America, vol. 22, no. 2, pp. 133–139, Apr. 2011, doi: 10.1016/j.nec.2010.11.001.

[14]

S. A. Huettel, A. W. Song, and G. McCarthy, Functional magnetic resonance imaging, Third edition. Sunderland, Massachusetts, U.S.A.: Sinauer Associates, Inc., Publishers, 2014.

[15]

'An Image-based Approach to Understanding the Physics of MR Artifacts' [Online]. Available: http://pubs.rsna.org/doi/full/10.1148/rg.313105115

[16]

'Friston (2003) - introduction and overview of fMRI analysis'. [Online]. Available: http://www.fil.ion.ucl.ac.uk/spm/doc/intro/intro.pdf

[17]

R. A. Poldrack, J. A. Mumford, and T. E. Nichols, Handbook of functional MRI data analysis. Cambridge: Cambridge University Press, 2011.

[18]

S. M. Smith, 'Overview of fMRI analysis', in Functional Magnetic Resonance Imaging, P. Jezzard, P. M. Matthews, and S. M. Smith, Eds. Oxford University Press, 2001, pp. 216–230 [Online]. Available: http://www.oxfordscholarship.com/view/10.1093/acprof:oso/9780192630711.001.0001/acprof-9780192630711-chapter-11

[19]

R. A. Poldrack, P. C. Fletcher, R. N. Henson, K. J. Worsley, M. Brett, and T. E. Nichols, 'Guidelines for reporting an fMRI study', NeuroImage, vol. 40, no. 2, pp. 409–414, Apr. 2008, doi: 10.1016/j.neuroimage.2007.11.048.

[20]

E. Amaro and G. J. Barker, 'Study design in fMRI: Basic principles', Brain and Cognition, vol. 60, no. 3, pp. 220–232, Apr. 2006, doi: 10.1016/j.bandc.2005.11.009.

[21]

R. L. Savoy, 'Experimental design in brain activation MRI: Cautionary tales', Brain Research Bulletin, vol. 67, no. 5, pp. 361–367, Nov. 2005, doi: 10.1016/j.brainresbull.2005.06.008.

[22]

R. HENSON, 'Forward inference using functional neuroimaging: dissociations versus associations', Trends in Cognitive Sciences, vol. 10, no. 2, pp. 64–69, Feb. 2006, doi: 10.1016/j.tics.2005.12.005.

[23]

S. Nieuwenhuis, B. U. Forstmann, and E.-J. Wagenmakers, 'Erroneous analyses of interactions in neuroscience: a problem of significance', Nature Neuroscience, vol. 14, no. 9, pp. 1105–1107, Aug. 2011, doi: 10.1038/nn.2886.

[24]

J. A. Church, S. E. Petersen, and B. L. Schlaggar, 'The "Task B problem" and other considerations in developmental functional neuroimaging', Human Brain Mapping, vol. 31, no. 6, pp. 852–862, Jun. 2010, doi: 10.1002/hbm.21036.

[25]

J. A. Mumford, 'A power calculation guide for fMRI studies', Social Cognitive and Affective Neuroscience, vol. 7, no. 6, pp. 738–742, Aug. 2012, doi: 10.1093/scan/nss059.

[26]

M. X. Cohen, ‘Where Does EEG Come From and What Does It Mean?’, Trends in Neurosciences, vol. 40, no. 4, pp. 208–218, Apr. 2017, doi: 10.1016/j.tins.2017.02.004.

[27]

T. Banaschewski and D. Brandeis, ‘Annotation: What electrical brain activity tells us about brain function that other techniques cannot tell us ? a child psychiatric perspective’, Journal of Child Psychology and Psychiatry, vol. 48, no. 5, pp. 415–435, May 2007, doi: 10.1111/j.1469-7610.2006.01681.x.

[28]

Coles, Michael G. H. and Rugg, M. D., Event-related brain potentials: an introduction. Chapter 1 in Electrophysiology of mind: event-related brain potentials and cognition, vol. Oxford psychology series. Oxford: Oxford University Press, 1995.

[29]

M. Teplan, ‘Fundamentals of EEG measurement’. [Online]. Available: http://www.measurement.sk/2002/S2/Teplan.pdf

[30]

Handy, Todd C., ‘Event-related potentials: a methods handbook (chapter 1 - how to interpret event-related potentials)’, Camridge, Mass: MIT Press, 2005.

[31]

C. M. Michel, M. M. Murray, G. Lantz, S. Gonzalez, L. Spinelli, and R. Grave de Peralta, ‘EEG source imaging’, Clinical Neurophysiology, vol. 115, no. 10, pp. 2195–2222, Oct. 2004, doi: 10.1016/j.clinph.2004.06.001.

[32]

B. J. Roach and D. H. Mathalon, ‘Event-Related EEG Time-Frequency Analysis: An Overview of Measures and An Analysis of Early Gamma Band Phase Locking in Schizophrenia’, Schizophrenia Bulletin, vol. 34, no. 5, pp. 907–926, Jul. 2008, doi: 10.1093/schbul/sbn093.

[33]

M. Reite, P. Teale, and D. C. Rojas, 'Magnetoencephalography: applications in psychiatry', Biological Psychiatry, vol. 45, no. 12, pp. 1553–1563, Jun. 1999, doi: 10.1016/S0006-3223(99)00062-1. [Online]. Available: https://doi.org/10.1016/S0006-3223(99)00062-1

[34]

J. Gross et al., 'Good practice for conducting and reporting MEG research', NeuroImage, vol. 65, pp. 349–363, Jan. 2013, doi: 10.1016/j.neuroimage.2012.10.001.

[35]

V. Litvak et al., 'EEG and MEG Data Analysis in SPM8', Computational Intelligence and Neuroscience, vol. 2011, pp. 1–32, 2011, doi: 10.1155/2011/852961.

[36]

K. J. Friston, 'Modalities, Modes, and Models in Functional Neuroimaging', Science, vol. 326, no. 5951, pp. 399–403, Oct. 2009, doi: 10.1126/science.1174521.

[37]

G. Thut and C. Miniussi, 'New insights into rhythmic brain activity from TMS–EEG studies', Trends in Cognitive Sciences, vol. 13, no. 4, pp. 182–189, Apr. 2009, doi: 10.1016/j.tics.2009.01.004.

[38]

J. Driver, F. Blankenburg, S. Bestmann, W. Vanduffel, and C. C. Ruff, 'Concurrent brain-stimulation and neuroimaging for studies of cognition', Trends in Cognitive Sciences, vol. 13, no. 7, pp. 319–327, Jul. 2009, doi: 10.1016/j.tics.2009.04.007.