

BIOL0035: Vertebrate Life and Evolution: Josephine Orledge

[View Online](#)

-
- Adkins, R.M. and Honeycutt, R.L. (1991) 'Molecular phylogeny of the superorder Archonta.', *Proceedings of the National Academy of Sciences*, 88(22), pp. 10317–10321. Available at: <https://doi.org/10.1073/pnas.88.22.10317>.
- Adler, Kraig and Halliday, Tim (2002a) *The new encyclopedia of reptiles and amphibians*. Oxford: Oxford University Press.
- Adler, Kraig and Halliday, Tim (2002b) *The new encyclopedia of reptiles and amphibians*. Oxford: Oxford University Press.
- Ahlberg, Per Erik and Systematics Association (2001) *Major events in early vertebrate evolution: palaeontology, phylogeny, genetics and development*. London: Taylor & Francis.
- Aiello, Leslie and Dean, Christopher (1990) *An introduction to human evolutionary anatomy*. London: Academic Press.
- Albertson, R.C. et al. (1999) 'Phylogeny of a rapidly evolving clade: The cichlid fishes of Lake Malawi, East Africa', *Proceedings of the National Academy of Sciences*, 96(9), pp. 5107–5110. Available at: <https://doi.org/10.1073/pnas.96.9.5107>.
- Allard, M. (1996) 'Support for Interordinal Eutherian Relationships with an Emphasis on Primates and Their Archontan Relatives', *Molecular Phylogenetics and Evolution*, 5(1), pp. 78–88. Available at: <https://doi.org/10.1006/mpev.1996.0007>.
- An Introduction to Human Evolutionary Anatomy (2002). Elsevier. Available at: <https://www.sciencedirect.com/book/9780120455911/an-introduction-to-human-evolutionary-anatomy>.
- Anne D. Yoder and Michael D. Nowak (2006) 'Has Vicariance or Dispersal Been the Predominant Biogeographic Force in Madagascar? Only Time Will Tell', *Annual Review of Ecology, Evolution, and Systematics*, 37. Available at: <https://www.jstor.org/stable/30033838>.
- Apesteguía, S. and Jones, M.E.H. (2012) 'A Late Cretaceous "tuatara" (Lepidosauria: Sphenodontinae) from South America', *Cretaceous Research*, 34, pp. 154–160. Available at: <https://doi.org/10.1016/j.cretres.2011.10.014>.
- Biju, S.D. and Bossuyt, F. (2003) 'New frog family from India reveals an ancient biogeographical link with the Seychelles', *Nature*, 425(6959), pp. 711–714. Available at:

<https://doi.org/10.1038/nature02019>.

Bininda-Emonds, O.R.P. et al. (2007) 'The delayed rise of present-day mammals', *Nature*, 446(7135), pp. 507–512. Available at: <https://doi.org/10.1038/nature05634>.

Blaire van Valkenburgh (1999) 'Major patterns in the history of carnivorous mammals', *Annual Review of Earth and Planetary Sciences*, 27, pp. 51–63. Available at: <https://search.proquest.com/docview/220785610?OpenUrlRefId=info:xri/sid:primo&accountid=14511>.

Bossuyt, F. et al. (2006) 'Phylogeny and Biogeography of a Cosmopolitan Frog Radiation: Late Cretaceous Diversification Resulted in Continent-Scale Endemism in the Family Ranidae', *Systematic Biology*, 55(4), pp. 579–594. Available at: <https://doi.org/10.1080/10635150600812551>.

Bossuyt, F. and Milinkovitch, M.C. (2000) 'From the Cover: Convergent adaptive radiations in Madagascan and Asian ranid frogs reveal covariation between larval and adult traits', *Proceedings of the National Academy of Sciences*, 97(12), pp. 6585–6590. Available at: <https://doi.org/10.1073/pnas.97.12.6585>.

Carroll, Robert L. (1988) 'Chapter 1: Fossils and relationships', in *Vertebrate paleontology and evolution*. New York, N.Y.: Freeman, pp. 1–15. Available at: <https://contentstore.cla.co.uk/secure/link?id=e82a781a-f9d4-ef11-88f9-845c5d84cf17>.

Chatterjee, H.J. (2006) 'Phylogeny and Biogeography of Gibbons: A Dispersal-Vicariance Analysis', *International Journal of Primatology*, 27(3), pp. 699–712. Available at: <https://doi.org/10.1007/s10764-006-9044-1>.

Chatterjee, H.J. et al. (2009) 'Estimating the phylogeny and divergence times of primates using a supermatrix approach', *BMC Evolutionary Biology*, 9(1). Available at: <https://doi.org/10.1186/1471-2148-9-259>.

Chatterjee, H.J., Tse, J.S.Y. and Turvey, S.T. (2012) 'Using Ecological Niche Modelling to Predict Spatial and Temporal Distribution Patterns in Chinese Gibbons: Lessons from the Present and the Past', *Folia Primatologica*, 83(2), pp. 85–99. Available at: <https://doi.org/10.1159/000342696>.

Cooper, A. (1997) 'Mass Survival of Birds Across the Cretaceous- Tertiary Boundary: Molecular Evidence', *Science*, 275(5303), pp. 1109–1113. Available at: <https://doi.org/10.1126/science.275.5303.1109>.

Cox, C.B., Moore, P.D. and Ladle, R.J. (2016) *Biogeography: an ecological and evolutionary approach*. Ninth edition. Chichester, West Sussex, UK: Wiley Blackwell. Available at: <https://ebookcentral.proquest.com/lib/ucl/detail.action?docID=4452969>.

David Marjanović and Michel Laurin (2007) 'Fossils, Molecules, Divergence Times, and the Origin of Lissamphibians', *Systematic Biology*, 56(3). Available at: https://www.jstor.org/stable/20143044?seq=1#metadata_info_tab_contents.

Day, J.J., Cotton, J.A. and Barraclough, T.G. (2008) 'Tempo and Mode of Diversification of Lake Tanganyika Cichlid Fishes', *PLoS ONE*, 3(3). Available at:

<https://doi.org/10.1371/journal.pone.0001730>.

DONOGHUE, P. and PURNELL, M. (2005) 'Genome duplication, extinction and vertebrate evolution', *Trends in Ecology & Evolution*, 20(6), pp. 312–319. Available at: <https://doi.org/10.1016/j.tree.2005.04.008>.

Duellman, William Edward and Trueb, Linda (1986) *Biology of amphibians*. London: McGraw-Hill.

Dunbar, R. I. M., Barrett, Louise, and British Broadcasting Corporation (2000) *Cousins: our primate relatives*. London: BBC Worldwide.

Emma C. Teeling, Ole Madsen, Ronald A. Van Den Bussche, Wilfried W. de Jong, Michael J. Stanhope and Mark S. Springer (no date) 'Microbat Paraphyly and the Convergent Evolution of a Key Innovation in Old World Rhinolophoid Microbats', *Proceedings of the National Academy of Sciences of the United States of America*, Vol. 99(No. 3), pp. 1431–1436.

Ericson, P.G.P. et al. (2006) 'Diversification of Neoaves: integration of molecular sequence data and fossils', *Biology Letters*, 2(4), pp. 543–547. Available at: <https://doi.org/10.1098/rsbl.2006.0523>.

EVANS, S.E. (2003) 'At the feet of the dinosaurs: the early history and radiation of lizards', *Biological Reviews*, 78(4), pp. 513–551. Available at: <https://doi.org/10.1017/S1464793103006134>.

Evans, S.E. and Jones, M.E.H. (2010) 'The Origin, Early History and Diversification of Lepidosauromorph Reptiles', in *New Aspects of Mesozoic Biodiversity*. Berlin, Heidelberg: Springer Berlin Heidelberg, pp. 27–44. Available at: https://doi.org/10.1007/978-3-642-10311-7_2.

Evans, S.E., Jones, M.E.H. and Krause, D.W. (2008) 'A giant frog with South American affinities from the Late Cretaceous of Madagascar', *Proceedings of the National Academy of Sciences*, 105(8), pp. 2951–2956. Available at: <https://doi.org/10.1073/pnas.0707599105>.

Feduccia, A. (2003) "'Big bang" for tertiary birds?', *Trends in Ecology & Evolution*, 18(4), pp. 172–176. Available at: [https://doi.org/10.1016/S0169-5347\(03\)00017-X](https://doi.org/10.1016/S0169-5347(03)00017-X).

Fleagle, J.G. (2013) *Primate adaptation and evolution*. 3rd ed. Amsterdam: Elsevier/Academic Press. Available at: <https://www.sciencedirect.com/book/9780123786326/primate-adaptation-and-evolution>.

Franzen, J.L. et al. (2009) 'Complete Primate Skeleton from the Middle Eocene of Messel in Germany: Morphology and Paleobiology', *PLoS ONE*, 4(5). Available at: <https://doi.org/10.1371/journal.pone.0005723>.

Gee, Henry (1999) *In search of deep time: beyond the fossil record to a new history of life*. London: Free Press.

'General Anthropology' (2002) *General Anthropology Bulletin of the General Anthropology*

Division, 8(2), pp. 1–16. Available at: <https://doi.org/10.1525/ga.2002.8.2.1>.

Genner, M.J. et al. (2007) 'Age of Cichlids: New Dates for Ancient Lake Fish Radiations', *Molecular Biology and Evolution*, 24(5), pp. 1269–1282. Available at: <https://doi.org/10.1093/molbev/msm050>.

Gina D. Wesley-Hunt (no date) 'The Morphological Diversification of Carnivores in North America', *Paleobiology*, Vol. 31(No. 1), pp. 35–55.

Goswami, A. and Friscia, A. (eds) (2010) *Carnivoran Evolution: new views on phylogeny, form and function*. Cambridge: Cambridge University Press. Available at: <https://doi.org/10.1017/CBO9781139193436>.

Goswami, Anjali and Friscia, Anthony (2010) *Carnivoran evolution: new views on phylogeny, form, and function*. Cambridge: Cambridge University Press.

GOWER, D.J. et al. (2008) 'Frequency of independent origins of viviparity among caecilians (Gymnophiona): evidence from the first "live-bearing" Asian amphibian', *Journal of Evolutionary Biology*, 21(5), pp. 1220–1226. Available at: <https://doi.org/10.1111/j.1420-9101.2008.01577.x>.

GOWER, D.J. and WILKINSON, M. (2005) 'Conservation Biology of Caecilian Amphibians', *Conservation Biology*, 19(1), pp. 45–55. Available at: <https://doi.org/10.1111/j.1523-1739.2005.00589.x>.

Groves, Colin P. (2001) *Primate taxonomy*. Washington, DC: Smithsonian Institution Press.

Hammer, Øyvind and Harper, D.A.T. (eds) (2005) *Paleontological Data Analysis*. Malden, MA, USA: Blackwell Publishing. Available at: <https://doi.org/10.1002/9780470750711>.

Hammer, Øyvind and Harper, D. A. T. (2006) *Paleontological data analysis*. Malden, MA: Blackwell.

Harshman, J. et al. (2008) 'Phylogenomic evidence for multiple losses of flight in ratite birds', *Proceedings of the National Academy of Sciences*, 105(36), pp. 13462–13467. Available at: <https://doi.org/10.1073/pnas.0803242105>.

HIJMANS, R.J. and GRAHAM, C.H. (2006) 'The ability of climate envelope models to predict the effect of climate change on species distributions', *Global Change Biology*, 12(12), pp. 2272–2281. Available at: <https://doi.org/10.1111/j.1365-2486.2006.01256.x>.

J. D. Pettigrew, B. G. M. Jamieson, S. K. Robson, L. S. Hall, K. I. McAnally and H. M. Cooper (no date) 'Phylogenetic Relations Between Microbats, Megabats and Primates (Mammalia: Chiroptera and Primates)', *Philosophical Transactions of the Royal Society of London. Series B, Biological Sciences*, Vol. 325(No. 1229), pp. 489–559.

J. Robert Macey, James A. Schulte, II, Allan Larson, Natalia B. Ananjeva, Yuezhao Wang, Rohan Pethiyagoda, Nasrullah Rastegar-Pouyani and Theodore J. Papenfuss (2000) 'Evaluating Trans-Tethys Migration: An Example Using Acrodont Lizard Phylogenetics', *Systematic Biology*, 49(2). Available at: <https://www.jstor.org/stable/2585219>.

Jason A. Lillegraven (no date) 'Biological Considerations of the Marsupial-Placental Dichotomy', *Evolution*, Vol. 29(No. 4), pp. 707–722.

Jones, M.E.H. et al. (2009) 'A sphenodontine (Rhynchocephalia) from the Miocene of New Zealand and palaeobiogeography of the tuatara (*Sphenodon*)', *Proceedings of the Royal Society B: Biological Sciences*, 276(1660), pp. 1385–1390. Available at: <https://doi.org/10.1098/rspb.2008.1785>.

Joyce, D.A. et al. (2005) 'An extant cichlid fish radiation emerged in an extinct Pleistocene lake', *Nature*, 435(7038), pp. 90–95. Available at: <https://doi.org/10.1038/nature03489>.

Joyce, D.A. et al. (2011) 'Repeated colonization and hybridization in Lake Malawi cichlids', *Current Biology*, 21(3), pp. R108–R109. Available at: <https://doi.org/10.1016/j.cub.2010.11.029>.

Kardong, Kenneth V. (2006) *Vertebrates: comparative anatomy, function, evolution*. 4th ed. (International ed.). New York: McGraw-Hill.

Karen E. Sears (no date) 'Constraints on the Morphological Evolution of Marsupial Shoulder Girdles', *Evolution*, Vol. 58(No. 10), pp. 2353–2370.

Kay, R.F., Thewissen, J.G.M. and Yoder, A.D. (1992) 'Cranial anatomy of *Ignacius graybullianus* and the affinities of the Plesiadapiformes', *American Journal of Physical Anthropology*, 89(4), pp. 477–498. Available at: <https://doi.org/10.1002/ajpa.1330890409>.

KEQIN, G. and NORELL, M.A. (2000) 'Taxonomic composition and systematics of late cretaceous lizard assemblages from Ukhaa Tolgod and adjacent localities, Mongolian Gobi desert', *Bulletin of the American Museum of Natural History*, 249, pp. 1–118. Available at: [https://doi.org/10.1206/0003-0090\(2000\)249<0001:TCASOL>2.0.CO;2](https://doi.org/10.1206/0003-0090(2000)249<0001:TCASOL>2.0.CO;2).

Kocher, T.D. (2004) 'Adaptive evolution and explosive speciation: the cichlid fish model', *Nature Reviews Genetics*, 5(4), pp. 288–298. Available at: <https://doi.org/10.1038/nrg1316>.

Kriegs, J.O. et al. (2006) 'Retroposed Elements as Archives for the Evolutionary History of Placental Mammals', *PLoS Biology*, 4(4). Available at: <https://doi.org/10.1371/journal.pbio.0040091>.

Kupfer, A. et al. (2006) 'Parental investment by skin feeding in a caecilian amphibian', *Nature*, 440(7086), pp. 926–929. Available at: <https://doi.org/10.1038/nature04403>.

Lerner, H.R.L. et al. (2011a) 'Multilocus Resolution of Phylogeny and Timescale in the Extant Adaptive Radiation of Hawaiian Honeycreepers', *Current Biology*, 21(21), pp. 1838–1844. Available at: <https://doi.org/10.1016/j.cub.2011.09.039>.

Lerner, H.R.L. et al. (2011b) 'Multilocus Resolution of Phylogeny and Timescale in the Extant Adaptive Radiation of Hawaiian Honeycreepers', *Current Biology*, 21(21), pp. 1838–1844. Available at: <https://doi.org/10.1016/j.cub.2011.09.039>.

Liem, Karel F. (2001) *Functional anatomy of the vertebrates: an evolutionary perspective*.

3rd ed. Belmont, Calif: Brooks/Cole-Thomson Learning.

Lin, Y.-H. and Penny, D. (2001) 'Implications for Bat Evolution from Two New Complete Mitochondrial Genomes', *Molecular Biology and Evolution*, 18(4), pp. 684–688. Available at: <https://doi.org/10.1093/oxfordjournals.molbev.a003850>.

Lister, Adrian and Bahn, Paul G. (2007) *Mammoths: giants of the ice age*. Rev. ed. Berkeley: University of California Press.

Lister, A.M. (1989) 'Rapid dwarfing of red deer on Jersey in the Last Interglacial', *Nature*, 342(6249), pp. 539–542. Available at: <https://doi.org/10.1038/342539a0>.

Lister, A.M. (2001) 'The Origin and Evolution of the Woolly Mammoth', *Science*, 294(5544), pp. 1094–1097. Available at: <https://doi.org/10.1126/science.1056370>.

Lomolino, Mark V. et al. (2005) *Biogeography*. 3rd ed. Sunderland, Mass: Sinauer Associates.

Longrich, N.R., Tokaryk, T. and Field, D.J. (2011) 'Mass extinction of birds at the Cretaceous-Paleogene (K-Pg) boundary', *Proceedings of the National Academy of Sciences*, 108(37), pp. 15253–15257. Available at: <https://doi.org/10.1073/pnas.1110395108>.

Loren K. Ammerman and David M. Hillis (no date) 'A Molecular Test of Bat Relationships: Monophyly or Diphyly?', *Systematic Biology*, Vol. 41(No. 2), pp. 222–232.

M. Miyamoto, Calvin A. Porter, Morr, M. (2000) 'c- Myc Gene Sequences and the Phylogeny of Bats and Other Eutherian Mammals', *Systematic Biology*, 49(3), pp. 501–514. Available at: <https://doi.org/10.1080/10635159950127367>.

MacDonald, Glenn M. (2003) *Biogeography: space, time and life*. New York: Wiley.

Madsen, O. et al. (2001) 'Parallel adaptive radiations in two major clades of placental mammals: Article: *Nature*', *Nature*, 409(6820), pp. 610–614. Available at: <https://doi.org/10.1038/35054544>.

Mittermeier, R.A. et al. (2009) 'Primates in Peril: The World's 25 Most Endangered Primates 2008–2010', *Primate Conservation*, 24(1), pp. 1–57. Available at: <https://doi.org/10.1896/052.024.0101>.

Miyamoto, M. (1996) 'A Congruence Study of Molecular and Morphological Data for Eutherian Mammals', *Molecular Phylogenetics and Evolution*, 6(3), pp. 373–390. Available at: <https://doi.org/10.1006/mpev.1996.0087>.

Murphy, W.J. (2001) 'Resolution of the Early Placental Mammal Radiation Using Bayesian Phylogenetics', *Science*, 294(5550), pp. 2348–2351. Available at: <https://doi.org/10.1126/science.1067179>.

Nilsson, M.A. et al. (2004) 'Marsupial relationships and a timeline for marsupial radiation in South Gondwana', *Gene*, 340(2), pp. 189–196. Available at: <https://doi.org/10.1016/j.gene.2004.07.040>.

NOVACEK, M.J. and WYSS, A.R. (1986) 'HIGHER-LEVEL RELATIONSHIPS OF THE RECENT EUTHERIAN ORDERS: MORPHOLOGICAL EVIDENCE', *Cladistics*, 2(4), pp. 257–287. Available at: <https://doi.org/10.1111/j.1096-0031.1986.tb00463.x>.

Nunn, C.L. and Smith, K.K. (1998) 'Statistical Analyses of Developmental Sequences: The Craniofacial Region in Marsupial and Placental Mammals', *The American Naturalist*, 152(1), pp. 82–101. Available at: <https://doi.org/10.1086/286151>.

Ole Seehausen (2006) 'African Cichlid Fish: A Model System in Adaptive Radiation Research', *Proceedings: Biological Sciences*, 273(1597). Available at: <https://www.jstor.org/stable/25223557>.

Pasquale Raia and Shai Meiri (no date) 'The Island Rule in Large Mammals: Paleontology Meets Ecology', *Evolution*, Vol. 60(No. 8), pp. 1731–1742.

Peter R. Grant and B. Rosemary Grant (2002) 'Adaptive Radiation of Darwin's Finches: Recent data help explain how this famous group of Galápagos birds evolved, although gaps in our understanding remain', *American Scientist*, 90(2). Available at: <https://www.jstor.org/stable/27857627>.

Phillips, S.J., Anderson, R.P. and Schapire, R.E. (2006) 'Maximum entropy modeling of species geographic distributions', *Ecological Modelling*, 190(3–4), pp. 231–259. Available at: <https://doi.org/10.1016/j.ecolmodel.2005.03.026>.

Pough, F. Harvey (1998) *Herpetology*. Upper Saddle River, NJ: Prentice Hall.

Pough, F. Harvey, Janis, Christine M., and Heiser, John B. (2002) *Vertebrate life*. 6th ed. Upper Saddle River, NJ: Prentice Hall.

Ricklefs, Robert E. and Schluter, Dolph (1993) 'Historical Diversity Patterns in North American Large Herbivores and Carnivores', in *Species diversity in ecological communities: historical and geographical perspectives*. Chicago: University of Chicago Press, pp. 330–340.

Robert J. Asher, Jonathan H. Geisler and Marcelo R. Sánchez-Villagra (no date) 'Morphology, Paleontology, and Placental Mammal Phylogeny', *Systematic Biology*, Vol. 57(No. 2), pp. 311–317.

Roelants, K. et al. (2007a) 'Global patterns of diversification in the history of modern amphibians', *Proceedings of the National Academy of Sciences*, 104(3), pp. 887–892. Available at: <https://doi.org/10.1073/pnas.0608378104>.

Roelants, K. et al. (2007b) 'Global patterns of diversification in the history of modern amphibians', *Proceedings of the National Academy of Sciences*, 104(3), pp. 887–892. Available at: <https://doi.org/10.1073/pnas.0608378104>.

Roelants, K. et al. (2007c) 'Global patterns of diversification in the history of modern amphibians', *Proceedings of the National Academy of Sciences*, 104(3), pp. 887–892. Available at: <https://doi.org/10.1073/pnas.0608378104>.

Ronald A. van Den Bussche and Steven R. Hoofer (2004) 'Phylogenetic Relationships

among Recent Chiropteran Families and the Importance of Choosing Appropriate Out-Group Taxa', *Journal of Mammalogy*, 85(2). Available at: <https://www.jstor.org/stable/1383763?>

Roos, J., Aggarwal, R.K. and Janke, A. (2007) 'Extended mitogenomic phylogenetic analyses yield new insight into crocodylian evolution and their survival of the Cretaceous–Tertiary boundary', *Molecular Phylogenetics and Evolution*, 45(2), pp. 663–673. Available at: <https://doi.org/10.1016/j.ympev.2007.06.018>.

Rose, Kenneth David and Archibald, J. David (2005) *The rise of placental mammals: origins and relationships of the Major Extant Clades*. Baltimore, Md: Johns Hopkins University Press, pp. 175–198.

Schliewen, U.K., Tautz, D. and Pääbo, S. (1994) 'Sympatric speciation suggested by monophyly of crater lake cichlids', *Nature*, 368(6472), pp. 629–632. Available at: <https://doi.org/10.1038/368629a0>.

Schluter, Dolph (2000) *The ecology of adaptive radiation*. Oxford: Oxford University Press.

Scott, Kathleen M. et al. (1998) *Evolution of tertiary mammals of North America*. Cambridge: Cambridge University Press.

SPRINGER, M. (2004) 'Molecules consolidate the placental mammal tree', *Trends in Ecology & Evolution*, 19(8), pp. 430–438. Available at: <https://doi.org/10.1016/j.tree.2004.05.006>.

Springer, M. et al. (2008) 'Morphology and Placental Mammal Phylogeny', *Systematic Biology*, 57(3), pp. 499–503. Available at: <https://doi.org/10.1080/10635150802164504>.

Springer, M.S. and Murphy, W.J. (2007) 'Mammalian evolution and biomedicine: new views from phylogeny', *Biological Reviews*, 82(3), pp. 375–392. Available at: <https://doi.org/10.1111/j.1469-185X.2007.00016.x>.

Stephen Jay Gould and Niles Eldredge (1977) 'Punctuated Equilibria: The Tempo and Mode of Evolution Reconsidered', *Paleobiology*, 3(2). Available at: <https://www.jstor.org/stable/2400177>.

Szalay, F.S. (1995) 'Paleobiogeography and metatherian evolution', in *Evolutionary history of the marsupials and an analysis of osteological characters*. Cambridge: Cambridge University Press, pp. 407–428. Available at: <https://doi.org/10.1017/CBO9780511565571.010>.

Teeling, E.C. (2005) 'A Molecular Phylogeny for Bats Illuminates Biogeography and the Fossil Record', *Science*, 307(5709), pp. 580–584. Available at: <https://doi.org/10.1126/science.1105113>.

Van Den Bussche, R. (2002) 'Characterization and Phylogenetic Utility of the Mammalian Protamine P1 Gene', *Molecular Phylogenetics and Evolution*, 22(3), pp. 333–341. Available at: <https://doi.org/10.1006/mpev.2001.1051>.

Van Valkenburgh, B. (2007) 'Deja vu: the evolution of feeding morphologies in the Carnivora', *Integrative and Comparative Biology*, 47(1), pp. 147–163. Available at: <https://doi.org/10.1093/icb/icm016>.

Vences, M. (2004) 'Origin of Madagascar's extant fauna: A perspective from amphibians, reptiles and other non-flying vertebrates', *Italian Journal of Zoology*, 71(sup2), pp. 217–228. Available at: <https://doi.org/10.1080/11250000409356639>.

Vera Weisbecker, Anjali Goswami, Stephen Wroe and Marcelo R. Sánchez-Villagra (no date) 'Ossification Heterochrony in the Therian Postcranial Skeleton and the Marsupial-Placental Dichotomy', *Evolution*, Vol. 62(No. 8), pp. 2027–2041.

Verheyen, E. (2003) 'Origin of the Superflock of Cichlid Fishes from Lake Victoria, East Africa', *Science*, 300(5617), pp. 325–329. Available at: <https://doi.org/10.1126/science.1080699>.

WILKINSON, M. (1997) 'Comparative morphology and evolution of the lungless caecilian *Atretochoana eiselti* (Taylor) (Amphibia: Gymnophiona: Typhlonectidae)', *Biological Journal of the Linnean Society*, 62(1), pp. 39–109. Available at: <https://doi.org/10.1006/bijl.1997.0143>.

WILKINSON, M. et al. (2011) 'A nine-family classification of caecilians (Amphibia: Gymnophiona)', *Zootaxa*, 2874(1). Available at: <https://doi.org/10.11646/zootaxa.2874.1.3>.

Zug, George R. (1993) *Herpetology: an introductory biology of amphibians and reptiles*. San Diego: Academic Press. Available at: <https://www.sciencedirect.com/book/9780127826202/herpetology>.