

BIOL0035: Vertebrate Life and Evolution: Josephine Orledge

[View Online](#)

[1]

Pough, F. Harvey, Janis, Christine M., and Heiser, John B., Vertebrate life, 6th ed. Upper Saddle River, NJ: Prentice Hall, 2002.

[2]

Kardong, Kenneth V., Vertebrates: comparative anatomy, function, evolution, 4th ed. (International ed.). New York: McGraw-Hill, 2006.

[3]

Ahlberg, Per Erik and Systematics Association, Major events in early vertebrate evolution: palaeontology, phylogeny, genetics and development, vol. Systematics Association special volume series. London: Taylor & Francis, 2001.

[4]

P. DONOGHUE and M. PURNELL, 'Genome duplication, extinction and vertebrate evolution', Trends in Ecology & Evolution, vol. 20, no. 6, pp. 312–319, Jun. 2005, doi: 10.1016/j.tree.2005.04.008.

[5]

Carroll, Robert L., 'Chapter 1: Fossils and relationships', in Vertebrate paleontology and evolution, New York, N.Y.: Freeman, 1988, pp. 1–15 [Online]. Available: <https://contentstore.cla.co.uk/secure/link?id=e82a781a-f9d4-ef11-88f9-845c5d84cf17>

[6]

Gee, Henry, In search of deep time: beyond the fossil record to a new history of life. London: Free Press, 1999.

[7]

Hammer, Øyvind and Harper, D. A. T., Paleontological data analysis. Malden, MA: Blackwell, 2006.

[8]

Øyvind Hammer and D. A. T. Harper, Eds., Paleontological Data Analysis. Malden, MA, USA: Blackwell Publishing, 2005 [Online]. Available: <http://doi.wiley.com/10.1002/9780470750711>

[9]

Lomolino, Mark V., Brown, James H., Brown, James H., and Riddle, Brett R., Biogeography, 3rd ed. Sunderland, Mass: Sinauer Associates, 2005.

[10]

C. B. Cox, P. D. Moore, and R. J. Ladle, Biogeography: an ecological and evolutionary approach, Ninth edition. Chichester, West Sussex, UK: Wiley Blackwell, 2016 [Online]. Available: <https://ebookcentral.proquest.com/lib/ucl/detail.action?docID=4452969>

[11]

MacDonald, Glenn M., Biogeography: space, time and life. New York: Wiley, 2003.

[12]

H. J. Chatterjee, J. S. Y. Tse, and S. T. Turvey, 'Using Ecological Niche Modelling to Predict Spatial and Temporal Distribution Patterns in Chinese Gibbons: Lessons from the Present and the Past', *Folia Primatologica*, vol. 83, no. 2, pp. 85–99, 2012, doi: 10.1159/000342696.

[13]

H. J. Chatterjee, 'Phylogeny and Biogeography of Gibbons: A Dispersal-Vicariance Analysis', *International Journal of Primatology*, vol. 27, no. 3, pp. 699–712, Jul. 2006, doi: 10.1007/s10764-006-9044-1.

[14]

R. J. HIJMANS and C. H. GRAHAM, 'The ability of climate envelope models to predict the effect of climate change on species distributions', *Global Change Biology*, vol. 12, no. 12, pp. 2272–2281, Dec. 2006, doi: 10.1111/j.1365-2486.2006.01256.x.

[15]

S. J. Phillips, R. P. Anderson, and R. E. Schapire, 'Maximum entropy modeling of species geographic distributions', *Ecological Modelling*, vol. 190, no. 3–4, pp. 231–259, Jan. 2006, doi: 10.1016/j.ecolmodel.2005.03.026.

[16]

Pough, F. Harvey, *Herpetology*. Upper Saddle River, NJ: Prentice Hall, 1998.

[17]

Adler, Kraig and Halliday, Tim, *The new encyclopedia of reptiles and amphibians*. Oxford: Oxford University Press, 2002.

[18]

Duellman, William Edward and Trueb, Linda, *Biology of amphibians*. London: McGraw-Hill, 1986.

[19]

Liem, Karel F., *Functional anatomy of the vertebrates: an evolutionary perspective*, 3rd ed. Belmont, Calif: Brooks/Cole-Thomson Learning, 2001.

[20]

S. D. Biju and F. Bossuyt, 'New frog family from India reveals an ancient biogeographical link with the Seychelles', *Nature*, vol. 425, no. 6959, pp. 711–714, Oct. 2003, doi: 10.1038/nature02019.

[21]

F. Bossuyt and M. C. Milinkovitch, 'From the Cover: Convergent adaptive radiations in Madagascan and Asian ranid frogs reveal covariation between larval and adult traits', *Proceedings of the National Academy of Sciences*, vol. 97, no. 12, pp. 6585–6590, Jun. 2000, doi: 10.1073/pnas.97.12.6585.

[22]

F. Bossuyt, R. Brown, D. Hillis, D. Cannatella, and M. Milinkovitch, 'Phylogeny and Biogeography of a Cosmopolitan Frog Radiation: Late Cretaceous Diversification Resulted in Continent-Scale Endemism in the Family Ranidae', *Systematic Biology*, vol. 55, no. 4, pp. 579–594, Aug. 2006, doi: 10.1080/10635150600812551.

[23]

S. E. Evans, M. E. H. Jones, and D. W. Krause, 'A giant frog with South American affinities from the Late Cretaceous of Madagascar', *Proceedings of the National Academy of Sciences*, vol. 105, no. 8, pp. 2951–2956, Feb. 2008, doi: 10.1073/pnas.0707599105.

[24]

M. Vences, 'Origin of Madagascar's extant fauna: A perspective from amphibians, reptiles and other non-flying vertebrates', *Italian Journal of Zoology*, vol. 71, no. sup2, pp. 217–228, Jan. 2004, doi: 10.1080/11250000409356639.

[25]

Anne D. Yoder and Michael D. Nowak, 'Has Vicariance or Dispersal Been the Predominant Biogeographic Force in Madagascar? Only Time Will Tell', *Annual Review of Ecology, Evolution, and Systematics*, vol. 37, 2006 [Online]. Available: <https://www.jstor.org/stable/30033838>

[26]

K. Roelants et al., 'Global patterns of diversification in the history of modern amphibians', *Proceedings of the National Academy of Sciences*, vol. 104, no. 3, pp. 887–892, Jan. 2007, doi: 10.1073/pnas.0608378104.

[27]

David Marjanović and Michel Laurin, 'Fossils, Molecules, Divergence Times, and the Origin of Lissamphibians', *Systematic Biology*, vol. 56, no. 3, 2007 [Online]. Available: https://www.jstor.org/stable/20143044?seq=1#metadata_info_tab_contents

[28]

S. Apesteguía and M. E. H. Jones, 'A Late Cretaceous "tuatara" (Lepidosauria: Sphenodontinae) from South America', *Cretaceous Research*, vol. 34, pp. 154–160, Apr. 2012, doi: 10.1016/j.cretres.2011.10.014.

[29]

S. E. EVANS, 'At the feet of the dinosaurs: the early history and radiation of lizards', *Biological Reviews*, vol. 78, no. 4, pp. 513–551, Nov. 2003, doi: 10.1017/S1464793103006134.

[30]

S. E. Evans and M. E. H. Jones, 'The Origin, Early History and Diversification of Lepidosauromorph Reptiles', in *New Aspects of Mesozoic Biodiversity*, vol. 132, Berlin, Heidelberg: Springer Berlin Heidelberg, 2010, pp. 27–44.

[31]

G. KEQIN and M. A. NORELL, 'Taxonomic composition and systematics of late cretaceous lizard assemblages from Ukhaa Tolgod and adjacent localities, Mongolian Gobi desert', *Bulletin of the American Museum of Natural History*, vol. 249, pp. 1–118, Mar. 2000, doi: 10.1206/0003-0090(2000)249<0001:TCASOL>2.0.CO;2.

[32]

Adler, Kraig and Halliday, Tim, The new encyclopedia of reptiles and amphibians. Oxford: Oxford University Press, 2002.

[33]

M. E. H. Jones, A. J. D. Tennyson, J. P. Worthy, S. E. Evans, and T. H. Worthy, 'A sphenodontine (Rhynchocephalia) from the Miocene of New Zealand and palaeobiogeography of the tuatara (*Sphenodon*)', *Proceedings of the Royal Society B: Biological Sciences*, vol. 276, no. 1660, pp. 1385–1390, Jan. 2009, doi: 10.1098/rspb.2008.1785.

[34]

J. Robert Macey, James A. Schulte, II, Allan Larson, Natalia B. Ananjeva, Yuezhaio Wang, Rohan Pethiyagoda, Nasrullah Rastegar-Pouyani and Theodore J. Papenfuss, 'Evaluating Trans-Tethys Migration: An Example Using Acrodont Lizard Phylogenetics', *Systematic Biology*, vol. 49, no. 2, 2000 [Online]. Available: <https://www.jstor.org/stable/2585219>

[35]

Zug, George R., *Herpetology: an introductory biology of amphibians and reptiles*. San Diego: Academic Press, 1993 [Online]. Available: <https://www.sciencedirect.com/book/9780127826202/herpetology>

[36]

A. Kupfer et al., 'Parental investment by skin feeding in a caecilian amphibian', *Nature*, vol. 440, no. 7086, pp. 926–929, Apr. 2006, doi: 10.1038/nature04403.

[37]

K. Roelants et al., 'Global patterns of diversification in the history of modern amphibians', *Proceedings of the National Academy of Sciences*, vol. 104, no. 3, pp. 887–892, Jan. 2007, doi: 10.1073/pnas.0608378104.

[38]

D. J. GOWER, V. GIRI, M. S. DHARNE, and Y. S. SHOUCHE, 'Frequency of independent origins of viviparity among caecilians (Gymnophiona): evidence from the first

"live-bearing" Asian amphibian', *Journal of Evolutionary Biology*, vol. 21, no. 5, pp. 1220–1226, Sep. 2008, doi: 10.1111/j.1420-9101.2008.01577.x.

[39]

D. J. GOWER and M. WILKINSON, 'Conservation Biology of Caecilian Amphibians', *Conservation Biology*, vol. 19, no. 1, pp. 45–55, Feb. 2005, doi: 10.1111/j.1523-1739.2005.00589.x.

[40]

M. WILKINSON, D. SAN MAURO, E. SHERRATT, and D. J. GOWER, 'A nine-family classification of caecilians (Amphibia: Gymnophiona)', *Zootaxa*, vol. 2874, no. 1, May 2011, doi: 10.11646/zootaxa.2874.1.3.

[41]

M. WILKINSON, 'Comparative morphology and evolution of the lungless caecilian *Atretochoana eiselti* (Taylor) (Amphibia: Gymnophiona: Typhlonectidae)', *Biological Journal of the Linnean Society*, vol. 62, no. 1, pp. 39–109, Sep. 1997, doi: 10.1006/bijl.1997.0143.

[42]

Ole Seehausen, 'African Cichlid Fish: A Model System in Adaptive Radiation Research', *Proceedings: Biological Sciences*, vol. 273, no. 1597, 2006 [Online]. Available: <https://www.jstor.org/stable/25223557>

[43]

T. D. Kocher, 'Adaptive evolution and explosive speciation: the cichlid fish model', *Nature Reviews Genetics*, vol. 5, no. 4, pp. 288–298, Apr. 2004, doi: 10.1038/nrg1316.

[44]

Schluter, Dolph, *The ecology of adaptive radiation*, vol. Oxford series in ecology and evolution. Oxford: Oxford University Press, 2000.

[45]

U. K. Schliewen, D. Tautz, and S. Pääbo, 'Sympatric speciation suggested by monophyly of crater lake cichlids', *Nature*, vol. 368, no. 6472, pp. 629–632, Apr. 1994, doi: 10.1038/368629a0.

[46]

D. A. Joyce et al., 'An extant cichlid fish radiation emerged in an extinct Pleistocene lake', *Nature*, vol. 435, no. 7038, pp. 90–95, May 2005, doi: 10.1038/nature03489.

[47]

J. J. Day, J. A. Cotton, and T. G. Barraclough, 'Tempo and Mode of Diversification of Lake Tanganyika Cichlid Fishes', *PLoS ONE*, vol. 3, no. 3, Mar. 2008, doi: 10.1371/journal.pone.0001730.

[48]

D. A. Joyce, D. H. Lunt, M. J. Genner, G. F. Turner, R. Bills, and O. Seehausen, 'Repeated colonization and hybridization in Lake Malawi cichlids', *Current Biology*, vol. 21, no. 3, pp. R108–R109, Feb. 2011, doi: 10.1016/j.cub.2010.11.029.

[49]

E. Verheyen, 'Origin of the Superflock of Cichlid Fishes from Lake Victoria, East Africa', *Science*, vol. 300, no. 5617, pp. 325–329, Mar. 2003, doi: 10.1126/science.1080699.

[50]

R. C. Albertson, J. A. Markert, P. D. Danley, and T. D. Kocher, 'Phylogeny of a rapidly evolving clade: The cichlid fishes of Lake Malawi, East Africa', *Proceedings of the National Academy of Sciences*, vol. 96, no. 9, pp. 5107–5110, Apr. 1999, doi: 10.1073/pnas.96.9.5107.

[51]

M. J. Genner et al., 'Age of Cichlids: New Dates for Ancient Lake Fish Radiations', *Molecular Biology and Evolution*, vol. 24, no. 5, pp. 1269–1282, Feb. 2007, doi:

10.1093/molbev/msm050.

[52]

J. Harshman et al., 'Phylogenomic evidence for multiple losses of flight in ratite birds', *Proceedings of the National Academy of Sciences*, vol. 105, no. 36, pp. 13462–13467, Sep. 2008, doi: 10.1073/pnas.0803242105.

[53]

A. Feduccia, "'Big bang" for tertiary birds?', *Trends in Ecology & Evolution*, vol. 18, no. 4, pp. 172–176, Apr. 2003, doi: 10.1016/S0169-5347(03)00017-X.

[54]

A. Cooper, 'Mass Survival of Birds Across the Cretaceous- Tertiary Boundary: Molecular Evidence', *Science*, vol. 275, no. 5303, pp. 1109–1113, Feb. 1997, doi: 10.1126/science.275.5303.1109.

[55]

N. R. Longrich, T. Tokaryk, and D. J. Field, 'Mass extinction of birds at the Cretaceous-Paleogene (K-Pg) boundary', *Proceedings of the National Academy of Sciences*, vol. 108, no. 37, pp. 15253–15257, Sep. 2011, doi: 10.1073/pnas.1110395108.

[56]

K. Roelants et al., 'Global patterns of diversification in the history of modern amphibians', *Proceedings of the National Academy of Sciences*, vol. 104, no. 3, pp. 887–892, Jan. 2007, doi: 10.1073/pnas.0608378104.

[57]

H. R. L. Lerner, M. Meyer, H. F. James, M. Hofreiter, and R. C. Fleischer, 'Multilocus Resolution of Phylogeny and Timescale in the Extant Adaptive Radiation of Hawaiian Honeycreepers', *Current Biology*, vol. 21, no. 21, pp. 1838–1844, Nov. 2011, doi: 10.1016/j.cub.2011.09.039.

[58]

P. G. P. Ericson et al., 'Diversification of Neoaves: integration of molecular sequence data and fossils', *Biology Letters*, vol. 2, no. 4, pp. 543–547, Dec. 2006, doi: 10.1098/rsbl.2006.0523.

[59]

O. R. P. Bininda-Emonds et al., 'The delayed rise of present-day mammals', *Nature*, vol. 446, no. 7135, pp. 507–512, Mar. 2007, doi: 10.1038/nature05634.

[60]

J. Roos, R. K. Aggarwal, and A. Janke, 'Extended mitogenomic phylogenetic analyses yield new insight into crocodylian evolution and their survival of the Cretaceous–Tertiary boundary', *Molecular Phylogenetics and Evolution*, vol. 45, no. 2, pp. 663–673, Nov. 2007, doi: 10.1016/j.ympev.2007.06.018.

[61]

Peter R. Grant and B. Rosemary Grant, 'Adaptive Radiation of Darwin's Finches: Recent data help explain how this famous group of Galápagos birds evolved, although gaps in our understanding remain', *American Scientist*, vol. 90, no. 2, 2002 [Online]. Available: <https://www.jstor.org/stable/27857627>

[62]

H. R. L. Lerner, M. Meyer, H. F. James, M. Hofreiter, and R. C. Fleischer, 'Multilocus Resolution of Phylogeny and Timescale in the Extant Adaptive Radiation of Hawaiian Honeycreepers', *Current Biology*, vol. 21, no. 21, pp. 1838–1844, Nov. 2011, doi: 10.1016/j.cub.2011.09.039.

[63]

R. M. Adkins and R. L. Honeycutt, 'Molecular phylogeny of the superorder Archonta.', *Proceedings of the National Academy of Sciences*, vol. 88, no. 22, pp. 10317–10321, Nov. 1991, doi: 10.1073/pnas.88.22.10317.

[64]

M. Allard, 'Support for Interordinal Eutherian Relationships with an Emphasis on Primates and Their Archontan Relatives', *Molecular Phylogenetics and Evolution*, vol. 5, no. 1, pp. 78–88, Feb. 1996, doi: 10.1006/mpev.1996.0007.

[65]

Loren K. Ammerman and David M. Hillis, 'A Molecular Test of Bat Relationships: Monophyly or Diphyly?', *Systematic Biology*, vol. Vol. 41, no. No. 2, pp. 222–232.

[66]

Robert J. Asher, Jonathan H. Geisler and Marcelo R. Sánchez-Villagra, 'Morphology, Paleontology, and Placental Mammal Phylogeny', *Systematic Biology*, vol. Vol. 57, no. No. 2, pp. 311–317.

[67]

'General Anthropology', *General Anthropology Bulletin of the General Anthropology Division*, vol. 8, no. 2, pp. 1–16, Mar. 2002, doi: 10.1525/ga.2002.8.2.1.

[68]

R. F. Kay, J. G. M. Thewissen, and A. D. Yoder, 'Cranial anatomy of *Ignacius graybullianus* and the affinities of the Plesiadapiformes', *American Journal of Physical Anthropology*, vol. 89, no. 4, pp. 477–498, Dec. 1992, doi: 10.1002/ajpa.1330890409.

[69]

J. O. Kriegs, G. Churakov, M. Kiefmann, U. Jordan, J. Brosius, and J. Schmitz, 'Retroposed Elements as Archives for the Evolutionary History of Placental Mammals', *PLoS Biology*, vol. 4, no. 4, 2006, doi: 10.1371/journal.pbio.0040091.

[70]

Y.-H. Lin and D. Penny, 'Implications for Bat Evolution from Two New Complete Mitochondrial Genomes', *Molecular Biology and Evolution*, vol. 18, no. 4, pp. 684–688, Apr. 2001, doi: 10.1093/oxfordjournals.molbev.a003850.

[71]

O. Madsen et al., 'Parallel adaptive radiations in two major clades of placental mammals : Article : Nature', *Nature*, vol. 409, no. 6820, pp. 610–614, Feb. 2001, doi: 10.1038/35054544.

[72]

M. Miyamoto, 'A Congruence Study of Molecular and Morphological Data for Eutherian Mammals', *Molecular Phylogenetics and Evolution*, vol. 6, no. 3, pp. 373–390, Dec. 1996, doi: 10.1006/mpev.1996.0087.

[73]

M. M. Miyamoto, Calvin A. Porter, Morr, 'c- Myc Gene Sequences and the Phylogeny of Bats and Other Eutherian Mammals', *Systematic Biology*, vol. 49, no. 3, pp. 501–514, Sep. 2000, doi: 10.1080/10635159950127367.

[74]

W. J. Murphy, 'Resolution of the Early Placental Mammal Radiation Using Bayesian Phylogenetics', *Science*, vol. 294, no. 5550, pp. 2348–2351, Dec. 2001, doi: 10.1126/science.1067179.

[75]

M. J. NOVACEK and A. R. WYSS, 'HIGHER-LEVEL RELATIONSHIPS OF THE RECENT EUTHERIAN ORDERS: MORPHOLOGICAL EVIDENCE', *Cladistics*, vol. 2, no. 4, pp. 257–287, Sep. 1986, doi: 10.1111/j.1096-0031.1986.tb00463.x.

[76]

J. D. Pettigrew, B. G. M. Jamieson, S. K. Robson, L. S. Hall, K. I. McAnally and H. M. Cooper, 'Phylogenetic Relations Between Microbats, Megabats and Primates (Mammalia: Chiroptera and Primates)', *Philosophical Transactions of the Royal Society of London. Series B, Biological Sciences*, vol. Vol. 325, no. No. 1229, pp. 489–559.

[77]

M. SPRINGER, 'Molecules consolidate the placental mammal tree', *Trends in Ecology & Evolution*, vol. 19, no. 8, pp. 430–438, Aug. 2004, doi: 10.1016/j.tree.2004.05.006.

[78]

M. S. Springer and W. J. Murphy, 'Mammalian evolution and biomedicine: new views from phylogeny', *Biological Reviews*, vol. 82, no. 3, pp. 375–392, Aug. 2007, doi: 10.1111/j.1469-185X.2007.00016.x.

[79]

M. Springer, R. Meredith, E. Eizirik, E. Teeling, and W. Murphy, 'Morphology and Placental Mammal Phylogeny', *Systematic Biology*, vol. 57, no. 3, pp. 499–503, Jun. 2008, doi: 10.1080/10635150802164504.

[80]

Emma C. Teeling, Ole Madsen, Ronald A. Van Den Bussche, Wilfried W. de Jong, Michael J. Stanhope and Mark S. Springer, 'Microbat Paraphyly and the Convergent Evolution of a Key Innovation in Old World Rhinolophoid Microbats', *Proceedings of the National Academy of Sciences of the United States of America*, vol. Vol. 99, no. No. 3, pp. 1431–1436.

[81]

E. C. Teeling, 'A Molecular Phylogeny for Bats Illuminates Biogeography and the Fossil Record', *Science*, vol. 307, no. 5709, pp. 580–584, Jan. 2005, doi: 10.1126/science.1105113.

[82]

R. Van Den Bussche, 'Characterization and Phylogenetic Utility of the Mammalian Protamine P1 Gene', *Molecular Phylogenetics and Evolution*, vol. 22, no. 3, pp. 333–341, Mar. 2002, doi: 10.1006/mpev.2001.1051.

[83]

Ronald A. van Den Bussche and Steven R. Hoofer, 'Phylogenetic Relationships among Recent Chiropteran Families and the Importance of Choosing Appropriate Out-Group Taxa', *Journal of Mammalogy*, vol. 85, no. 2, 2004 [Online]. Available:

<https://www.jstor.org/stable/1383763?>

[84]

Karen E. Sears, 'Constraints on the Morphological Evolution of Marsupial Shoulder Girdles', *Evolution*, vol. Vol. 58, no. No. 10, pp. 2353–2370.

[85]

Jason A. Lillegraven, 'Biological Considerations of the Marsupial-Placental Dichotomy', *Evolution*, vol. Vol. 29, no. No. 4, pp. 707–722.

[86]

F. S. Szalay, 'Paleobiogeography and metatherian evolution', in *Evolutionary history of the marsupials and an analysis of osteological characters*, Cambridge: Cambridge University Press, 1995, pp. 407–428 [Online]. Available:
https://www.cambridge.org/core/product/identifier/CB09780511565571A074/type/book_part

[87]

M. A. Nilsson, U. Arnason, P. B. S. Spencer, and A. Janke, 'Marsupial relationships and a timeline for marsupial radiation in South Gondwana', *Gene*, vol. 340, no. 2, pp. 189–196, Oct. 2004, doi: 10.1016/j.gene.2004.07.040.

[88]

C. L. Nunn and K. K. Smith, 'Statistical Analyses of Developmental Sequences: The Craniofacial Region in Marsupial and Placental Mammals', *The American Naturalist*, vol. 152, no. 1, pp. 82–101, Jul. 1998, doi: 10.1086/286151.

[89]

Vera Weisbecker, Anjali Goswami, Stephen Wroe and Marcelo R. Sánchez-Villagra, 'Ossification Heterochrony in the Therian Postcranial Skeleton and the Marsupial-Placental Dichotomy', *Evolution*, vol. Vol. 62, no. No. 8, pp. 2027–2041.

[90]

B. Van Valkenburgh, 'Deja vu: the evolution of feeding morphologies in the Carnivora', *Integrative and Comparative Biology*, vol. 47, no. 1, pp. 147–163, May 2007, doi: 10.1093/icb/icm016.

[91]

Blaire van Valkenburgh, 'Major patterns in the history of carnivorous mammals', *Annual Review of Earth and Planetary Sciences*, vol. 27, pp. 51–63, 1999 [Online]. Available: <https://search.proquest.com/docview/220785610?OpenUrlRefId=info:xri/sid:primo&accountid=14511>

[92]

Ricklefs, Robert E. and Schluter, Dolph, 'Historical Diversity Patterns in North American Large Herbivores and Carnivores', in *Species diversity in ecological communities: historical and geographical perspectives*, Chicago: University of Chicago Press, 1993, pp. 330–340.

[93]

A. Goswami and A. Friscia, Eds., *Carnivoran Evolution: new views on phylogeny, form and function*. Cambridge: Cambridge University Press, 2010 [Online]. Available: <http://ebooks.cambridge.org/ref/id/CBO9781139193436>

[94]

Goswami, Anjali and Friscia, Anthony, *Carnivoran evolution: new views on phylogeny, form, and function*, vol. Cambridge studies in morphology and molecules. Cambridge: Cambridge University Press, 2010.

[95]

Gina D. Wesley-Hunt, 'The Morphological Diversification of Carnivores in North America', *Paleobiology*, vol. Vol. 31, no. No. 1, pp. 35–55.

[96]

Rose, Kenneth David and Archibald, J. David, The rise of placental mammals: origins and relationships of the Major Extant Clades. Baltimore, Md: Johns Hopkins University Press, 2005, pp. 175–198.

[97]

Scott, Kathleen M., Jacobs, Louis L., Janis, Christine M., Gunnell, Gregg F., and Uhen, Mark D., Evolution of tertiary mammals of North America. Cambridge: Cambridge University Press, 1998.

[98]

Pasquale Raia and Shai Meiri, 'The Island Rule in Large Mammals: Paleontology Meets Ecology', *Evolution*, vol. Vol. 60, no. No. 8, pp. 1731–1742.

[99]

A. M. Lister, 'Rapid dwarfing of red deer on Jersey in the Last Interglacial', *Nature*, vol. 342, no. 6249, pp. 539–542, Nov. 1989, doi: 10.1038/342539a0.

[100]

Stephen Jay Gould and Niles Eldredge, 'Punctuated Equilibria: The Tempo and Mode of Evolution Reconsidered', *Paleobiology*, vol. 3, no. 2, 1977 [Online]. Available: <https://www.jstor.org/stable/2400177>

[101]

A. M. Lister, 'The Origin and Evolution of the Woolly Mammoth', *Science*, vol. 294, no. 5544, pp. 1094–1097, Nov. 2001, doi: 10.1126/science.1056370.

[102]

Lister, Adrian and Bahn, Paul G., *Mammoths: giants of the ice age*, Rev. ed. Berkeley: University of California Press, 2007.

[103]

J. G. Fleagle, Primate adaptation and evolution, 3rd ed. Amsterdam: Elsevier/Academic Press, 2013 [Online]. Available:
<https://www.sciencedirect.com/book/9780123786326/primate-adaptation-and-evolution>

[104]

Aiello, Leslie and Dean, Christopher, An introduction to human evolutionary anatomy. London: Academic Press, 1990.

[105]

An Introduction to Human Evolutionary Anatomy. Elsevier, 2002 [Online]. Available:
<https://www.sciencedirect.com/book/9780120455911/an-introduction-to-human-evolutionary-anatomy>

[106]

Dunbar, R. I. M., Barrett, Louise, and British Broadcasting Corporation, Cousins: our primate relatives. London: BBC Worldwide, 2000.

[107]

J. L. Franzen, P. D. Gingerich, J. Habersetzer, J. H. Hurum, W. von Koenigswald, and B. H. Smith, 'Complete Primate Skeleton from the Middle Eocene of Messel in Germany: Morphology and Paleobiology', PLoS ONE, vol. 4, no. 5, May 2009, doi:
10.1371/journal.pone.0005723.

[108]

Groves, Colin P., Primate taxonomy, vol. Smithsonian series in comparative evolutionary biology. Washington, DC: Smithsonian Institution Press, 2001.

[109]

R. A. Mittermeier et al., 'Primates in Peril: The World's 25 Most Endangered Primates 2008–2010', Primate Conservation, vol. 24, no. 1, pp. 1–57, Nov. 2009 [Online]. Available:
<https://doi.org/10.1896/052.024.0101>

[110]

H. J. Chatterjee, S. Y. Ho, I. Barnes, and C. Groves, 'Estimating the phylogeny and divergence times of primates using a supermatrix approach', *BMC Evolutionary Biology*, vol. 9, no. 1, 2009, doi: 10.1186/1471-2148-9-259.