

CLNEG055: Clinical Manifestations of Stroke

[View Online](#)

A. Gregory Sorensen (2011) 'Transient Ischemic Attack Definition, Diagnosis, and Risk Stratification', *Neuroimaging clinics of North America*, 21(2). Available at: <https://doi.org/10.1016/j.nic.2011.01.013>.

Adams, R.J. et al. (1998) 'Prevention of a First Stroke by Transfusions in Children with Sickle Cell Anemia and Abnormal Results on Transcranial Doppler Ultrasonography', *New England Journal of Medicine*, 339(1), pp. 5–11. Available at: <https://doi.org/10.1056/NEJM199807023390102>.

Albers, G.W. et al. (2002) 'Transient Ischemic Attack — Proposal for a New Definition', *New England Journal of Medicine*, 347(21), pp. 1713–1716. Available at: <https://doi.org/10.1056/NEJMs020987>.

'Antiplatelet treatment compared with anticoagulation treatment for cervical artery dissection (CADISS): a randomised trial' (2015) *The Lancet Neurology*, 14(4), pp. 361–367. Available at: [https://doi.org/10.1016/S1474-4422\(15\)70018-9](https://doi.org/10.1016/S1474-4422(15)70018-9).

Arboix, A. et al. (2000) 'Hemorrhagic Lacunar Stroke', *Cerebrovascular Diseases*, 10(3), pp. 229–234. Available at: <https://doi.org/10.1159/000016061>.

van Asch, C.J. et al. (2010) 'Incidence, case fatality, and functional outcome of intracerebral haemorrhage over time, according to age, sex, and ethnic origin: a systematic review and meta-analysis', *The Lancet Neurology*, 9(2), pp. 167–176. Available at: [https://doi.org/10.1016/S1474-4422\(09\)70340-0](https://doi.org/10.1016/S1474-4422(09)70340-0).

Bamiou, D.E. (2015) 'Hearing disorders in stroke', in *The Human Auditory System - Fundamental Organization and Clinical Disorders*. Elsevier, pp. 633–647. Available at: <https://doi.org/10.1016/B978-0-444-62630-1.00035-4>.

Barker, P.B., Golay, X. and Zaharchuk, G. (eds) (2013) *Clinical Perfusion MRI: Techniques and Applications*. Cambridge: Cambridge University Press. Available at: <http://dx.doi.org/10.1017/CBO9781139004053>.

Bonita, R. et al. (1999) 'Passive smoking as well as active smoking increases the risk of acute stroke', *Tobacco Control*, 8(2), pp. 156–160. Available at: <https://doi.org/10.1136/tc.8.2.156>.

Bourcier, R. et al. (2012) 'Intracranial dissection: Incidence and long term endovascular treatment results of a not so rare disease', *Clinical Neurology and Neurosurgery*, 114(9), pp. 1248–1253. Available at: <https://doi.org/10.1016/j.clineuro.2012.03.017>.

Charidimou, A. et al. (2012) 'Spectrum of Transient Focal Neurological Episodes in Cerebral Amyloid Angiopathy: Multicentre Magnetic Resonance Imaging Cohort Study and Meta-Analysis', *Stroke*, 43(9), pp. 2324–2330. Available at: <https://doi.org/10.1161/STROKEAHA.112.657759>.

Chen, C.S. et al. (2009) 'Vision-Related Quality of Life in Patients with Complete Homonymous Hemianopia Post Stroke', *Topics in Stroke Rehabilitation*, 16(6), pp. 445–453. Available at: <https://doi.org/10.1310/tsr1606-445>.

Coull, A.J. (2004) 'Population based study of early risk of stroke after transient ischaemic attack or minor stroke: implications for public education and organisation of services', *BMJ*, 328(7435). Available at: <https://doi.org/10.1136/bmj.37991.635266.44>.

Coutts, S.B. et al. (2012) 'CT/CT Angiography and MRI Findings Predict Recurrent Stroke After Transient Ischemic Attack and Minor Stroke', *Stroke*, 43(4), pp. 1013–1017. Available at: <https://doi.org/10.1161/STROKEAHA.111.637421>.

Cumbler, E. et al. (2014) 'Quality of Care and Outcomes for In-Hospital Ischemic Stroke: Findings From the National Get With The Guidelines-Stroke', *Stroke*, 45(1), pp. 231–238. Available at: <https://doi.org/10.1161/STROKEAHA.113.003617>.

Dewey, H.M. et al. (2003) 'Lifetime Cost of Stroke Subtypes in Australia: Findings From the North East Melbourne Stroke Incidence Study (NEMESIS)', *Stroke*, 34(10), pp. 2502–2507. Available at: <https://doi.org/10.1161/01.STR.0000091395.85357.09>.

Easton, J.D. et al. (2009) 'Definition and Evaluation of Transient Ischemic Attack: A Scientific Statement for Healthcare Professionals From the American Heart Association/American Stroke Association Stroke Council; Council on Cardiovascular Surgery and Anesthesia; Council on Cardiovascular Radiology and Intervention; Council on Cardiovascular Nursing; and the Interdisciplinary Council on Peripheral Vascular Disease: The American Academy of Neurology affirms the value of this statement as an educational tool for neurologists.', *Stroke*, 40(6), pp. 2276–2293. Available at: <https://doi.org/10.1161/STROKEAHA.108.192218>.

Enrico Floßmann (2003) 'Prognosis of vertebrobasilar transient ischaemic attack and minor stroke', *Brain*, 126(9), pp. 1940–1954. Available at: <http://brain.oxfordjournals.org/content/126/9/1940.long>.

Fairhead, J.F., Mehta, Z. and Rothwell, P.M. (2005) 'Population-based study of delays in carotid imaging and surgery and the risk of recurrent stroke', *Neurology*, 65(3), pp. 371–375. Available at: <https://doi.org/10.1212/01.WNL.0000170368.82460.b4>.

Feigin, V.L. et al. (2009) 'Worldwide stroke incidence and early case fatality reported in 56 population-based studies: a systematic review', *The Lancet Neurology*, 8(4), pp. 355–369. Available at: [https://doi.org/10.1016/S1474-4422\(09\)70025-0](https://doi.org/10.1016/S1474-4422(09)70025-0).

Fisch, A. (2012) 'Arterial Supply', in *Neuroanatomy*. Oxford University Press, pp. 317–338. Available at: <https://doi.org/10.1093/med/9780199845712.003.0251>.

Fischer, U. et al. (2010) 'What Is a Minor Stroke?', *Stroke*, 41(4), pp. 661–666. Available at: <https://doi.org/10.1161/STROKEAHA.109.572883>.

- Flaherty, M.L. et al. (2007) 'The increasing incidence of anticoagulant-associated intracerebral hemorrhage', *Neurology*, 68(2), pp. 116–121. Available at: <https://doi.org/10.1212/01.wnl.0000250340.05202.8b>.
- Gory, B. et al. (2016) 'Outcomes of stent retriever thrombectomy in basilar artery occlusion: an observational study and systematic review', *Journal of Neurology, Neurosurgery & Psychiatry*, 87(5), pp. 520–525. Available at: <https://doi.org/10.1136/jnnp-2014-310250>.
- Hart, R. and Hindman, B. (1982) 'Mechanisms of perioperative cerebral infarction', *Stroke*, 13(6), pp. 766–773. Available at: <https://doi.org/10.1161/01.STR.13.6.766>.
- Hart, R.G. and Kanter, M.C. (1990) 'Hematologic disorders and ischemic stroke. A selective review', *Stroke*, 21(8), pp. 1111–1121. Available at: <https://doi.org/10.1161/01.STR.21.8.1111>.
- Hogue, C.W. et al. (1999) 'Risk Factors for Early or Delayed Stroke After Cardiac Surgery', *Circulation*, 100(6), pp. 642–647. Available at: <https://doi.org/10.1161/01.CIR.100.6.642>.
- Jones, D.K. (2011) *Diffusion MRI: theory, methods, and applications*. New York: Oxford University Press. Available at: <http://dx.doi.org/10.1093/med/9780195369779.001.0001>.
- Kirkham, F.J. (2007) 'Therapy Insight: stroke risk and its management in patients with sickle cell disease', *Nature Clinical Practice Neurology*, 3(5), pp. 264–278. Available at: <https://doi.org/10.1038/ncpneuro0495>.
- Kleinloog, R. et al. (2012) 'Regional differences in incidence and patient characteristics of moyamoya disease: a systematic review', *Journal of Neurology, Neurosurgery & Psychiatry*, 83(5), pp. 531–536. Available at: <https://doi.org/10.1136/jnnp-2011-301387>.
- L. Marquardt (2009) 'Incidence and prognosis of ≥50% symptomatic vertebral or basilar artery stenosis: prospective population-based study', *Brain*, 132(4), pp. 982–988. Available at: <http://brain.oxfordjournals.org/content/132/4/982.long>.
- L. Varennes (2015) 'Fibromuscular dysplasia: what the radiologist should know: a pictorial review', *Insights into Imaging*, 6(3). Available at: <https://doi.org/doi:10.1007/s13244-015-0382-4>.
- Liebeskind, D.S. (2003) 'Collateral Circulation', *Stroke*, 34(9), pp. 2279–2284. Available at: <https://doi.org/10.1161/01.STR.0000086465.41263.06>.
- Losseff, N. et al. (2016a) 'Stroke and Cerebrovascular Diseases', in C. Clarke et al. (eds) *Neurology*. Chichester, UK: John Wiley & Sons, Ltd, pp. 133–185. Available at: <https://doi.org/10.1002/9781118486160.ch5>.
- Losseff, N. et al. (2016b) 'Stroke and Cerebrovascular Diseases', in C. Clarke et al. (eds) *Neurology*. Chichester, UK: John Wiley & Sons, Ltd, pp. 133–185. Available at: <https://doi.org/10.1002/9781118486160.ch5>.
- Louw, S.J. (2002) 'Stroke medicine-ethical and legal considerations', *Age and Ageing*, 31(90003), pp. 31–35. Available at: https://doi.org/10.1093/ageing/31.suppl_3.31.

- Markus, H.S. and Hambley, H. (1998) 'Neurology and the blood: haematological abnormalities in ischaemic stroke', *Journal of Neurology, Neurosurgery & Psychiatry*, 64(2), pp. 150–159. Available at: <https://doi.org/10.1136/jnnp.64.2.150>.
- Markus, H.S., van der Worp, H.B. and Rothwell, P.M. (2013) 'Posterior circulation ischaemic stroke and transient ischaemic attack: diagnosis, investigation, and secondary prevention', *The Lancet Neurology*, 12(10), pp. 989–998. Available at: [https://doi.org/10.1016/S1474-4422\(13\)70211-4](https://doi.org/10.1016/S1474-4422(13)70211-4).
- Menshaw, Khaled (2015) 'A Functional Perspective on the Embryology and Anatomy of the Cerebral Blood Supply', *Journal of Stroke*, 17(2), pp. 144–158. Available at: <https://doi.org/10.5853/jos.2015.17.2.144>.
- Meretoja, A. et al. (2012) 'SMASH-U: A Proposal for Etiologic Classification of Intracerebral Hemorrhage', *Stroke*, 43(10), pp. 2592–2597. Available at: <https://doi.org/10.1161/STROKEAHA.112.661603>.
- Mohr, J.P. (2013) 'History of Transient Ischemic Attack Definition', in S. Uchiyama et al. (eds) *TIA as Acute Cerebrovascular Syndrome*. Basel: S. KARGER AG, pp. 1–10. Available at: <https://doi.org/10.1159/000351883>.
- Nagel, M.A. and Gilden, D. (2014) 'Update on Varicella Zoster Virus Vasculopathy', *Current Infectious Disease Reports*, 16(6). Available at: <https://doi.org/10.1007/s11908-014-0407-z>.
- Omura, M. et al. (1997) 'Large intracranial vessel occlusive vasculopathy after radiation therapy in children: Clinical features and usefulness of magnetic resonance imaging', *International Journal of Radiation Oncology*Biophysics*, 38(2), pp. 241–249. Available at: [https://doi.org/10.1016/S0360-3016\(97\)82497-2](https://doi.org/10.1016/S0360-3016(97)82497-2).
- Ovbiagele, B., Kidwell, C.S. and Saver, J.L. (2003) 'Epidemiological Impact in the United States of a Tissue-Based Definition of Transient Ischemic Attack', *Stroke*, 34(4), pp. 919–924. Available at: <https://doi.org/10.1161/01.STR.0000064323.65539.A7>.
- Pantoni, L. (2010) 'Cerebral small vessel disease: from pathogenesis and clinical characteristics to therapeutic challenges', *The Lancet Neurology*, 9(7), pp. 689–701. Available at: [https://doi.org/10.1016/S1474-4422\(10\)70104-6](https://doi.org/10.1016/S1474-4422(10)70104-6).
- Poon, M.T.C., Fonville, A.F. and Al-Shahi Salman, R. (2014) 'Long-term prognosis after intracerebral haemorrhage: systematic review and meta-analysis', *Journal of Neurology, Neurosurgery & Psychiatry*, 85(6), pp. 660–667. Available at: <https://doi.org/10.1136/jnnp-2013-306476>.
- Roth, T. et al. (2009) 'Comparing explorative saccade and flicker training in hemianopia: A randomized controlled study', *Neurology*, 72(4), pp. 324–331. Available at: <https://doi.org/10.1212/01.wnl.0000341276.65721.f2>.
- Rothman, S.M. and Olney, J.W. (1986) 'Glutamate and the pathophysiology of hypoxic-ischemic brain damage', *Annals of Neurology*, 19(2), pp. 105–111. Available at: <https://doi.org/10.1002/ana.410190202>.
- Rowe, F. et al. (2008) 'Visual impairment following stroke: do stroke patients require vision

assessment?', *Age and Ageing*, 38(2), pp. 188–193. Available at: <https://doi.org/10.1093/ageing/afn230>.

Runchey, S. and McGee, S. (2010) 'Does This Patient Have a Hemorrhagic Stroke?', *JAMA*, 303(22). Available at: <https://doi.org/10.1001/jama.2010.754>.

Saltman, A.P. et al. (2015) 'Care and Outcomes of Patients With In-Hospital Stroke', *JAMA Neurology*, 72(7). Available at: <https://doi.org/10.1001/jamaneurol.2015.0284>.

Searls, D.E. (2012) 'Symptoms and Signs of Posterior Circulation Ischemia in the New England Medical Center Posterior Circulation Registry', *Archives of Neurology*, 69(3). Available at: <https://doi.org/10.1001/archneurol.2011.2083>.

'Secondary prevention in non-rheumatic atrial fibrillation after transient ischaemic attack or minor stroke' (1993) *The Lancet*, 342(8882). Available at: [https://doi.org/10.1016/0140-6736\(93\)92358-Z](https://doi.org/10.1016/0140-6736(93)92358-Z).

Spitzyna, G.A. et al. (2007) 'Optokinetic therapy improves text reading in patients with hemianopic alexia: A controlled trial', *Neurology*, 68(22), pp. 1922–1930. Available at: <https://doi.org/10.1212/01.wnl.0000264002.30134.2a>.

Staaf, G. et al. (2003) 'Diffusion-Weighted MRI Findings in Patients with Capsular Warning Syndrome', *Cerebrovascular Diseases*, 17(1), pp. 1–8. Available at: <https://doi.org/10.1159/000073891>.

Wardlaw, J.M. et al. (2013) 'Neuroimaging standards for research into small vessel disease and its contribution to ageing and neurodegeneration', *The Lancet Neurology*, 12(8), pp. 822–838. Available at: [https://doi.org/10.1016/S1474-4422\(13\)70124-8](https://doi.org/10.1016/S1474-4422(13)70124-8).

Wilson, D. et al. (2015) 'Investigating intracerebral haemorrhage', *BMJ*, 350(may20 10), pp. h2484–h2484. Available at: <https://doi.org/10.1136/bmj.h2484>.

Wilson, D., Charidimou, A. and Werring, D.J. (2014) 'Advances in understanding spontaneous intracerebral hemorrhage: insights from neuroimaging', *Expert Review of Neurotherapeutics*, 14(6), pp. 661–678. Available at: <https://doi.org/10.1586/14737175.2014.918506>.