

# ARCL0096: Archaeobotanical analysis in practice

[View Online](#)

[1]

A. C. D'Andrea 2008. T'ef (*Eragrostis tef*) in Ancient Agricultural Systems of Highland Ethiopia. *Economic Botany*. 62, 4 (2008), 547–566.

[2]

Ames, Oakes 1939. Economic annuals and human cultures. *Botanical Museum of Harvard University*.

[3]

Ann Butler 1996. Trifolieae and related seeds from archaeological contexts: problems in identification. *Vegetation History and Archaeobotany*. 5, 1 (1996), 157–167.

[4]

Antolín, F. and Buxó, R. 2011. Proposal for the systematic description and taphonomic study of carbonized cereal grain assemblages: a case study of an early Neolithic funerary context in the cave of Can Sadurní (Begues, Barcelona province, Spain). *Vegetation History and Archaeobotany*. 20, 1 (Jan. 2011), 53–66.

DOI:<https://doi.org/10.1007/s00334-010-0255-1>.

[5]

Antolín, F. and Buxó, R. 2011. Proposal for the systematic description and taphonomic study of carbonized cereal grain assemblages: a case study of an early Neolithic funerary context in the cave of Can Sadurní (Begues, Barcelona province, Spain). *Vegetation History and Archaeobotany*. 20, 1 (Jan. 2011), 53–66.

DOI:<https://doi.org/10.1007/s00334-010-0255-1>.

[6]

archaeobotany: <https://sites.google.com/site/archaeobotany/>.

[7]

Asouti, E. and Fuller, D.Q. 2008. Trees and woodlands of south India: archaeological perspective. Left Coast Press.

[8]

AYODELE, A.E. and ZHOU, Z.-K. 2010. Scanning electron microscopy of fruits in the West African Polygonaceae. *Journal of Systematics and Evolution*. 48, 5 (Sep. 2010), 336–343. DOI:<https://doi.org/10.1111/j.1759-6831.2010.00093.x>.

[9]

Baskin, C.C. and Baskin, J.M. 1998. Seeds: ecology, biogeography, and evolution of dormancy and germination. Academic.

[10]

Boardman, S. and Jones, G. 1990. Experiments on the effects of charring on cereal plant components. *Journal of Archaeological Science*. 17, 1 (Jan. 1990), 1–11. DOI:[https://doi.org/10.1016/0305-4403\(90\)90012-T](https://doi.org/10.1016/0305-4403(90)90012-T).

[11]

Boesewinkel, F.D. 1984. A comparative SEM study of seed coats of recent and of 900-110 years old, subfossil linseed. *Berichte der Deutschen botanischen Gesellschaft*. 97, (1984), 443–450.

[12]

Butler, A. 1990. The Vicieae: problems of identification. New light on early farming: recent developments in palaeoethnobotany. Edinburgh University Press. 61–73.

[13]

Capparelli, A. et al. 2011. After the harvest: investigating the role of food processing in past human societies. *Archaeological and Anthropological Sciences*. 3, 1 (Mar. 2011), 1–5. DOI:<https://doi.org/10.1007/s12520-011-0063-2>.

[14]

Chapman, G.P. 1992. Grass evolution and domestication. Cambridge University Press.

[15]

Chapman, M.A. and Burke, J.M. 2007. DNA sequence diversity and the origin of cultivated safflower (*Carthamus tinctorius* L.; Asteraceae). *BMC Plant Biology*. 7, 1 (2007). DOI:<https://doi.org/10.1186/1471-2229-7-60>.

[16]

Charles H. Miksicek 1987. Formation Processes of the Archaeobotanical Record. *Advances in Archaeological Method and Theory*. 10, (1987), 211–247.

[17]

Charles, M. et al. 1997. FIBS in Archaeobotany: Functional Interpretation of Weed Floras in Relation to Husbandry Practices. *Journal of Archaeological Science*. 24, 12 (Dec. 1997), 1151–1161. DOI:<https://doi.org/10.1006/jasc.1997.0194>.

[18]

Charles, M. et al. 2015. "Nor ever lightning char thy grain" : establishing archaeologically relevant charring conditions and their effect on glume wheat grain morphology. *STAR: Science & Technology of Archaeological Research*. 1, 1 (Mar. 2015), 1–6. DOI:<https://doi.org/10.1179/2054892315Y.0000000008>.

[19]

Charles, M.P. 1984. Introductory remarks on the cereals. *Bulletin of Sumerian agriculture*.

1, (1984), 17-31.

[20]

Colledge, S. et al. 2004. Archaeobotanical Evidence for the Spread of Farming in the Eastern Mediterranean. *Current Anthropology*. 45, S4 (Aug. 2004), S35-S58.  
DOI:<https://doi.org/10.1086/422086>.

[21]

Colledge, S. 2002. Identifying pre-domestication cultivation in the archaeobotanical record using multivariate analysis presenting the case for quantification. The dawn of farming in the Near East. *Ex Oriente*. 141-152.

[22]

Colledge, S. 2001. Plant exploitation on epipalaeolithic and early neolithic sites in the Levant. *British Archaeological Reports*.

[23]

Colledge, S. et al. 2005. The Evolution of Neolithic Farming from SW Asian Origins to NW European Limits. *European Journal of Archaeology*. 8, 2 (Aug. 2005), 137-156.  
DOI:<https://doi.org/10.1177/1461957105066937>.

[24]

Conolly, J. et al. 2008. Founder effect, drift, and adaptive change in domestic crop use in early Neolithic Europe. *Journal of Archaeological Science*. 35, 10 (Oct. 2008), 2797-2804.  
DOI:<https://doi.org/10.1016/j.jas.2008.05.006>.

[25]

Conolly, J. et al. 2012. Species distribution modelling of ancient cattle from early Neolithic sites in SW Asia and Europe. *The Holocene*. 22, 9 (Sep. 2012), 997-1010.  
DOI:<https://doi.org/10.1177/0959683612437871>.

[26]

Coward, F. et al. 2008. The spread of Neolithic plant economies from the Near East to northwest Europe: a phylogenetic analysis. *Journal of Archaeological Science*. 35, 1 (Jan. 2008), 42–56. DOI:<https://doi.org/10.1016/j.jas.2007.02.022>.

[27]

Crosquist, A. 1988. The Evolution and Classification of Flowering Plants. Nw York Botanic Garden.

[28]

De Wet 2000. Millets. *The Cambridge world history of food: volume one*. Cambridge University Press. 112–121.

[29]

Decker-Walters, D.S. 2000. Squash. *The Cambridge world history of food: volume one*. Cambridge University Press. 335–350.

[30]

DECRAENE, L.-P.R. and AKEROYD, J.R. 1988. Generic limits in *Polygonum* and related genera (*Polygonaceae*) on the basis of floral characters. *Botanical Journal of the Linnean Society*. 98, 4 (Dec. 1988), 321–371.  
DOI:<https://doi.org/10.1111/j.1095-8339.1988.tb01706.x>.

[31]

Deena S. Decker-Walters 1999. Cucurbits, Sanskrit, and the Indo-Aryas. *Economic Botany*. 53, 1 (1999), 98–112.

[32]

Dempewolf, H. et al. 2008. Crop domestication in the Compositae: a family-wide trait assessment. *Genetic Resources and Crop Evolution*. 55, 8 (Dec. 2008), 1141–1157.  
DOI:<https://doi.org/10.1007/s10722-008-9315-0>.

[33]

Deng, Z. et al. 2015. From Early Domesticated Rice of the Middle Yangtze Basin to Millet, Rice and Wheat Agriculture: Archaeobotanical Macro-Remains from Baligang, Nanyang Basin, Central China (6700–500 BC). PLOS ONE. 10, 10 (Oct. 2015).  
DOI:<https://doi.org/10.1371/journal.pone.0139885>.

[34]

Domestication and Archaeobotany-cereals:  
[http://www.ancientgrains.org/mark\\_papers.html](http://www.ancientgrains.org/mark_papers.html).

[35]

Dorothea Bedigian 2004. History and Lore of Sesame in Southwest Asia. Economic Botany. 58, 3 (2004), 329–353.

[36]

Edlin, H.L. 1967. Man and plants. Aldus.

[37]

Elizabeth A. Kellogg 2001. Evolutionary History of the Grasses. Plant Physiology. 125, 3 (2001), 1198–1205.

[38]

Elizabeth A. Kellogg 2000. The Grasses: A Case Study in Macroevolution. Annual Review of Ecology and Systematics. 31, (2000), 217–238.

[39]

Fahn, A. 1995. Plant anatomy. Butterworth-Heinemann.

[40]

Fahn, A. 1995. Plant anatomy. Butterworth-Heinemann.

[41]

Fahn, A. et al. 1986. Wood anatomy and identification of trees and shrubs from Israel and adjacent regions. Israel Academy of Sciences and Humanities.

[42]

Fredlund, G.G. and Tieszen, L.T. 1994. Modern Phytolith Assemblages from the North American Great Plains. *Journal of Biogeography*. 21, 3 (May 1994).  
DOI:<https://doi.org/10.2307/2845533>.

[43]

Fritz, G.J. 2005. Paleoethnobotanical Methods and Applications. Handbook of archaeological methods. Altamira Press. 771–832.

[44]

Fritz, G.J. 2005. Paleoethnobotanical Methods and Applications. Handbook of archaeological methods. Altamira Press. 771–832.

[45]

Fuller, D. 2003. African crops in prehistoric South Asia: a critical review. Food, fuel and fields: progress in African archaeobotany. Heinrich Barth-Institut. 239–271.

[46]

Fuller, D. 2002. Fifty years of Archaeobotanical Studies in India: Laying a Solid foundation. Indian archaeology in retrospect. Indian Council of Historical Research. 247–364.

[47]

Fuller, D. 2014. Routine activities, tertiary refuse, and Labor organization. Social inferences from everyday archaeobotany. Ancient plants and people: contemporary trends in archaeobotany. M. Madella et al., eds. The University of Arizona Press. 174–217.

[48]

Fuller, D. 2009. The spread of textile production and textile crops in India beyond the Harappan zone: an aspect of the emergence of craft specialization and systematic trade. Linguistics, archaeology and the human past. Indus Project, Research Institute for Humanity and Nature. 1–26.

[49]

Fuller, D.Q. 2014. Agricultural Innovation and State Collapse in Meroitic Nubia: The Impact of the Savannah Package. Archaeology of African plant use. Left Coast Press. 165–178.

[50]

Fuller, D.Q. 2007. Archaeological Science in Field Training. From concepts of the past to practical strategies: the teaching of archaeological field techniques. Saffron. 183–205.

[51]

Fuller, D.Q. 2014. Barley: Origins and Development. Encyclopedia of global archaeology. Springer Reference. 763–766.

[52]

Fuller, D.Q. 2007. Contrasting Patterns in Crop Domestication and Domestication Rates: Recent Archaeobotanical Insights from the Old World. Annals of Botany. 100, 5 (Jul. 2007), 903–924. DOI:<https://doi.org/10.1093/aob/mcm048>.

[53]

Fuller, D.Q. 2002. Fifty Years of Archaeobotanical Studies in India: Laying a Solid Foundation. Indian archaeology in retrospect. Indian Council of Historical Research. 247–364.

[54]

Fuller, D.Q. 2014. Finger Millet: Origins and Development. Encyclopedia of Global Archaeology. C. Smith, ed. Springer New York. 2783–2785.

[55]

Fuller, D.Q. 2003. Further Evidence on the Prehistory of Sesame. Asian Agri-History. 7, 2 (2003), 127–137.

[56]

Fuller, D.Q. 2014. Millets: Origins and Development. Encyclopedia of Global Archaeology. C. Smith, ed. Springer New York. 4945–4948.

[57]

Fuller, D.Q. 2008. The spread of textile production and textile crops in India beyond the Harappan zone: an aspect of the emergence of craft specialization and systematic trade. Linguistics, archaeology and the human past. Research Institute for Humanity and Nature. 1–26.

[58]

Fuller, D.Q. 2014. Wheats: Origins and Development. Encyclopedia of global archaeology. Springer Reference. 7812–7817.

[59]

Fuller, D.Q. and Harvey, E.L. 2006. The archaeobotany of Indian pulses: identification, processing and evidence for cultivation. Environmental Archaeology. 11, 2 (Oct. 2006), 219–246. DOI:<https://doi.org/10.1179/174963106x123232>.

[60]

Gale, R. and Cutler, D. 2000. Plants in archaeology: identification manual of vegetative plant manterials used in Europe and the southern Mediterranean to c. 1500. Westbury and Royal Botanic Gardens, Kew.

[61]

George Willcox archaeobotany: <http://g.willcox.pagesperso-orange.fr/>.

[62]

Goddard, J. and Nesbitt, M. 1997. Why draw seeds? Illustrating archaeobotany. *Graphic Archaeology* 1997. (1997), 13-21.

[63]

Gordon Hillman, Sue Wales, Frances McLaren, John Evans and Ann Butler 1993. Identifying Problematic Remains of Ancient Plant Foods: A Comparison of the Role of Chemical, Histological and Morphological Criteria. *World Archaeology*. 25, 1 (1993), 94-121.

[64]

Gregory M. Plunkett and Stephen R. Downie 1999. Major Lineages within Apiaceae Subfamily Apioideae: A Comparison of Chloroplast Restriction Site and DNA Sequence Data. *American Journal of Botany*. 86, 7 (1999), 1014-1026.

[65]

Greig, J. and European Science Foundation 1989. Archaeobotany. European Science Foundation.

[66]

Gros-Balthazard, M. et al. 2016. The Domestication Syndrome in Phoenix dactylifera Seeds: Toward the Identification of Wild Date Palm Populations. *PLOS ONE*. 11, 3 (Mar. 2016). DOI:<https://doi.org/10.1371/journal.pone.0152394>.

[67]

Gustafsson, S. 2000. Carbonized Cereal Grains and Weed Seeds in Prehistoric Houses—an Experimental Perspective. *Journal of Archaeological Science*. 27, 1 (Jan. 2000), 65-70. DOI:<https://doi.org/10.1006/jasc.1999.0441>.

[68]

Hardy, K. and Kubiak-Martens, L. eds. 2016. Wild harvest: plants in the hominin and pre-agrarian human worlds. Oxbow Books.

[69]

Harlan, J.R. et al. 1973. Comparative Evolution of Cereals. *Evolution*. 27, 2 (Jun. 1973).  
DOI:<https://doi.org/10.2307/2406971>.

[70]

Harlan, J.R. et al. 1992. Crops & man. American Society of Agronomy.

[71]

Harlan, J.R. 1995. The living fields: our agricultural heritage. Cambridge University Press.

[72]

Harlan, J.R. 1976. The races of sorghum in Africa. Origins of African plant domestication. Mouton. 465–478.

[73]

Harlan, J.R. and de Wet, J.M.J. 1972. A Simplified Classification of Cultivated Sorghum1. *Crop Science*. 12, 2 (1972).  
DOI:<https://doi.org/10.2135/cropsci1972.0011183X001200020005x>.

[74]

Harris, D.R. Alternative pathways towards agriculture. *Origins of agriculture* / editor Charles A. Reed. 179–243.

[75]

Harris, D.R. et al. 1989. Foraging and farming: the evolution of plant exploitation. Unwin Hyman.

[76]

Harvey, E.L. and Fuller, D.Q. 2005. Investigating crop processing using phytolith analysis: the example of rice and millets. *Journal of Archaeological Science*. 32, 5 (May 2005), 739–752. DOI:<https://doi.org/10.1016/j.jas.2004.12.010>.

[77]

Hastorf, C.A. and Popper, V.S. 1988. Current paleoethnobotany: analytical methods and cultural interpretations of archaeological plant remains. University of Chicago Press.

[78]

Hather, J.G. 1994. A Morphological Classification of Roots and Tubers and its bearing on the Origins of Agriculture in Southwest Asia and Europe. *Journal of Archaeological Science*. 21, 6 (Nov. 1994), 719–724. DOI:<https://doi.org/10.1006/jasc.1994.1071>.

[79]

Hather, J.G. 2000. Archaeological parenchyma. Archetype.

[80]

Hather, J.G. 26AD. The identification of northern European woods: a guide for archaeologists and conservators. Archetype.

[81]

Hather, J.G. 1994. Tropical archaeobotany: applications and new developments. Routledge.

[82]

Hawks, J.G. 1967. Crops, weeds and man. University of Birmingham.

[83]

Heiser, C.B. 1981. Grasses: The Staff of Life. Seed to civilization: the story of food. Freeman. 61–110.

[84]

Heiser, C.B. 1981. Seed to civilization: the story of food. Freeman.

[85]

Heywood, V.H. et al. 2007. Flowering plant families of the world. Royal Botanic Gardens, Kew.

[86]

Heywood, V.H. 1993. Flowering plants of the world. B.T. Batsford.

[87]

Heywood, V.H. 1993. Flowering plants of the world. B.T. Batsford.

[88]

Heywood, V.H. et al. 1978. Flowering plants of the world. Croom Helm.

[89]

Heywood, V.H. et al. 1978. Flowering plants of the world. Croom Helm.

[90]

Heywood, V.H. 1993. Flowering plants of the world. B.T. Batsford.

[91]

Hickey, M. and King, C. 1981. 100 families of flowering plants. Cambridge University Press.

[92]

Hillman, G. 2001. Archaeology, Percival , and the problems of identifying wheat remains. Wheat taxonomy: the legacy of John Percival. Academic Press:, Linnean Society of London. 27–36.

[93]

Hillman, G.C. 1996. Late Pleistocene changes in wild plant-foods available to hunter-gatherers of the northern Fertile Crescent: possible preludes to cereal cultivation. The origins and spread of agriculture and pastoralism in Eurasia. UCL Press. 159–203.

[94]

Hillman, G.C. 1981. Reconstructing crop husbandry practices from charred remains of crops. Farming practice in British prehistory. Edinburgh University Press. 123–162.

[95]

Hosoya, L.A. 2011. Staple or famine food?: ethnographic and archaeological approaches to nut processing in East Asian prehistory. Archaeological and Anthropological Sciences. 3, 1 (Mar. 2011), 7–17. DOI:<https://doi.org/10.1007/s12520-011-0059-y>.

[96]

Hubbard, R.N.L.B. and al Azm, A. 1990. Quantifying preservation and distortion in carbonized seeds; and investigating the history of friké production. Journal of Archaeological Science. 17, 1 (Jan. 1990), 103–106.  
DOI:[https://doi.org/10.1016/0305-4403\(90\)90017-Y](https://doi.org/10.1016/0305-4403(90)90017-Y).

[97]

Hubbard, R.N.L.B. and al Azm, A. 1990. Quantifying preservation and distortion in carbonized seeds; and investigating the history of friké production. *Journal of Archaeological Science*. 17, 1 (Jan. 1990), 103–106.  
DOI:[https://doi.org/10.1016/0305-4403\(90\)90017-Y](https://doi.org/10.1016/0305-4403(90)90017-Y).

[98]

IAWA: The International Association of Wood Anatomists: <http://www.iawa-website.org/>.

[99]

Inside Wood - Search the Inside Wood Database:  
<http://insidewood.lib.ncsu.edu/search;jsessionid=815DFD6BC63317C3442B765B9A32E1BE?0>.

[100]

Isely, D. 1947. Investigations in Seed Classification by Family Characteristics. Agricultural Experiment Station IOWA State College of Agriculture and Mechanic Arts-Botany and Plant Pathology Section. 351, (1947).

[101]

Jacomet, S. 2006. Identification of cereal remains from archaeological Sites. Identification of cereal remains from archaeological sites. (2006).

[102]

Jane M. Renfrew Alan Eade Palaeoethnobotany : the prehistoric food plants of the Near East and Europe / Jane M. Renfrew ; figures drawn by Alan Eade.

[103]

Jane M. Renfrew Alan Eade Palaeoethnobotany : the prehistoric food plants of the Near East and Europe / Jane M. Renfrew ; figures drawn by Alan Eade.

[104]

Janick, J. et al. 2007. The Cucurbits of Mediterranean Antiquity: Identification of Taxa from Ancient Images and Descriptions. *Annals of Botany*. 100, 7 (Sep. 2007), 1441–1457. DOI:<https://doi.org/10.1093/aob/mcm242>.

[105]

Jensen, H.A. 1998. Bibliography on seed morphology. A.A. Balkema.

[106]

Jere Brunken, J. M. J. de Wet and J. R. Harlan 1977. The Morphology and Domestication of Pearl Millet. *Economic Botany*. 31, 2 (1977), 163–174.

[107]

Jones, G. 1987. A statistical approach to the archaeological identification of crop processing. *Journal of Archaeological Science*. 14, 3 (May 1987), 311–323. DOI:[https://doi.org/10.1016/0305-4403\(87\)90019-7](https://doi.org/10.1016/0305-4403(87)90019-7).

[108]

Jones, G. et al. 2013. DNA evidence for multiple introductions of barley into Europe following dispersed domestications in Western Asia. *Antiquity*. 87, 337 (Sep. 2013), 701–713. DOI:<https://doi.org/10.1017/S0003598X00049401>.

[109]

Jones, G. et al. 2012. Phylogeographic analysis of barley DNA as evidence for the spread of Neolithic agriculture through Europe. *Journal of Archaeological Science*. 39, 10 (Oct. 2012), 3230–3238. DOI:<https://doi.org/10.1016/j.jas.2012.05.014>.

[110]

Jones, G. 1997. Wheat Grain Identification – Why Bother? *Environmental Archaeology*. 2, 1 (Jun. 1997), 29–34. DOI:<https://doi.org/10.1179/env.1997.2.1.29>.

[111]

Judd, W.S. 2008. Plant systematics: a phylogenetic approach.

[112]

Judd, W.S. 1999. Plant systematics: a phylogenetic approach. Sinauer Associates.

[113]

Judd, W.S. 1999. Plant systematics: a phylogenetic approach. Sinauer Associates.

[114]

K. W. Hilu and J. M. J. De Wet 1976. Racial Evolution in *Eleusine coracana* ssp. *Coracana* (Finger Millet). American Journal of Botany. 63, 10 (1976), 1311–1318.

[115]

K. W. Hilu, J. M. J. de Wet and J. R. Harlan 1979. Archaeobotanical Studies of *Eleusine coracana* ssp. *coracana* (Finger Millet). American Journal of Botany. 66, 3 (1979), 330–333.

[116]

Khidir W. Hilu and J. M. J. de Wet 1976. Domestication of *Eleusine coracana*. Economic Botany. 30, 3 (1976), 199–208.

[117]

Kingwell-Banham, E. and Fuller, D.Q. 2014. Brown Top Millet: Origins and Development. Encyclopedia of Global Archaeology. C. Smith, ed. Springer New York. 1021–1024.

[118]

Kiple, K.F. and Ornelas, K.C. 2000. The Cambridge world history of food: volume one. Cambridge University Press.

[119]

Kiple, K.F. and Ornelas, K.C. 2000. *The Cambridge world history of food: volume two.* Cambridge University Press.

[120]

Kohler-Schneider, M. 2003. Contents of a storage pit from late Bronze Age Stillfried, Austria: another record of the 'new' glume wheat. *Vegetation History and Archaeobotany.* 12, 2 (Sep. 2003), 105–111. DOI:<https://doi.org/10.1007/s00334-003-0010-y>.

[121]

Kreuz, A. and Boenke, N. 2002. The presence of two-grained einkorn at the time of the Bandkeramik culture. *Vegetation History and Archaeobotany.* 11, 3 (Sep. 2002), 233–240. DOI:<https://doi.org/10.1007/s003340200026>.

[122]

Kubiak-Martens, L. 1996. Evidence for possible use of plant foods in Palaeolithic and Mesolithic diet from the site of Całownie in the central part of the Polish Plain. *Vegetation History and Archaeobotany.* 5, 1-2 (Jun. 1996), 33–38.  
DOI:<https://doi.org/10.1007/BF00189433>.

[123]

Langer, R.H.M. and Hill, G.D. 1991. *Agricultural plants.* Cambridge University Press.

[124]

Langer, R.H.M. and Hill, G.D. 1991. *Agricultural plants.* Cambridge University Press.

[125]

Langer, R.H.M. and Hill, G.D. 1991. *Agricultural plants.* Cambridge University Press.

[126]

Langer, R.H.M. and Hill, G.D. 1991. Agricultural plants. Cambridge University Press.

[127]

Liphschitz, N. et al. 1996. Wild Olive ( ) Stones from a Chalcolithic Cave at Shoham, Israel and their Implications. *Tel Aviv*. 23, 2 (Sep. 1996), 135–142.  
DOI:<https://doi.org/10.1179/tav.1996.1996.2.135>.

[128]

Liphschitz, N. and Bonani, G. 2001. Wild and Cultivated Date Palm ( ) from Qumran Cave 24. *Tel Aviv*. 28, 2 (Sep. 2001), 305–309.  
DOI:<https://doi.org/10.1179/tav.2001.2001.2.305>.

[129]

López-Dóriga, I.L. 2015. An experimental approach to the taphonomic study of charred hazelnut remains in archaeological deposits. *Archaeological and Anthropological Sciences*. 7, 1 (Mar. 2015), 39–45. DOI:<https://doi.org/10.1007/s12520-013-0154-3>.

[130]

Mabberley, D.J. 1997. The plant-book: a portable dictionary of the vascular plants utilising Kubitzki's The families and genera of vascular plants (1990), Cronquist's An integrated system of classification of flowering plants (1981), and current botanical literature arranged largely on the principles of editions 1-6 (1896/97-1931) of Willis's A dictionary of the flowering plants and ferns. Cambridge University Press.

[131]

Mabberley, D.J. 1997. The plant-book: a portable dictionary of the vascular plants utilising Kubitzki's The families and genera of vascular plants (1990), Cronquist's An integrated system of classification of flowering plants (1981), and current botanical literature arranged largely on the principles of editions 1-6 (1896/97-1931) of Willis's A dictionary of the flowering plants and ferns. Cambridge University Press.

[132]

Madella, M. and Zurro, D. 2007. Plants, people and places: recent studies in phytolithic

analysis. Oxbow.

[133]

Manfred Rösch 1998. The history of crops and crop weeds in south-western Germany from the Neolithic period to modern times, as shown by archaeobotanical evidence. *Vegetation History and Archaeobotany*. 7, 2 (1998), 109–125.

[134]

Mangafa, M. and Kotsakis, K. 1996. A New Method for the Identification of Wild and Cultivated Charred Grape Seeds. *Journal of Archaeological Science*. 23, 3 (May 1996), 409–418. DOI:<https://doi.org/10.1006/jasc.1996.0036>.

[135]

Manning, K. et al. 2011. 4500-Year old domesticated pearl millet (*Pennisetum glaucum*) from the Tilemsi Valley, Mali: new insights into an alternative cereal domestication pathway. *Journal of Archaeological Science*. 38, 2 (Feb. 2011), 312–322.  
DOI:<https://doi.org/10.1016/j.jas.2010.09.007>.

[136]

Martin, A.C. 1946. The Comparative Internal Morphology of Seeds. *American Midland Naturalist*. 36, 3 (Nov. 1946). DOI:<https://doi.org/10.2307/2421457>.

[137]

Martin, A.C. and Barkley, W.D. 2000. Seed identification manual. The Blackburn Press.

[138]

Martin, A.C. and Barkley, W.D. 2000. Seed identification manual. The Blackburn Press.

[139]

Martin, A.C. and Barkley, W.D. 2000. Seed identification manual. The Blackburn Press.

[140]

Maynard, D. 2000. Cucumbers, Melons and Watermelons. The Cambridge world history of food: volume one. Cambridge University Press. 298–312.

[141]

McCorriston, J. 1997. Textile Extensification, Alienation, and Social Stratification in Ancient Mesopotamia. *Current Anthropology*. 38, 4 (Aug. 1997), 517–535.  
DOI:<https://doi.org/10.1086/204643>.

[142]

Menninger, E.A. 1977. Edible nuts of the world. Horticultural Books, Inc.

[143]

Minnis, P.E. 1981. Seeds in Archaeological Sites: Sources and Some Interpretive Problems. *American Antiquity*. 46, 01 (Jan. 1981), 143–152. DOI:<https://doi.org/10.2307/279993>.

[144]

National Academy of Sciences (U.S.). Board on Science and Technology for International Development and National Research Council (U.S.) 1996. Lost crops of Africa: Vol. 1: Grains. National Academy Press.

[145]

Nesbitt, M. 2006. Identification guide for Near Eastern grass seeds. Institute of Archaeology, University College London.

[146]

Nesbitt, M. 2001. Wheat evolution: integrating archaeological evidence. *Wheat taxonomy: the legacy of John Percival*. Academic Press:, Linnean Society of London. 37–60.

[147]

Nesbitt, M. and Summers, G.D. 1988. Some recent Discoveries of Millet (*Panicum Miliaceum* L. and *Setaria italica* (L.) P. Beauv.) at Excavations in Turkey and Iran. *Anatolian Studies*. 38, (Dec. 1988), 85–97. DOI:<https://doi.org/10.2307/3642844>.

[148]

Pagnoux, C. et al. 2015. Inferring the agrobiodiversity of *Vitis vinifera* L. (grapevine) in ancient Greece by comparative shape analysis of archaeological and modern seeds. *Vegetation History and Archaeobotany*. 24, 1 (Jan. 2015), 75–84.  
DOI:<https://doi.org/10.1007/s00334-014-0482-y>.

[149]

Pearsall, D.M. 2000. *Paleoethnobotany: a handbook of procedures*. Academic Press.

[150]

Pearsall, D.M. 2000. *Paleoethnobotany: a handbook of procedures*. Academic Press.

[151]

Pearsall, D.M. 2000. *Paleoethnobotany: a handbook of procedures*. Academic Press.

[152]

Pearsall, D.M. and Piperno, D.R. 1993. Current research in phytolith analysis: applications in archaeology and paleoecology. MASCA, The University Museum of Archaeology and Anthropology, University of Pennsylvania.

[153]

Pearsall, D.M. and Trimble, M.K. 1984. Identifying past agricultural activity through soil phytolith analysis: a case study from the Hawaiian islands. *Journal of Archaeological Science*. 11, 2 (Mar. 1984), 119–133. DOI:[https://doi.org/10.1016/0305-4403\(84\)90047-5](https://doi.org/10.1016/0305-4403(84)90047-5).

[154]

Percival, J. 1946. Agricultural Botany : Percival, John. : Free Download & Streaming : Internet Archive.

[155]

Piperno, D.R. 1988. Phytolith analysis: an archaeological and geological perspective. Academic Press.

[156]

Piperno, D.R. 2006. Phytoliths: a comprehensive guide for archaeologists and paleoecologists. AltaMira Press.

[157]

Powers, A.H. 1992. Great expectations: a short historical review of European phytolith systematics. Phytolith systematics: emerging issues. Plenum Press. 15–35.

[158]

Raven, P.H. et al. 2005. Biology of plants. W.H. Freeman and Company.

[159]

Reddy, S.N. 1997. If the Threshing Floor Could Talk: Integration of Agriculture and Pastoralism during the Late Harappan in Gujarat, India. Journal of Anthropological Archaeology. 16, 2 (Jun. 1997), 162–187. DOI:<https://doi.org/10.1006/jaar.1997.0308>.

[160]

Rehm, S. et al. 1991. The cultivated plants of the tropics and subtropics: cultivation, economic value, utilization. Verlag Josef Margraf.

[161]

Robbins, G. 1931. The botany of crop plants; a text and reference book : Robbins, Wilfred William, 1884-1952 : Free Download & Streaming : Internet Archive.

[162]

Robbins, G. 1931. The botany of crop plants; a text and reference book : Robbins, Wilfred William, 1884-1952 : Free Download & Streaming : Internet Archive.

[163]

Ros, J. et al. 2014. Geometric morphometric analysis of grain shape and the identification of two-rowed barley (*Hordeum vulgare* subsp. *distichum* L.) in southern France. *Journal of Archaeological Science*. 41, (Jan. 2014), 568–575.  
DOI:<https://doi.org/10.1016/j.jas.2013.09.015>.

[164]

Rosengarten, F. 1984. The book of edible nuts. Walker and Company.

[165]

Ruth Young 1999. Finger Millet Processing in East Africa. *Vegetation History and Archaeobotany*. 8, 1 (1999), 31-34.

[166]

Schweingruber, F.H. et al. 1990. Mikroskopische Holzanatomie: Formenspektren mitteleuropäischer Stamm- und Zweighölzer zur Bestimmung von rezentem und subfossillem Material. F. Flück-Wirth.

[167]

Schweingruber, F.H. and Eidgenössische Forschungsanstalt für Wald, Schnee und Landschaft 1990. Anatomie europäischer Hölzer: ein Atlas zur Bestimmung europäischer Baum-, Strauch-, und Zergstrauchhölzer. Verlag P. Haupt.

[168]

Seetha N. REDDY 1998. Fueling the hearths in India : the role of dung in paleoethnobotanical interpretation. *Paléorient*. 24, 2 (1998), 61-70.

[169]

Simpson, D.A. 2007. Phylogeny of Cyperaceae Based on DNA Sequence Data—a New rbcL Analysis. *Also: A Journal of Systematic and Evolutionary Botany*. Volume 23, Issue 1 (2007).

[170]

Smartt, J. 1990. Grain legumes: evolution and genetic resources. Cambridge University Press.

[171]

Song, J. et al. 2013. The archaeobotanical significance of immature millet grains: an experimental case study of Chinese millet crop processing. *Vegetation History and Archaeobotany*. 22, 2 (Mar. 2013), 141–152.

DOI:<https://doi.org/10.1007/s00334-012-0366-y>.

[172]

Stemler, A.B. 1990. A scanning electron microscope analysis of plant impressions in pottery from sites of Kadero, El Zakiab, Um Direiwa and El Kadada. *Archéologie du Nil moyen*. 4, (1990), 87–106.

[173]

Stevens, C.J. 2003. An Investigation of Agricultural Consumption and Production Models for Prehistoric and Roman Britain. *Environmental Archaeology*. 8, 1 (Apr. 2003), 61–76.  
DOI:<https://doi.org/10.1179/env.2003.8.1.61>.

[174]

Stewart, W.N. and Rothwell, G.W. 1993. Paleobotany and the evolution of plants. Cambridge University Press.

[175]

Takahashi, R. 2002. Nut exploitation in Jomon Society. Hunter-gatherer archaeobotany: perspectives from the northern temperate zone. Institute of Archaeology, University College London. 146–155.

[176]

Tanno, K. and Willcox, G. 2012. Distinguishing wild and domestic wheat and barley spikelets from early Holocene sites in the Near East. *Vegetation History and Archaeobotany*. 21, 2 (Mar. 2012), 107–115.  
DOI:<https://doi.org/10.1007/s00334-011-0316-0>.

[177]

Tanno, K. and Willcox, G. 2012. Distinguishing wild and domestic wheat and barley spikelets from early Holocene sites in the Near East. *Vegetation History and Archaeobotany*. 21, 2 (Mar. 2012), 107–115.  
DOI:<https://doi.org/10.1007/s00334-011-0316-0>.

[178]

Taylor, D.W. et al. 1996. Flowering plant origin, evolution & phylogeny. Chapman & Hall.

[179]

Taylor, D.W. et al. 1996. Flowering plant origin, evolution & phylogeny. Chapman & Hall.

[180]

Taylor, T.N. and Taylor, E.L. 1993. The biology and evolution of fossil plants. Prentice Hall.

[181]

Terrence W. Walters 1989. Historical Overview on Domesticated Plants in China with Special Emphasis on the Cucurbitaceae. *Economic Botany*. 43, 3 (1989), 297–313.

[182]

Tomooka, N. et al. 2002. The Asian Vigna: genus Vigna subgenus Ceratotropis genetic resources. Springer Science+Business Media, B.V.

[183]

Ugent, D. et al. 1982. Archaeological potato tuber remains from the casma valley of peru. Economic Botany. 36, 2 (Apr. 1982), 182-192. DOI:<https://doi.org/10.1007/BF02858715>.

[184]

VanDerwarker, A.M. and Peres, T.M. 2010. Integrating zooarchaeology and paleoethnobotany: a consideration of issues, methods, and cases. Springer.

[185]

Vaughan, J.G. 1970. The structure and utilization of oil seeds. Chapman & Hall.

[186]

Vaughan, J.G. 1970. The structure and utilization of oil seeds. Chapman & Hall.

[187]

Vaughan, J.G. 1970. The structure and utilization of oil seeds. Chapman & Hall.

[188]

Veen, M. van der and University of Sheffield. Department of Archaeology and Prehistory 1992. Crop husbandry regimes: an archaeobotanical study of farming in northern England, 100BC-AD500. J.R. Collis Publications, Department of Archaeology and Prehistory, University of Sheffield.

[189]

de Vries, I.M. 1997. Origin and domestication of *Lactuca sativa* L. Genetic Resources and Crop Evolution. 44, 2 (1997), 165–174. DOI:<https://doi.org/10.1023/A:1008611200727>.

[190]

Weber, S.A. and Fuller, D. 2008. Millets and their role in early agriculture. Pragdhara (Journal of the Uttar Pradesh State Archaeology Department). 18, (2008), 69–90.

[191]

Wilkinson, K. and Stevens, C. 2003. Environmental archaeology: approaches, techniques & applications. Tempus.

[192]

Willcox, G. 2011. Botanical evidence for the adoption of cultivation in Southeast Turkey. The Neolithic in Turkey: new excavations & new research. Archaeology & Art Publications. 267–280.

[193]

Willcox, G. 2012. Searching for the origins of arable weeds in the Near East. Vegetation History and Archaeobotany. 21, 2 (Mar. 2012), 163–167.  
DOI:<https://doi.org/10.1007/s00334-011-0307-1>.

[194]

Willcox, G. 2005. The distribution, natural habitats and availability of wild cereals in relation to their domestication in the Near East: multiple events, multiple centres. Vegetation History and Archaeobotany. 14, 4 (Dec. 2005), 534–541.  
DOI:<https://doi.org/10.1007/s00334-005-0075-x>.

[195]

Wollstonecroft, M.M. et al. 2008. Advances in plant food processing in the Near Eastern Epipalaeolithic and implications for improved edibility and nutrient bioaccessibility: an experimental assessment of *Bolboschoenus maritimus* (L.) Palla (sea club-rush).

Vegetation History and Archaeobotany. 17, S1 (Dec. 2008), 19–27.  
DOI:<https://doi.org/10.1007/s00334-008-0162-x>.

[196]

Wollstonecroft, M.M. et al. 2011. *Bolboschoenus glaucus* (Lam.) S.G. Smith, a new species in the flora of the ancient Near East. *Vegetation History and Archaeobotany*. 20, 5 (Sep. 2011), 459–470. DOI:<https://doi.org/10.1007/s00334-011-0305-3>.

[197]

Wright, P. 2003. Preservation or destruction of plant remains by carbonization? *Journal of Archaeological Science*. 30, 5 (May 2003), 577–583.  
DOI:[https://doi.org/10.1016/S0305-4403\(02\)00203-0](https://doi.org/10.1016/S0305-4403(02)00203-0).

[198]

Yurtseva, O.V. 2001. Ultrasculpture of achene surface in *Polygonum* section *Polygonum* (Polygonaceae) in Russia. *Nordic Journal of Botany*. 21, 5 (Dec. 2001), 513–528.  
DOI:<https://doi.org/10.1111/j.1756-1051.2001.tb00805.x>.

[199]

Zeist, W. van et al. 1984. Plants and ancient man: studies in palaeoethnobotany : proceedings of the Sixth Symposium of the International Work Group for Palaeoethnobotany, Groningen, 30 May-3 June 1983. A.A. Balkema.

[200]

Zeist, W. van et al. 1991. Progress in old world palaeoethnobotany: a retrospective view on the occasion of 20 years of the International Work Group for Palaeoethnobotany. A.A. Balkema.

[201]

Zohary, D. et al. 2012. Domestication of plants in the Old World: the origin and spread of domesticated plants in south-west Asia, Europe, and the Mediterranean Basin. Oxford University Press.

[202]

Zohary, D. et al. 2012. Domestication of plants in the Old World: the origin and spread of domesticated plants in south-west Asia, Europe, and the Mediterranean Basin. Oxford University Press.

[203]

Zohary, D. et al. 2012. Domestication of plants in the Old World: the origin and spread of domesticated plants in south-west Asia, Europe, and the Mediterranean Basin. Oxford University Press.

[204]

Zohary, D. et al. 2012. Domestication of plants in the Old World: the origin and spread of domesticated plants in south-west Asia, Europe, and the Mediterranean Basin. Oxford University Press.

[205]

Zohary, D. et al. 2012. Domestication of plants in the Old World: the origin and spread of domesticated plants in south-west Asia, Europe, and the Mediterranean Basin. Oxford University Press.

[206]

Zohary, D. and Hopf, M. 1973. Domestication of Pulses in the Old World: Legumes were companions of wheat and barley when agriculture began in the Near East. *Science*. 182, 4115 (Nov. 1973), 887–894. DOI:<https://doi.org/10.1126/science.182.4115.887>.

[207]

Zohary, D. and Hopf, M. 1973. Domestication of Pulses in the Old World: Legumes were companions of wheat and barley when agriculture began in the Near East. *Science*. 182, 4115 (Nov. 1973), 887–894. DOI:<https://doi.org/10.1126/science.182.4115.887>.

[208]

1946. Agricultural Botany : Percival, John. : Free Download & Streaming : Internet Archive.  
Duckworth.

[209]

1989. IAWA list of micropscopic features for hardwood identification. IAWA Journal. 10, 3  
(Jan. 1989), 219–232. DOI:<https://doi.org/10.1163/22941932-90000496>.

[210]

2004. IAWA LIST OF MICROSCOPIC FEATURES FOR SOFTWOOD IDENTIFICATION. IAWA  
Journal. 25, 1 (Jan. 2004), 1–70. DOI:<https://doi.org/10.1163/22941932-90000349>.

[211]

2005. International Code for Phytolith Nomenclature 1.0. Annals of Botany. 96, 2 (May  
2005), 253–260. DOI:<https://doi.org/10.1093/aob/mci172>.