

EAPEG012: TMCEDISPER01: Treatment planning for dental implants: Dr Philip Freiburger

[View Online](#)

[1]

ADA council on scientific affairs 2004. Dental endosseous implants: an update. The Journal of the American Dental Association. 135, (2004), 92–97.
DOI:<https://doi.org/10.14219/jada.archive.2004.0027>.

[2]

Alsaadi, G. et al. 2007. Impact of local and systemic factors on the incidence of oral implant failures, up to abutment connection. Journal of Clinical Periodontology. 34, 7 (Jul. 2007), 610–617. DOI:<https://doi.org/10.1111/j.1600-051X.2007.01077.x>.

[3]

Baelum, V. and Ellegaard, B. 2004. Implant Survival in Periodontally Compromised Patients. Journal of Periodontology. 75, 10 (Oct. 2004), 1404–1412.
DOI:<https://doi.org/10.1902/jop.2004.75.10.1404>.

[4]

Belser, U.C. et al. 1998. Aesthetic implant restorations in partially edentulous patients ? a critical appraisal. Periodontology 2000. 17, 1 (Jun. 1998), 132–150.
DOI:<https://doi.org/10.1111/j.1600-0757.1998.tb00131.x>.

[5]

Catherine Giannopoulou et al. 2003. Effect of Intracrevicular Restoration Margins on Peri-implant Health: Clinical, Biochemical, and Microbiologic Findings Around Esthetic Implants up to 9 Years. International Journal of Oral & Maxillofacial Implants. 18, 2 (2003).

[6]

Chambrone, L.A. and Chambrone, L. 2006. Tooth loss in well-maintained patients with chronic periodontitis during long-term supportive therapy in Brazil. *Journal of Clinical Periodontology*. 33, 10 (Oct. 2006), 759–764.

DOI:<https://doi.org/10.1111/j.1600-051X.2006.00972.x>.

[7]

Chee, W. and Jivraj, S. 2006. Connecting implants to teeth. *British Dental Journal*. 201, 10 (Nov. 2006), 629–632. DOI:<https://doi.org/10.1038/sj.bdj.4814260>.

[8]

Craddock, H.L. and Youngson, C.C. 2004. A study of the incidence of overeruption and occlusal interferences in unopposed posterior teeth. *British Dental Journal*. 196, 6 (Mar. 2004), 341–348. DOI:<https://doi.org/10.1038/sj.bdj.4811082>.

[9]

Daniel Buser et al. Optimizing Esthetics for Implant Restorations in the Anterior Maxilla: Anatomic and Surgical Considerations. *International Journal of Oral & Maxillofacial Implants*. 19, 7.

[10]

David L. Cochran et al. Consensus Statements and Recommended Clinical Procedures Regarding Risk Factors in Implant Therapy. *International Journal of Oral & Maxillofacial Implants*. 24.

[11]

Dent, C. et al. 1997. The influence of preoperative antibiotics on success of endosseous implants up to and including stage II surgery: A study of 2,641 implants. *Journal of oral and maxillofacial surgery : official journal of the American Association of Oral and Maxillofacial Surgeons*. 55, Supplement 5 (1997), 19–24.

[12]

Esposito, M. et al. 1996. Antibiotics to prevent complications following dental implant treatment. The Cochrane Database of Systematic Reviews. John Wiley & Sons, Ltd.

[13]

Frei, C. et al. 2004. Study on the necessity for cross-section imaging of the posterior mandible for treatment planning of standard cases in implant dentistry. Clinical Oral Implants Research. 15, 4 (Aug. 2004), 490–497.
DOI:<https://doi.org/10.1111/j.1600-0501.2004.01032.x>.

[14]

Gastaldo, J.F. et al. 2004. Effect of the Vertical and Horizontal Distances Between Adjacent Implants and Between a Tooth and an Implant on the Incidence of Interproximal Papilla. Journal of Periodontology. 75, 9 (Sep. 2004), 1242–1246.
DOI:<https://doi.org/10.1902/jop.2004.75.9.1242>.

[15]

Giovanni E. Salvi and U. Bragger Mechanical and Technical Risks in Implant Therapy. International Journal of Oral & Maxillofacial Implants. 24.

[16]

Goodacre, C. and Torabinejad, M. 2006. Endodontic or dental implant therapy : The factors affecting treatment planning. The Journal of the American Dental Association. 137, (2006), 973–977. DOI:<https://doi.org/10.14219/jada.archive.2006.0318>.

[17]

Gross, M. 1997. Splinting osseointegrated implants and natural teeth in rehabilitation of partially edentulous patients. Part I: Laboratory and clinical studies. Journal of Oral Rehabilitation. 24, 11 (1997). DOI:<https://doi.org/10.1111/1365-2842.ep14769372>.

[18]

Gynther, G.W. et al. 1998. Dental implant installation without antibiotic prophylaxis. Oral

Surgery, Oral Medicine, Oral Pathology, Oral Radiology, and Endodontology. 85, 5 (May 1998), 509–511. DOI:[https://doi.org/10.1016/S1079-2104\(98\)90281-5](https://doi.org/10.1016/S1079-2104(98)90281-5).

[19]

Holm-Pedersen, P. et al. 2007. What are the longevities of teeth and oral implants? Clinical Oral Implants Research. 18, (Jun. 2007), 15–19.
DOI:<https://doi.org/10.1111/j.1600-0501.2007.01434.x>.

[20]

Jivraj, S. and Chee, W. 2006. Transitioning patients from teeth to implants. British Dental Journal. 201, 11 (Dec. 2006), 699–708. DOI:<https://doi.org/10.1038/sj.bdj.4814302>.

[21]

Joseph P. Fiorellini et al. 2000. A Retrospective Study of Dental Implants in Diabetic Patients. International Journal of Periodontics & Restorative Dentistry. 20, 4 (2000).

[22]

Karoussis, I.K. et al. 2007. A comprehensive and critical review of dental implant prognosis in periodontally compromised partially edentulous patients. Clinical Oral Implants Research. 18, 6 (Dec. 2007), 669–679.
DOI:<https://doi.org/10.1111/j.1600-0501.2007.01406.x>.

[23]

Karoussis, I.K. et al. 2003. Long-term implant prognosis in patients with and without a history of chronic periodontitis: a 10-year prospective cohort study of the ITIR Dental Implant System. Clinical Oral Implants Research. 14, 3 (May 2003), 329–339.
DOI:<https://doi.org/10.1034/j.1600-0501.000.00934.x>.

[24]

Lindh, T. et al. 2001. Implant versus tooth-implant supported prostheses in the posterior maxilla: a 2-year report. Clinical Oral Implants Research. 12, 5 (Oct. 2001), 441–449.
DOI:<https://doi.org/10.1034/j.1600-0501.2001.120503.x>.

[25]

Lisa J. A. Heitz-Mayfield and G. Huynh-Ba History of Treated Periodontitis and Smoking as Risks for Implant Therapy. *International Journal of Oral & Maxillofacial Implants*. 24.

[26]

Lulic, M. et al. 2007. Ante's (1926) law revisited: a systematic review on survival rates and complications of fixed dental prostheses (FDPs) on severely reduced periodontal tissue support. *Clinical Oral Implants Research*. 18, (Jun. 2007), 63–72.
DOI:<https://doi.org/10.1111/j.1600-0501.2007.01438.x>.

[27]

Luterbacher, S. et al. 2000. Diagnostic characteristics of clinical and microbiological tests for monitoring periodontal and peri-implant mucosal tissue conditions during supportive periodontal therapy (SPT). *Clinical Oral Implants Research*. 11, 6 (Dec. 2000), 521–529.
DOI:<https://doi.org/10.1034/j.1600-0501.2000.011006521.x>.

[28]

Michael M. Bornstein et al. Systemic Conditions and Treatments as Risks for Implant Therapy. *International Journal of Oral & Maxillofacial Implants*. 24.

[29]

Mombelli, A. and Cionca, N. 2006. Systemic diseases affecting osseointegration therapy. *Clinical Oral Implants Research*. 17, S2 (Oct. 2006), 97–103.
DOI:<https://doi.org/10.1111/j.1600-0501.2006.01354.x>.

[30]

Peter K. Moy et al. 2005. Dental Implant Failure Rates and Associated Risk Factors. *International Journal of Oral & Maxillofacial Implants*. 20, 4 (2005).

[31]

Philip B. Sugerman and M.T. Barber 2002. Patient Selection for Endosseous Dental Implants: Oral and Systemic Considerations. *International Journal of Oral & Maxillofacial Implants*. 17, 2 (2002).

[32]

Pjetursson, B.E. et al. 2007. Comparison of survival and complication rates of tooth-supported fixed dental prostheses (FDPs) and implant-supported FDPs and single crowns (SCs). *Clinical Oral Implants Research*. 18, (Jun. 2007), 97–113.
DOI:<https://doi.org/10.1111/j.1600-0501.2007.01439.x>.

[33]

Quirynen, M. et al. 2001. Peri-implant health around screw-shaped c.p. titanium machined implants in partially edentulous patients with or without ongoing periodontitis. *Clinical Oral Implants Research*. 12, 6 (Dec. 2001), 589–594.
DOI:<https://doi.org/10.1034/j.1600-0501.2001.120606.x>.

[34]

Quirynen, M. et al. 2005. Predisposing conditions for retrograde peri-implantitis, and treatment suggestions. *Clinical Oral Implants Research*. 16, 5 (Oct. 2005), 599–608.
DOI:<https://doi.org/10.1111/j.1600-0501.2005.01147.x>.

[35]

Ruggiero, S.L. et al. 2004. Osteonecrosis of the jaws associated with the use of bisphosphonates: a review of 63 cases. *Journal of Oral and Maxillofacial Surgery*. 62, 5 (May 2004), 527–534. DOI:<https://doi.org/10.1016/j.joms.2004.02.004>.

[36]

S. K. Chuang et al. 2002. Risk Factors for Dental Implant Failure: A Strategy for the Analysis of Clustered Failure-time Observations. *Journal of Dental Research*. 81, 8 (2002).

[37]

Schou, S. et al. 2006. Outcome of implant therapy in patients with previous tooth loss due

to periodontitis. *Clinical Oral Implants Research*. 17, S2 (Oct. 2006), 104–123.
DOI:<https://doi.org/10.1111/j.1600-0501.2006.01347.x>.

[38]

Tarnow, D. et al. 2003. Vertical Distance from the Crest of Bone to the Height of the Interproximal Papilla Between Adjacent Implants. *Journal of Periodontology*. 74, 12 (Dec. 2003), 1785–1788. DOI:<https://doi.org/10.1902/jop.2003.74.12.1785>.

[39]

Tarnow, D.P. et al. 2000. The Effect of Inter-Implant Distance on the Height of Inter-Implant Bone Crest. *Journal of Periodontology*. 71, 4 (Apr. 2000), 546–549.
DOI:<https://doi.org/10.1902/jop.2000.71.4.546>.

[40]

Taylor, T.D. et al. 2005. Evidence-based considerations for removable prosthodontic and dental implant occlusion: A literature review. *The Journal of Prosthetic Dentistry*. 94, 6 (Dec. 2005), 555–560. DOI:<https://doi.org/10.1016/j.prosdent.2005.10.012>.

[41]

Van der Weijden, G.A. et al. 2005. Implant therapy in partially edentulous, periodontally compromised patients: a review. *Journal of Clinical Periodontology*. 32, 5 (May 2005), 506–511. DOI:<https://doi.org/10.1111/j.1600-051X.2005.00708.x>.

[42]

Wennstrom, J.L. et al. 2004. Oral rehabilitation with implant-supported fixed partial dentures in periodontitis-susceptible subjects. A 5-year prospective study. *Journal of Clinical Periodontology*. 31, 9 (Sep. 2004), 713–724.
DOI:<https://doi.org/10.1111/j.1600-051X.2004.00568.x>.

[43]

William Martin et al. Local Risk Factors for Implant Therapy. *International Journal of Oral & Maxillofacial Implants*. 24.

[44]

Woo, S.-B. et al. 2006. Systematic Review: Bisphosphonates and Osteonecrosis of the Jaws. *Annals of Internal Medicine*. 144, 10 (May 2006).
DOI:<https://doi.org/10.7326/0003-4819-144-10-200605160-00009>.

[45]

Wood, M.R. and Vermilyea, S.G. 2004. A review of selected dental literature on evidence-based treatment planning for dental implants: Report of the Committee on Research in Fixed Prosthodontics of the Academy of Fixed Prosthodontics. *The Journal of Prosthetic Dentistry*. 92, 5 (Nov. 2004), 447–462.
DOI:<https://doi.org/10.1016/j.prosdent.2004.08.003>.

[46]

Zitzmann, N.U. et al. 1999. Treatment plan for restoring the edentulous maxilla with implant-supported restorations: Removable overdenture versus fixed partial denture design. *The Journal of Prosthetic Dentistry*. 82, 2 (Aug. 1999), 188–196.
DOI:[https://doi.org/10.1016/S0022-3913\(99\)70155-1](https://doi.org/10.1016/S0022-3913(99)70155-1).