

EAPEG012: TMCEDISPER01: Treatment planning for dental implants: Dr Philip Freiburger

[View Online](#)

ADA council on scientific affairs. (2004). Dental endosseous implants: an update. The Journal of the American Dental Association, 135, 92–97.
<https://doi.org/10.14219/jada.archive.2004.0027>

Alsaadi, G., Quirynen, M., Komárek, A., & van Steenberghe, D. (2007). Impact of local and systemic factors on the incidence of oral implant failures, up to abutment connection. Journal of Clinical Periodontology, 34(7), 610–617.
<https://doi.org/10.1111/j.1600-051X.2007.01077.x>

Baelum, V., & Ellegaard, B. (2004). Implant Survival in Periodontally Compromised Patients. Journal of Periodontology, 75(10), 1404–1412.
<https://doi.org/10.1902/jop.2004.75.10.1404>

Belser, U. C., Buser, D., Hess, D., Schmid, B., Bernard, J.-P., & Lang, N. P. (1998). Aesthetic implant restorations in partially edentulous patients ? a critical appraisal. Periodontology 2000, 17(1), 132–150. <https://doi.org/10.1111/j.1600-0757.1998.tb00131.x>

Catherine Giannopoulou, J.P. Bernard, Daniel Buser, A. Carrel, & U.C. Belser. (2003). Effect of Intracrevicular Restoration Margins on Peri-implant Health: Clinical, Biochemical, and Microbiologic Findings Around Esthetic Implants up to 9 Years. International Journal of Oral & Maxillofacial Implants, 18(2).
<http://search.ebscohost.com/login.aspx?direct=true&AuthType=ip,shib&db=ddh&AN=36846177&site=ehost-live&scope=site>

Chambrone, L. A., & Chambrone, L. (2006). Tooth loss in well-maintained patients with chronic periodontitis during long-term supportive therapy in Brazil. Journal of Clinical Periodontology, 33(10), 759–764. <https://doi.org/10.1111/j.1600-051X.2006.00972.x>

Chee, W., & Jivraj, S. (2006). Connecting implants to teeth. British Dental Journal, 201(10), 629–632. <https://doi.org/10.1038/sj.bdj.4814260>

Craddock, H. L., & Youngson, C. C. (2004). A study of the incidence of overeruption and occlusal interferences in unopposed posterior teeth. British Dental Journal, 196(6), 341–348. <https://doi.org/10.1038/sj.bdj.4811082>

Daniel Buser, W. Martin, & U.C. Belser. (n.d.). Optimizing Esthetics for Implant Restorations in the Anterior Maxilla: Anatomic and Surgical Considerations. International Journal of Oral & Maxillofacial Implants, 19(7).
<http://search.ebscohost.com/login.aspx?direct=true&AuthType=ip,shib&db=ddh&AN=36846362&site=ehost-live&scope=site>

David L. Cochran, S. Schou, L.J.A. Heitz-Mayfield, M.M. Bornstein, G.E. Salvi, & W. Martin. (n.d.). Consensus Statements and Recommended Clinical Procedures Regarding Risk Factors in Implant Therapy. *International Journal of Oral & Maxillofacial Implants*, 24. <http://search.ebscohost.com/login.aspx?direct=true&AuthType=ip,shib&db=ddh&AN=45647850&site=ehost-live&scope=site>

Dent, C., J.W. Olson, S.E. Farish, J. Bellome, A.J. Casino, H.F. Morris, & S. Ochi. (1997). The influence of preoperative antibiotics on success of endosseous implants up to and including stage II surgery: A study of 2,641 implants. *Journal of Oral and Maxillofacial Surgery : Official Journal of the American Association of Oral and Maxillofacial Surgeons*, 55 (Supplement 5), 19–24.

Esposito, M., Coulthard, P., Oliver, R., Thomsen, P., & Worthington, H. V. (1996). Antibiotics to prevent complications following dental implant treatment. In *The Cochrane Database of Systematic Reviews*. John Wiley & Sons, Ltd. <https://doi.org/10.1002/14651858.CD004152>

Frei, C., Buser, D., & Dula, K. (2004). Study on the necessity for cross-section imaging of the posterior mandible for treatment planning of standard cases in implant dentistry. *Clinical Oral Implants Research*, 15(4), 490–497. <https://doi.org/10.1111/j.1600-0501.2004.01032.x>

Gastaldo, J. F., Cury, P. R., & Sendyk, W. R. (2004). Effect of the Vertical and Horizontal Distances Between Adjacent Implants and Between a Tooth and an Implant on the Incidence of Interproximal Papilla. *Journal of Periodontology*, 75(9), 1242–1246. <https://doi.org/10.1902/jop.2004.75.9.1242>

Giovanni E. Salvi, & U. Bragger. (n.d.). Mechanical and Technical Risks in Implant Therapy. *International Journal of Oral & Maxillofacial Implants*, 24. <http://search.ebscohost.com/login.aspx?direct=true&AuthType=ip,shib&db=ddh&AN=45647863&site=ehost-live&scope=site>

Goodacre, C., & Torabinejad, M. (2006). Endodontic or dental implant therapy : The factors affecting treatment planning. *The Journal of the American Dental Association*, 137, 973–977. <https://doi.org/10.14219/jada.archive.2006.0318>

Gross, M. (1997). Splinting osseointegrated implants and natural teeth in rehabilitation of partially edentulous patients. Part I: Laboratory and clinical studies. *Journal of Oral Rehabilitation*, 24(11). <https://doi.org/10.1111/1365-2842.ep14769372>

Gynther, G. W., Köndell, P. Å., Moberg, L.-E., & Heimdahl, A. (1998). Dental implant installation without antibiotic prophylaxis. *Oral Surgery, Oral Medicine, Oral Pathology, Oral Radiology, and Endodontology*, 85(5), 509–511. [https://doi.org/10.1016/S1079-2104\(98\)90281-5](https://doi.org/10.1016/S1079-2104(98)90281-5)

Holm-Pedersen, P., Lang, N. P., & Müller, F. (2007). What are the longevities of teeth and oral implants? *Clinical Oral Implants Research*, 18, 15–19. <https://doi.org/10.1111/j.1600-0501.2007.01434.x>

Jivraj, S., & Chee, W. (2006). Transitioning patients from teeth to implants. *British Dental Journal*, 201(11), 699–708. <https://doi.org/10.1038/sj.bdj.4814302>

- Joseph P. Fiorellini, P.K. Chen, M. Nevins, & M.L. Nevins. (2000). A Retrospective Study of Dental Implants in Diabetic Patients. *International Journal of Periodontics & Restorative Dentistry*, 20(4).
<http://search.ebscohost.com/login.aspx?direct=true&AuthType=ip,shib&db=ddh&AN=37834022&site=ehost-live&scope=site>
- Karoussis, I. K., Kotsovilis, S., & Fourmouis, I. (2007). A comprehensive and critical review of dental implant prognosis in periodontally compromised partially edentulous patients. *Clinical Oral Implants Research*, 18(6), 669-679.
<https://doi.org/10.1111/j.1600-0501.2007.01406.x>
- Karoussis, I. K., Salvi, G. E., Heitz-Mayfield, L. J. A., Bragger, U., Hammerle, C. H. F., & Lang, N. P. (2003). Long-term implant prognosis in patients with and without a history of chronic periodontitis: a 10-year prospective cohort study of the ITIR Dental Implant System. *Clinical Oral Implants Research*, 14(3), 329-339.
<https://doi.org/10.1034/j.1600-0501.000.00934.x>
- Lindh, T., Gunne, J., Nystrom, E., & Back, T. (2001). Implant versus tooth-implant supported prostheses in the posterior maxilla: a 2-year report. *Clinical Oral Implants Research*, 12(5), 441-449. <https://doi.org/10.1034/j.1600-0501.2001.120503.x>
- Lisa J. A. Heitz-Mayfield, & G. Huynh-Ba. (n.d.). History of Treated Periodontitis and Smoking as Risks for Implant Therapy. *International Journal of Oral & Maxillofacial Implants*, 24.
<http://search.ebscohost.com/login.aspx?direct=true&AuthType=ip,shib&db=ddh&AN=45647856&site=ehost-live&scope=site>
- Lulic, M., Bragger, U., Lang, N. P., Zwahlen, M., & Salvi, G. E. (2007). Ante's (1926) law revisited: a systematic review on survival rates and complications of fixed dental prostheses (FDPs) on severely reduced periodontal tissue support. *Clinical Oral Implants Research*, 18, 63-72. <https://doi.org/10.1111/j.1600-0501.2007.01438.x>
- Luterbacher, S., Mayfield, L., Bragger, U., & Lang, N. P. (2000). Diagnostic characteristics of clinical and microbiological tests for monitoring periodontal and peri-implant mucosal tissue conditions during supportive periodontal therapy (SPT). *Clinical Oral Implants Research*, 11(6), 521-529. <https://doi.org/10.1034/j.1600-0501.2000.011006521.x>
- Michael M. Bornstein, N. Cionca, & A. Mombelli. (n.d.). Systemic Conditions and Treatments as Risks for Implant Therapy. *International Journal of Oral & Maxillofacial Implants*, 24.
<http://search.ebscohost.com/login.aspx?direct=true&AuthType=ip,shib&db=ddh&AN=45647845&site=ehost-live&scope=site>
- Mombelli, A., & Cionca, N. (2006). Systemic diseases affecting osseointegration therapy. *Clinical Oral Implants Research*, 17(S2), 97-103.
<https://doi.org/10.1111/j.1600-0501.2006.01354.x>
- Peter K. Moy, D. Medina, V. Shetty, & T.L Aghaloo. (2005). Dental Implant Failure Rates and Associated Risk Factors. *International Journal of Oral & Maxillofacial Implants*, 20(4).
<http://search.ebscohost.com/login.aspx?direct=true&AuthType=ip,shib&db=ddh&AN=36831255&site=ehost-live&scope=site>

- Philip B. Sugerman, & M.T. Barber. (2002). Patient Selection for Endosseous Dental Implants: Oral and Systemic Considerations. *International Journal of Oral & Maxillofacial Implants*, 17(2).
<http://search.ebscohost.com/login.aspx?direct=true&AuthType=ip,shib&db=ddh&AN=36846107&site=ehost-live&scope=site>
- Pjetursson, B. E., Bragger, U., Lang, N. P., & Zwahlen, M. (2007). Comparison of survival and complication rates of tooth-supported fixed dental prostheses (FDPs) and implant-supported FDPs and single crowns (SCs). *Clinical Oral Implants Research*, 18, 97–113. <https://doi.org/10.1111/j.1600-0501.2007.01439.x>
- Quirynen, M., Peeters, W., Steenberghe, D. van, Naert, I., Coucke, W., & van Steenberghe, D. (2001). Peri-implant health around screw-shaped c.p. titanium machined implants in partially edentulous patients with or without ongoing periodontitis. *Clinical Oral Implants Research*, 12(6), 589–594. <https://doi.org/10.1034/j.1600-0501.2001.120606.x>
- Quirynen, M., Vogels, R., Alsaadi, G., Naert, I., Jacobs, R., & Steenberghe, D. van. (2005). Predisposing conditions for retrograde peri-implantitis, and treatment suggestions. *Clinical Oral Implants Research*, 16(5), 599–608. <https://doi.org/10.1111/j.1600-0501.2005.01147.x>
- Ruggiero, S. L., Mehrotra, B., Rosenberg, T. J., & Engroff, S. L. (2004). Osteonecrosis of the jaws associated with the use of bisphosphonates: a review of 63 cases. *Journal of Oral and Maxillofacial Surgery*, 62(5), 527–534. <https://doi.org/10.1016/j.joms.2004.02.004>
- S. K. Chuang, L.J. Wei, C.W. Douglass, & T.B. Dodson. (2002). Risk Factors for Dental Implant Failure: A Strategy for the Analysis of Clustered Failure-time Observations. *Journal of Dental Research*, 81(8).
<http://search.ebscohost.com/login.aspx?direct=true&AuthType=ip,shib&db=ddh&AN=36487975&site=ehost-live&scope=site>
- Schou, S., Holmstrup, P., Worthington, H. V., & Esposito, M. (2006). Outcome of implant therapy in patients with previous tooth loss due to periodontitis. *Clinical Oral Implants Research*, 17(S2), 104–123. <https://doi.org/10.1111/j.1600-0501.2006.01347.x>
- Tarnow, D., Elian, N., Fletcher, P., Froum, S., Magner, A., Cho, S.-C., Salama, M., Salama, H., & Garber, D. A. (2003). Vertical Distance from the Crest of Bone to the Height of the Interproximal Papilla Between Adjacent Implants. *Journal of Periodontology*, 74(12), 1785–1788. <https://doi.org/10.1902/jop.2003.74.12.1785>
- Tarnow, D. P., Cho, S. C., & Wallace, S. S. (2000). The Effect of Inter-Implant Distance on the Height of Inter-Implant Bone Crest. *Journal of Periodontology*, 71(4), 546–549. <https://doi.org/10.1902/jop.2000.71.4.546>
- Taylor, T. D., Wiens, J., & Carr, A. (2005). Evidence-based considerations for removable prosthodontic and dental implant occlusion: A literature review. *The Journal of Prosthetic Dentistry*, 94(6), 555–560. <https://doi.org/10.1016/j.prosdent.2005.10.012>
- Van der Weijden, G. A., van Bommel, K. M., & Renvert, S. (2005). Implant therapy in partially edentulous, periodontally compromised patients: a review. *Journal of Clinical Periodontology*, 32(5), 506–511. <https://doi.org/10.1111/j.1600-051X.2005.00708.x>

Wennstrom, J. L., Ekestubbe, A., Grondahl, K., Karlsson, S., & Lindhe, J. (2004). Oral rehabilitation with implant-supported fixed partial dentures in periodontitis-susceptible subjects. A 5-year prospective study. *Journal of Clinical Periodontology*, 31(9), 713–724. <https://doi.org/10.1111/j.1600-051X.2004.00568.x>

William Martin, E. Lewis, & A. Nicol. (n.d.). Local Risk Factors for Implant Therapy. *International Journal of Oral & Maxillofacial Implants*, 24. <http://search.ebscohost.com/login.aspx?direct=true&AuthType=ip,shib&db=ddh&AN=45647861&site=ehost-live&scope=site>

Woo, S.-B., J.W. Hellstein, & J.R. Kalmar. (2006). Systematic Review: Bisphosphonates and Osteonecrosis of the Jaws. *Annals of Internal Medicine*, 144(10). <https://doi.org/10.7326/0003-4819-144-10-200605160-00009>

Wood, M. R., & Vermilyea, S. G. (2004). A review of selected dental literature on evidence-based treatment planning for dental implants: Report of the Committee on Research in Fixed Prosthodontics of the Academy of Fixed Prosthodontics. *The Journal of Prosthetic Dentistry*, 92(5), 447–462. <https://doi.org/10.1016/j.prosdent.2004.08.003>

Zitzmann, N. U., Marinello, C. P., Zitzmann, N. U., & Marinello, C. P. (1999). Treatment plan for restoring the edentulous maxilla with implant-supported restorations: Removable overdenture versus fixed partial denture design. *The Journal of Prosthetic Dentistry*, 82(2), 188–196. [https://doi.org/10.1016/S0022-3913\(99\)70155-1](https://doi.org/10.1016/S0022-3913(99)70155-1)