

EAPEG012: TMCEDISPER01: Treatment planning for dental implants: Dr Philip Freiberger

[View Online](#)

1.

Pjetursson, B.E., Brägger, U., Lang, N.P., Zwahlen, M.: Comparison of survival and complication rates of tooth-supported fixed dental prostheses (FDPs) and implant-supported FDPs and single crowns (SCs). *Clinical Oral Implants Research*. 18, 97–113 (2007). <https://doi.org/10.1111/j.1600-0501.2007.01439.x>.

2.

Philip B. Sugerman, M.T. Barber: Patient Selection for Endosseous Dental Implants: Oral and Systemic Considerations. *International Journal of Oral & Maxillofacial Implants*. 17, (2002).

3.

Joseph P. Fiorellini, P.K. Chen, M. Nevins, M.L. Nevins: A Retrospective Study of Dental Implants in Diabetic Patients. *International Journal of Periodontics & Restorative Dentistry*. 20, (2000).

4.

Ruggiero, S.L., Mehrotra, B., Rosenberg, T.J., Engroff, S.L.: Osteonecrosis of the jaws associated with the use of bisphosphonates: a review of 63 cases. *Journal of Oral and Maxillofacial Surgery*. 62, 527–534 (2004). <https://doi.org/10.1016/j.joms.2004.02.004>.

5.

Woo, S.-B., J.W. Hellstein, J.R. Kalmar: Systematic Review: Bisphosphonates and Osteonecrosis of the Jaws. *Annals of Internal Medicine*. 144, (2006). <https://doi.org/10.7326/0003-4819-144-10-200605160-00009>.

6.

Taylor, T.D., Wiens, J., Carr, A.: Evidence-based considerations for removable prosthodontic and dental implant occlusion: A literature review. *The Journal of Prosthetic Dentistry*. 94, 555-560 (2005). <https://doi.org/10.1016/j.prosdent.2005.10.012>.

7.

Catherine Giannopoulou, J.P. Bernard, Daniel Buser, A. Carrel, U.C. Belser: Effect of Intracrevicular Restoration Margins on Peri-implant Health: Clinical, Biochemical, and Microbiologic Findings Around Esthetic Implants up to 9 Years. *International Journal of Oral & Maxillofacial Implants*. 18, (2003).

8.

Daniel Buser, W. Martin, U.C. Belser: Optimizing Esthetics for Implant Restorations in the Anterior Maxilla: Anatomic and Surgical Considerations. *International Journal of Oral & Maxillofacial Implants*. 19,.

9.

Belser, U.C., Buser, D., Hess, D., Schmid, B., Bernard, J.-P., Lang, N.P.: Aesthetic implant restorations in partially edentulous patients ? a critical appraisal. *Periodontology 2000*. 17, 132-150 (1998). <https://doi.org/10.1111/j.1600-0757.1998.tb00131.x>.

10.

Tarnow, D.P., Cho, S.C., Wallace, S.S.: The Effect of Inter-Implant Distance on the Height of Inter-Implant Bone Crest. *Journal of Periodontology*. 71, 546-549 (2000). <https://doi.org/10.1902/jop.2000.71.4.546>.

11.

Zitzmann, N.U., Marinello, C.P., Zitzmann, N.U., Marinello, C.P.: Treatment plan for restoring the edentulous maxilla with implant-supported restorations: Removable overdenture versus fixed partial denture design. *The Journal of Prosthetic Dentistry*. 82, 188-196 (1999). [https://doi.org/10.1016/S0022-3913\(99\)70155-1](https://doi.org/10.1016/S0022-3913(99)70155-1).

12.

Dent, C., J.W. Olson, S.E. Farish, J. Bellome, A.J. Casino, H.F. Morris, S. Ochi: The influence of preoperative antibiotics on success of endosseous implants up to and including stage II surgery: A study of 2,641 implants. *Journal of oral and maxillofacial surgery : official journal of the American Association of Oral and Maxillofacial Surgeons*. 55, 19–24 (1997).

13.

Gynther, G.W., Kondell, P.Å., Moberg, L.-E., Heimdahl, A.: Dental implant installation without antibiotic prophylaxis. *Oral Surgery, Oral Medicine, Oral Pathology, Oral Radiology, and Endodontology*. 85, 509–511 (1998). [https://doi.org/10.1016/S1079-2104\(98\)90281-5](https://doi.org/10.1016/S1079-2104(98)90281-5).

14.

Luterbacher, S., Mayfield, L., Bragger, U., Lang, N.P.: Diagnostic characteristics of clinical and microbiological tests for monitoring periodontal and peri-implant mucosal tissue conditions during supportive periodontal therapy (SPT). *Clinical Oral Implants Research*. 11, 521–529 (2000). <https://doi.org/10.1034/j.1600-0501.2000.011006521.x>.

15.

Gross, M.: Splinting osseointegrated implants and natural teeth in rehabilitation of partially edentulous patients. Part I: Laboratory and clinical studies. *Journal of Oral Rehabilitation*. 24, (1997). <https://doi.org/10.1111/1365-2842.ep14769372>.

16.

Lindh, T., Gunne, J., Nystrom, E., Back, T.: Implant versus tooth-implant supported prostheses in the posterior maxilla: a 2-year report. *Clinical Oral Implants Research*. 12, 441–449 (2001). <https://doi.org/10.1034/j.1600-0501.2001.120503.x>.

17.

Frei, C., Buser, D., Dula, K.: Study on the necessity for cross-section imaging of the posterior mandible for treatment planning of standard cases in implant dentistry. *Clinical Oral Implants Research*. 15, 490–497 (2004). <https://doi.org/10.1111/j.1600-0501.2004.01032.x>.

18.

Karoussis, I.K., Salvi, G.E., Heitz-Mayfield, L.J.A., Bragger, U., Hammerle, C.H.F., Lang, N.P.: Long-term implant prognosis in patients with and without a history of chronic periodontitis: a 10-year prospective cohort study of the ITIR Dental Implant System. *Clinical Oral Implants Research.* 14, 329–339 (2003). <https://doi.org/10.1034/j.1600-0501.000.00934.x>.

19.

Baelum, V., Ellegaard, B.: Implant Survival in Periodontally Compromised Patients. *Journal of Periodontology.* 75, 1404–1412 (2004). <https://doi.org/10.1902/jop.2004.75.10.1404>.

20.

Quirynen, M., Vogels, R., Alsaadi, G., Naert, I., Jacobs, R., Steenberghe, D. van: Predisposing conditions for retrograde peri-implantitis, and treatment suggestions. *Clinical Oral Implants Research.* 16, 599–608 (2005). <https://doi.org/10.1111/j.1600-0501.2005.01147.x>.

21.

Quirynen, M., Peeters, W., Steenberghe, D. van, Naert, I., Coucke, W., van Steenberghe, D.: Peri-implant health around screw-shaped c.p. titanium machined implants in partially edentulous patients with or without ongoing periodontitis. *Clinical Oral Implants Research.* 12, 589–594 (2001). <https://doi.org/10.1034/j.1600-0501.2001.120606.x>.

22.

Wennstrom, J.L., Ekestubbe, A., Grondahl, K., Karlsson, S., Lindhe, J.: Oral rehabilitation with implant-supported fixed partial dentures in periodontitis-susceptible subjects. A 5-year prospective study. *Journal of Clinical Periodontology.* 31, 713–724 (2004). <https://doi.org/10.1111/j.1600-051X.2004.00568.x>.

23.

Alsaadi, G., Quirynen, M., Komárek, A., van Steenberghe, D.: Impact of local and systemic factors on the incidence of oral implant failures, up to abutment connection. *Journal of Clinical Periodontology.* 34, 610–617 (2007). <https://doi.org/10.1111/j.1600-051X.2007.01077.x>.

24.

Craddock, H.L., Youngson, C.C.: A study of the incidence of overeruption and occlusal interferences in unopposed posterior teeth. *British Dental Journal*. 196, 341–348 (2004). <https://doi.org/10.1038/sj.bdj.4811082>.

25.

Wood, M.R., Vermilyea, S.G.: A review of selected dental literature on evidence-based treatment planning for dental implants: Report of the Committee on Research in Fixed Prosthodontics of the Academy of Fixed Prosthodontics. *The Journal of Prosthetic Dentistry*. 92, 447–462 (2004). <https://doi.org/10.1016/j.prosdent.2004.08.003>.

26.

Gastaldo, J.F., Cury, P.R., Sendyk, W.R.: Effect of the Vertical and Horizontal Distances Between Adjacent Implants and Between a Tooth and an Implant on the Incidence of Interproximal Papilla. *Journal of Periodontology*. 75, 1242–1246 (2004). <https://doi.org/10.1902/jop.2004.75.9.1242>.

27.

Goodacre, C., Torabinejad, M.: Endodontic or dental implant therapy : The factors affecting treatment planning. *The Journal of the American Dental Association*. 137, 973–977 (2006). <https://doi.org/10.14219/jada.archive.2006.0318>.

28.

ADA council on scientific affairs: Dental endosseous implants: an update. *The Journal of the American Dental Association*. 135, 92–97 (2004). <https://doi.org/10.14219/jada.archive.2004.0027>.

29.

Chee, W., Jivraj, S.: Connecting implants to teeth. *British Dental Journal*. 201, 629–632 (2006). <https://doi.org/10.1038/sj.bdj.4814260>.

30.

Jivraj, S., Chee, W.: Transitioning patients from teeth to implants. British Dental Journal. 201, 699–708 (2006). <https://doi.org/10.1038/sj.bdj.4814302>.

31.

Peter K. Moy, D. Medina, V. Shetty, T.L Aghaloo: Dental Implant Failure Rates and Associated Risk Factors. International Journal of Oral & Maxillofacial Implants. 20, (2005).

32.

S. K. Chuang, L.J. Wei, C.W. Douglass, T.B. Dodson: Risk Factors for Dental Implant Failure: A Strategy for the Analysis of Clustered Failure-time Observations. Journal of Dental Research. 81, (2002).

33.

Tarnow, D., Elian, N., Fletcher, P., Froum, S., Magner, A., Cho, S.-C., Salama, M., Salama, H., Garber, D.A.: Vertical Distance from the Crest of Bone to the Height of the Interproximal Papilla Between Adjacent Implants. Journal of Periodontology. 74, 1785–1788 (2003). <https://doi.org/10.1902/jop.2003.74.12.1785>.

34.

Schou, S., Holmstrup, P., Worthington, H.V., Esposito, M.: Outcome of implant therapy in patients with previous tooth loss due to periodontitis. Clinical Oral Implants Research. 17, 104–123 (2006). <https://doi.org/10.1111/j.1600-0501.2006.01347.x>.

35.

Chambrone, L.A., Chambrone, L.: Tooth loss in well-maintained patients with chronic periodontitis during long-term supportive therapy in Brazil. Journal of Clinical Periodontology. 33, 759–764 (2006). <https://doi.org/10.1111/j.1600-051X.2006.00972.x>.

36.

Mombelli, A., Cionca, N.: Systemic diseases affecting osseointegration therapy. Clinical Oral Implants Research. 17, 97–103 (2006).

[https://doi.org/10.1111/j.1600-0501.2006.01354.x.](https://doi.org/10.1111/j.1600-0501.2006.01354.x)

37.

Lulic, M., Brägger, U., Lang, N.P., Zwahlen, M., Salvi, G.E.: Ante's (1926) law revisited: a systematic review on survival rates and complications of fixed dental prostheses (FDPs) on severely reduced periodontal tissue support. *Clinical Oral Implants Research.* 18, 63–72 (2007). <https://doi.org/10.1111/j.1600-0501.2007.01438.x>.

38.

Karoussis, I.K., Kotsovilis, S., Fourmousis, I.: A comprehensive and critical review of dental implant prognosis in periodontally compromised partially edentulous patients. *Clinical Oral Implants Research.* 18, 669–679 (2007).

<https://doi.org/10.1111/j.1600-0501.2007.01406.x>.

39.

Van der Weijden, G.A., van Bemmel, K.M., Renvert, S.: Implant therapy in partially edentulous, periodontally compromised patients: a review. *Journal of Clinical Periodontology.* 32, 506–511 (2005). <https://doi.org/10.1111/j.1600-051X.2005.00708.x>.

40.

Esposito, M., Coulthard, P., Oliver, R., Thomsen, P., Worthington, H.V.: Antibiotics to prevent complications following dental implant treatment. In: *The Cochrane Database of Systematic Reviews.* John Wiley & Sons, Ltd, Chichester, UK (1996). <https://doi.org/10.1002/14651858.CD004152>.

41.

Holm-Pedersen, P., Lang, N.P., Müller, F.: What are the longevities of teeth and oral implants? *Clinical Oral Implants Research.* 18, 15–19 (2007).

<https://doi.org/10.1111/j.1600-0501.2007.01434.x>.

42.

Michael M. Bornstein, N. Cionca, A. Mombelli: Systemic Conditions and Treatments as Risks

for Implant Therapy. International Journal of Oral & Maxillofacial Implants. 24.,

43.

William Martin, E. Lewis, A. Nicol: Local Risk Factors for Implant Therapy. International Journal of Oral & Maxillofacial Implants. 24.,

44.

Lisa J. A. Heitz-Mayfield, G. Huynh-Ba: History of Treated Periodontitis and Smoking as Risks for Implant Therapy. International Journal of Oral & Maxillofacial Implants. 24.,

45.

Giovanni E. Salvi, U. Bragger: Mechanical and Technical Risks in Implant Therapy. International Journal of Oral & Maxillofacial Implants. 24.,

46.

David L. Cochran, S. Schou, L.J.A. Heitz-Mayfield, M.M. Bornstein, G.E. Salvi, W. Martin: Consensus Statements and Recommended Clinical Procedures Regarding Risk Factors in Implant Therapy. International Journal of Oral & Maxillofacial Implants. 24.,