

UCLQG213: Introduction to Conservation Practice

[View Online](#)

Adhesives and coatings [Science For Conservators]: Vol. Science for conservators (New ed). (1992). The Conservation Unit of the Museums & Galleries Commission in conjunction with Routledge. <http://UCL.ebib.com/patron/FullRecord.aspx?p=1143796>

Agnew, N., & Maekawa, S. (1999). Preserving Nefertari's legacy. *Scientific American*, October. <http://www.nature.com.libproxy.ucl.ac.uk/scientificamerican/journal/v281/n4/pdf/scientificamerican1099-74.pdf>

Alexiou, K., Müller, N. S., Karatasios, I., & Kilikoglou, V. (2013). The performance of different adhesives for archaeological ceramics under mechanical stress. *Applied Clay Science*, 82, 10–15. <https://doi.org/10.1016/j.clay.2013.05.017>

Allanbrook, T., & Normandin, K. C. (2007). The restoration of the Fifth Avenue facades of the Metropolitan Museum of Art. *APT Bulletin*, 38(4), 45–53. <http://www.jstor.org.libproxy.ucl.ac.uk/stable/40004811>

Allemand, L., & Bahn, P. G. (2005). Best way to protect rock art is to leave it alone. *Nature*, 433(7028), 800–800. <https://doi.org/10.1038/433800c>

Altavilla, C., Ciliberto, E., La Delfa, S., Panarello, S., & Scandurra, A. (2008). The cleaning of early glasses: investigation about the reactivity of different chemical treatments on the surface of ancient glasses. *Applied Physics A*, 92(1), 251–255. <https://doi.org/10.1007/s00339-008-4499-x>

Ashurst, J., & Dimes, F. G. (Eds.). (1998). *Conservation of building and decorative stone: Vol. Butterworth-Heinemann series in conservation and museology* (Paperback ed). Butterworth-Heinemann. <https://www.dawsonera.com/guard/protected/dawson.jsp?name=https://shib-idp.ucl.ac.uk/shibboleth&dest=http://www.dawsonera.com/depp/reader/protected/external/AbstractView/S9780080502908>

Bertholon, R. (2007). Archaeological metal artefacts and conservation issues: long-term corrosion studies. In P. Dillmann ... [et al.] (Ed.), *Corrosion of metallic heritage artefacts: investigation, conservation and prediction for long term behaviour: Vol. European Federation of Corrosion publications*. Woodhead Pub. https://app.knovel.com/web/view/swf/show.v/rcid:kpCMHAICP2/cid:kt004L6RJ3/viewerType:pdf/root_slug:corrosion-metallic-heritage?cid=kt004L6RJ3&page=1&b-toc-cid=kpCMHAICP2&b-toc-root-slug=corrosion-metallic-heritage&b-toc-url-slug=archaeological-metal&b-toc-title=Corrosion%20of%20Metallic%20Heritage%20Artefacts%20

%20Investigation%2C%20Conservation%20and%20Prediction%20for%20Long-term%20Behaviour%20(EFC%2048)

Brooks, M., Lister, A., Eastop, D., & Bennett, T. (1996). Artifact or information? Articulating the conflicts in conserving archaeological textiles. *Studies in Conservation*, 41 (Supplement-1), 16–21. <https://doi.org/10.1179/sic.1996.41.Supplement-1.16>

Burden, L., Smith, C., Calcutt, P., & Henderson, M. (2004). The reconservation of 105 Bronze age ceramics. *The Conservator*, 28(1), 37–46. <https://doi.org/10.1080/01410096.2004.9995201>

Buys, S., & Oakley, V. (1993a). Cleaning. In *The conservation and restoration of ceramics* (Vol. 1993). Butterworth-Heinemann. <http://ucl.eblib.com/patron/FullRecord.aspx?p=1924488>

Buys, S., & Oakley, V. (1993b). Examination and recording. In *The conservation and restoration of ceramics: Vol. Butterworth-Heinemann series in conservation and museology* (pp. 40–59). Butterworth-Heinemann. <http://ucl.eblib.com/patron/FullRecord.aspx?p=1924488>

Buys, S., & Oakley, V. (1993c). Replacement of lost material. In *The conservation and restoration of ceramics: Vol. Butterworth-Heinemann series in conservation and museology* (pp. 119–138). Butterworth-Heinemann. <http://ucl.eblib.com/patron/FullRecord.aspx?p=1924488>

Buys, S., & Oakley, V. (1993d). *The conservation and restoration of ceramics*. Butterworth-Heinemann. <http://ucl.eblib.com/patron/FullRecord.aspx?p=1924488>

Canadian Conservation Institute. (n.d.-a). Care and cleaning of unfinished wood - CCI Notes 7/1. <http://www.cci-icc.gc.ca/resources-ressources/ccinotesicc/7-1-eng.aspx>

Canadian Conservation Institute. (n.d.-b). Care of alum, vegetable, and mineral tanned leather - CCI Notes 8/2. <http://www.cci-icc.gc.ca/resources-ressources/ccinotesicc/8-2-eng.aspx>

Canadian Conservation Institute. (n.d.-c). Care of furniture finishes - CCI Notes 7/2. <http://www.cci-icc.gc.ca/resources-ressources/ccinotesicc/7-2-eng.aspx>

Canadian Conservation Institute. (n.d.-d). Care of rawhide and semi-tanned leather - CCI Notes 8/4. <http://www.cci-icc.gc.ca/resources-ressources/ccinotesicc/8-4-eng.aspx?pedisable=true>

Cano, E., & Lafuente, D. (2013). Corrosion inhibitors for the preservation of metallic heritage artefacts. In *Corrosion and Conservation of Cultural Heritage Metallic Artefacts* (pp. 570–594). Elsevier. <https://doi.org/10.1533/9781782421573.5.570>

Caple, C. (2000). *Conservation skills: judgement, method and decision making*. Routledge. <https://www-dawsonera-com.libproxy.ucl.ac.uk/abstract/9780203086261>

Cardiano, P., Ponterio, R. C., Sergi, S., Lo Schiavo, S., & Piraino, P. (2005). Epoxy-silica polymers as stone conservation materials. *Polymer*, 46(6), 1857–1864.

<https://doi.org/10.1016/j.polymer.2005.01.002>

Carmona, N., Wittstadt, K., & Römich, H. (2009). Consolidation of paint on stained glass windows: comparative study and new approaches. *Journal of Cultural Heritage*, 10(3), 403–409. <https://doi.org/10.1016/j.culher.2008.12.004>

Carol A. Grissom. (2000). Neolithic statues from 'Ain Ghazal: construction and form. *American Journal of Archaeology*, 104(1), 25–45.
http://www.jstor.org.libproxy.ucl.ac.uk/stable/506791?origin=crossref&seq=1#page_scan_tab_contents

Carter, D., & Walker, A. K. (1999). *Care and conservation of natural history collections*. Butterworth-Heinemann.

Charola, A. E., & Ware, R. (2002). Acid deposition and the deterioration of stone: a brief review of a broad topic. In S. Siegesmund, T. Weiss, & A. Vollbrecht (Eds.), *Natural stone, weathering phenomena, conservation strategies and case studies: Vol. Geological Society special publication* (pp. 393–406). Geological Society.

Cleaning [Science For Conservators] (Vol. 2). (1992a). Conservation Unit of the Museums & Galleries Commission in conjunction with Routledge.
<http://www.tandfebooks.com.libproxy.ucl.ac.uk/ISBN/9780203989449>

Cleaning [Science For Conservators] (Vol. 2). (1992b). Conservation Unit of the Museums & Galleries Commission in conjunction with Routledge.
<http://www.tandfebooks.com.libproxy.ucl.ac.uk/ISBN/9780203989449>

Cleaning [Science For Conservators] (Vol. 2). (1992c). Conservation Unit of the Museums & Galleries Commission in conjunction with Routledge.
<http://www.tandfebooks.com.libproxy.ucl.ac.uk/ISBN/9780203989449>

Clifford Price, Keith Ross and Graham White. (1988). A further appraisal of the 'lime technique' for limestone consolidation, using a radioactive tracer. *Studies in Conservation*, 33(4), 178–186.
http://www.jstor.org.libproxy.ucl.ac.uk/stable/1506313?origin=crossref&seq=1#page_scan_tab_contents

Collins, C. (n.d.). *Standards in the care of wet collections*.
<http://conservation.myspecies.info/node/33>

Constantinides, I. (1995). Traditional lime plaster: myths, preconceptions and the relevance of good practice. *The Building Conservation Directory*.
<http://www.buildingconservation.com/articles/plaster/plaster.htm>

Cooper, M. I., Emmony, D. C., & Larson, J. (1995). Characterization of laser cleaning of limestone. *Optics & Laser Technology*, 27(1), 69–73.
[https://doi.org/10.1016/0030-3992\(95\)93962-Q](https://doi.org/10.1016/0030-3992(95)93962-Q)

Cooper, M., & Larson, J. (1996). The use of laser cleaning to preserve patina on marble sculpture. *The Conservator*, 20(1), 28–36. <https://doi.org/10.1080/01410096.1996.9995100>

Costa, V. (2001a). The deterioration of silver alloys and some aspects of their conservation. *Studies in Conservation*, 46(2), 18–34.
<https://doi.org/10.1179/sic.2001.46.2.18>

Costa, V. (2001b). The deterioration of silver alloys and some aspects of their conservation. *Studies in Conservation*, 46(2), 18–34.
<https://doi.org/10.1179/sic.2001.46.2.18>

Costaras, N., & Turnbull, R. (2009). Master Bertram's Apocalypse triptych: to clean or not to clean. *Conservation Journal*, 58.
<http://www.vam.ac.uk/content/journals/conservation-journal/autumn-2009-issue-58/master-bertrams-apocalypse-triptych-to-clean-or-not-to-clean/>

Cronyn, J. M. (1990). *The elements of archaeological conservation*. Routledge.

D'Armada, P., & Hirst, E. (2012). Nano-lime for consolidation of plaster and stone. *Journal of Architectural Conservation*, 18(1), 63–80.
<https://doi.org/10.1080/13556207.2012.10785104>

Davison, S. (1999). Historic cut-glass chandeliers: recording and conservation. In N. H. Tennent (Ed.), *The conservation of glass and ceramics: research, practice and training* (pp. 208–216). James & James.

Davison, S. (2003). *Conservation and restoration of glass*. Butterworth-Heinemann.

Davison, S., & Newton, R. G. (2003a). *Conservation and restoration of glass: Vol. Butterworth-Heinemann series in conservation and museology* (2nd ed). Butterworth-Heinemann.
<http://www.tandfebooks.com.libproxy.ucl.ac.uk/isbn/9780080569314>

Davison, S., & Newton, R. G. (2003b). *Conservation and restoration of glass: Vol. Butterworth-Heinemann series in conservation and museology* (2nd ed). Butterworth-Heinemann.
<http://www.tandfebooks.com.libproxy.ucl.ac.uk/isbn/9780080569314>

Degryse, P., Elsen, J., & Waelkens, M. (2002). Study of ancient mortars from Sagalassos (Turkey) in view of their conservation. *Cement and Concrete Research*, 32(9), 1457–1463.
[https://doi.org/10.1016/S0008-8846\(02\)00807-4](https://doi.org/10.1016/S0008-8846(02)00807-4)

Delegou, E. T., Avdelidis, N. P., Karaviti, E., & Moropoulou, A. (2008). NDT&E techniques and SEM-EDS for the assessment of cleaning interventions on Pentelic marble surfaces. *X-Ray Spectrometry*, 37(4), 435–443. <https://doi.org/10.1002/xrs.1101>

Dinsmore, J. (1992). Conservation and storage: stone. In J. M. A. Thompson (Ed.), *Manual of curatorship: a guide to museum practice* (pp. 364–368). Butterworth-Heinemann.
<http://ucl.ebib.com/patron/FullRecord.aspx?p=2125435>

Doherty, B., Pamplona, M., Selvaggi, R., Miliani, C., Matteini, M., Sgamellotti, A., & Brunetti, B. (2007). Efficiency and resistance of the artificial oxalate protection treatment on marble against chemical weathering. *Applied Surface Science*, 253(10), 4477–4484.
<https://doi.org/10.1016/j.apsusc.2006.09.056>

Domasłowski, W. (Ed.). (2003). Preventive conservation of stone historical objects. Wydawnictwo Uniwersytetu Mikołaja Kopernika.

Dorge, V., & Howlett, F. C. (Eds.). (1998). Painted wood: history and conservation. Getty Conservation Institute.
http://www.getty.edu/conservation/publications_resources/pdf_publications/paintedwood.html

Dorothy H. Abramitis. (1998). Statue of an old woman: a case study in the effects of restorations on the visual aspect of sculpture. *The Metropolitan Museum of Art Bulletin*, 55 (3), 30–37.
http://www.jstor.org.libproxy.ucl.ac.uk/stable/3258800?origin=crossref&seq=1#page_scan_tab_contents

Down, J. L., MacDonald, M. A., Tétreault, J., & Williams, R. S. (1996). Adhesive Testing at the Canadian Conservation Institute: An Evaluation of Selected Poly(Vinyl Acetate) and Acrylic Adhesives. *Studies in Conservation*, 41(1), 19–44.
http://www.jstor.org.libproxy.ucl.ac.uk/stable/1506550?origin=crossref&seq=1#page_scan_tab_contents

Doyal, S. (2001). Condition survey of Barkcloth at Exeter Museums, with particular reference to the African collections. In M. M. Wright (Ed.), *Barkcloth: aspects of preparation, use, deterioration, conservation and display : seminar organised by the Conservators of Ethnographic Artefacts at Torquay Museum on 4 December 1997: Vol. Conservators of Ethnographic Artefacts* (pp. 10–19). Archetype.

Drews, M. J., González-Pereyra, N. G., Mardikian, P., & de Viviés, P. (2013). The application of subcritical fluids for the stabilization of marine archaeological iron. *Studies in Conservation*, 58(4), 314–325. <https://doi.org/10.1179/2047058412Y.0000000079>

Driggers, J. M., Mussey, R. D., & Garvin, S. M. (1991). Treatment of an ivory-inlaid Anglo-Indian desk bookcase. In *Wooden Artifacts Group of the American Institute for Conservation*. http://cool.conservation-us.org/coolaic/sg/wag/1991/WAG_91_driggers.pdf

Eklund, J. A., & Thomas, M. G. (2010). Assessing the effects of conservation treatments on short sequences of DNA in vitro. *Journal of Archaeological Science*, 37(11), 2831–2841.
<https://doi.org/10.1016/j.jas.2010.06.019>

English Heritage. (2006). Guidelines on the X-radiography of archaeological metalwork (D. M. Jones, Ed.). English Heritage.
<https://content.historicengland.org.uk/images-books/publications/x-radiography-of-archaeological-metalwork/xradiography.pdf/>

Eric Doehne et al. (2008a). Evaluation of poultice desalination process at Madame Johns' Legacy, New Orleans. *Proceedings of the 11th International Congress on Deterioration and Conservation of Stone*, 15–20 September 2008, Toruń, Poland.
http://www.academia.edu/2845645/Evaluation_of_poultice_desalination_process_at_Madame_Johns_Legacy_New_Orleans

Eric Hansen et al. (2003a). A review of selected inorganic consolidants and protective treatments for porous calcareous materials. *Reviews in Conservation*, 4.

http://www.academia.edu/2845661/A_review_of_selected_inorganic_consolidants_and_protective_treatments_for_porous_calcareous_materials

Esmay, F., & Griffith, R. (2004). An investigation of cleaning methods for untreated wood. In Wooden Artifacts Group of the American Institute for Conservation.
http://cool.conservation-us.org/coolaic/sg/wag/2004/esmay_griffith_04.pdf

Feller, R. L., & Wilt, M. (1990). Evaluation of Cellulose Ethers for Conservation (1990) - ethers.pdf. The Getty Conservation Institute.
http://www.getty.edu/conservation/publications_resources/pdf_publications/pdf/ethers.pdf

Fletcher, P. J., Freestone, I., & Geschke, R. (2008). Analysis and conservation of a weeping glass scarab. The British Museum Technical Research Bulletin, 2, 45–48.
<http://www.britishmuseum.org/pdf/BMTRB%202%20Fletcher.pdf>

Franco Cariati, Laura Rampazzi, Lucia Toniolo and Andrea Pozzi. (2000). Calcium oxalate films on stone surfaces: experimental assessment of the chemical formation. Studies in Conservation, 45(3), 180–188.
http://www.jstor.org.libproxy.ucl.ac.uk/stable/1506764?origin=crossref&seq=1#page_scan_tab_contents

Getty Conservation Institute. (2003b). Preservation of Lime Mortars and Plasters Bibliography.
http://www.getty.edu/conservation/publications_resources/pdf_publications/lime_mortar_plasters_category.html

Giovanni Verri et al. (2009a). Assyrian Colours: pigments on a neo-Assyrian relief of a parade horse. The British Museum Technical Research Bulletin, 3, 57–62.
http://www.academia.edu/3489625/Assyrian_colours_pigments_on_a_neo-Assyrian_relief_of_a_parade_horse

Glenn Wharton, Susan Lansing Maish and William S. Ginell. (1990). A comparative study of silver cleaning abrasives. Journal of the American Institute for Conservation, 29(1), 13–31.
http://www.jstor.org.libproxy.ucl.ac.uk/stable/3179588?sid=primo&origin=crossref&seq=1#page_scan_tab_contents

Golfomitsou, S. (2006). Synergistic effects of additives to benzotriazole solutions applied as corrosion inhibitors to archaeological copper and copper alloy artefact [University College London Institute of Archaeology].
<http://discovery.ucl.ac.uk/1444721/1/U592030.pdf>

Golfomitsou, S., & Merkel, J. F. (2004). Synergistic effects of corrosion inhibitors for copper and copper alloy archaeological artefacts. In J. Ashton & D. Hallam (Eds.), Metal 04 [Proceedings of the International Conference on Metals Conservation: Canberra, Australia, 4-8 October 2004] (pp. 344–367). National Museum of Australia.
http://www.nma.gov.au/__data/assets/pdf_file/0003/346062/NMA_metals_s3_p10_synergistic_effects.pdf

Gregory, D., Jensen, P., & Strætkvern, K. (2012). Conservation and in situ preservation of wooden shipwrecks from marine environments. Journal of Cultural Heritage, 13(3),

S139–S148. <https://doi.org/10.1016/j.culher.2012.03.005>

Grossman, J. B., Podany, J., True, M., & J. Paul Getty Museum. (2003). History of restoration of ancient stone sculptures. J. Paul Getty Museum.
<http://www.getty.edu/publications/virtuallibrary/0892367237.html>

Guilminot, E., Neff, D., Rémazeilles, C., Reguer, S., Kergourlay, F., Pelé, C., Dillmann, P., Refait, P., Nicot, F., Mielcarek, F., Huet, N., & Rebière, J. (2012). Influence of crucial parameters on the dechlorination treatments of ferrous objects from seawater. *Studies in Conservation*, 57(4), 227–236. <https://doi.org/10.1179/2047058412Y.0000000011>

Hacke, M. (2008). Weighted silk: history, analysis and conservation. *Studies in Conservation*, 53(Supplement-2), 3–15.
<https://doi.org/10.1179/sic.2008.53.Supplement-2.3>

Hansen, E. (2003). A review of selected inorganic consolidants and protective treatments for porous calcareous materials. *Studies in Conservation*, 48(2), 13–25.
<http://www.maneyonline.com/doi/abs/10.1179/sic.2003.48.Supplement-1.13>

Hebert, P. D. N., Cywinska, A., Ball, S. L., & deWaard, J. R. (2003). Biological identifications through DNA barcodes. *Proceedings of the Royal Society B: Biological Sciences*, 270(1512), 313–321. <https://doi.org/10.1098/rspb.2002.2218>

Henry, A. (Ed.). (2006). *Stone conservation: principles and practice*. Donhead.
<http://www.ucl.ebib.com/patron/FullRecord.aspx?p=4186381>

Hocker, E., Almkvist, G., & Sahlstedt, M. (2012a). The Vasa experience with polyethylene glycol: A conservator's perspective. *Journal of Cultural Heritage*, 13(3), S175–S182.
<https://doi.org/10.1016/j.culher.2012.01.017>

Hocker, E., Almkvist, G., & Sahlstedt, M. (2012b). The Vasa experience with polyethylene glycol: A conservator's perspective. *Journal of Cultural Heritage*, 13(3), S175–S182.
<https://doi.org/10.1016/j.culher.2012.01.017>

Hoffmann, I., Oppel, C., Prévost, S., Gernert, U., Barreleiro, P., von Rybinski, W., & Gradzielski, M. (2012). The influence of polymers, surfactants and salt on the fine structure of cotton revealed by SANS. *Colloids and Surfaces B: Biointerfaces*, 91, 175–180.
<https://doi.org/10.1016/j.colsurfb.2011.10.054>

Horie, C. V. (2010). *Materials for conservation: organic consolidants, adhesives and coatings* (2nd ed). Butterworth-Heinemann.

Howie, F. M. (Ed.). (1992). *The care and conservation of geological material: minerals, rocks, meteorites and lunar finds: Vol.* Butterworth-Heinemann series in conservation and museology. Butterworth-Heinemann.
<http://www.tandfebooks.com.libproxy.ucl.ac.uk/ISBN/9781315042626>

I. M. Godfrey, E. L. Ghisalberti, E. W. Beng, L. T. Byrne and G. W. Richardson. (2002). The analysis of ivory from a marine environment. *Studies in Conservation*, 47(1), 29–45.
http://www.jstor.org.libproxy.ucl.ac.uk/stable/1506833?origin=crossref&seq=1#page_scan_tab_contents

J. Johnson et al. (1995). Identification of chemical and physical change during acid cleaning of ceramics. In Pamela B. Vandiver et al. (Ed.), *Materials issues in art and archaeology IV: Cancun, Mexico, May 16-20, 1994* (pp. 831-837). Materials Research Society.

Janet Ambers ... [et al.] (Ed.). (2009b). *Holding it all together: ancient and modern approaches to joining, repair and consolidation*. Archetype Publications in association with the British Museum.

Jang, S., Nam, B., Park, D., Kim, H., Lee, C. H., & Yu, J. E. (2013). Desalination characteristics for ceramics excavated from Taean shipwreck, Korea. *Journal of Cultural Heritage*, 14(3), 229-237. <https://doi.org/10.1016/j.culher.2012.05.006>

Jenkins, I. (2001). *Cleaning and controversy: the Parthenon sculptures 1811-1939: Vol. The British Museum occasional paper*. British Museum.

Johnson, A. (2013). Evaluation of the use of SC6000 in conjunction with Klucel G as a conservation treatment for bookbinding leather: notes on a preliminary study. *Journal of the Institute of Conservation*, 36(2), 125-144. <https://doi.org/10.1080/19455224.2013.815646>

Johnson, E. (2001). The deacidification and conservation of a Samoan tapa at the Manchester Museum. In M. M. Wright (Ed.), *Barkcloth: aspects of preparation, use, deterioration, conservation and display : seminar organised by the Conservators of Ethnographic Artefacts at Torquay Museum on 4 December 1997: Vol. Conservators of Ethnographic Artefacts*. Archetype.

Jonathan Thornton. (1998). A brief history and review of the early practice and materials of gap-filling in the west. *Journal of the American Institute for Conservation*, 37(1), 3-22. http://www.jstor.org.libproxy.ucl.ac.uk/stable/3179908?origin=crossref&seq=1#page_scan_tab_contents

Julie Unruh. (2001). A revised endpoint for ceramics desalination at the archaeological site of Gordion, Turkey. *Studies in Conservation*, 46(2), 81-92. http://www.jstor.org.libproxy.ucl.ac.uk/stable/1506839?origin=crossref&seq=1#page_scan_tab_contents

Justo-Estebarez, A., Herrera, L. K., Duran, A., Sigüenza, B., de Haro, M. C. J., Laguna, O., & Justo, A. (2012). Analysis of the restoration of an historical organ: the case study of the Cavaillé-Coll organ of La Merced Church in Burgos, Spain. *Studies in Conservation*, 57(1), 21-28. <https://doi.org/10.1179/2047058411Y.0000000001>

Kennedy, A., & Pennington, E. R. (2014). Conservation of chemically degraded waterlogged wood with sugars. *Studies in Conservation*, 59(3), 194-201. <https://doi.org/10.1179/2047058413Y.0000000109>

Kerstin Elert, Carlos Rodriguez-Navarro, Eduardo Sebastian Pardo, Eric Hansen and Olga Cazalla. (2002). Lime Mortars for the Conservation of Historic Buildings. *Studies in Conservation*, 47(1), 62-75. <http://www.jstor.org.libproxy.ucl.ac.uk/stable/1506835?origin=crossref>

Khatibul Huda. (2002). A Note on the efficacy of ethylenediaminetetra-acetic acid disodium

salt as a stripping agent for corrosion products of copper. *Studies in Conservation*, 47(3), 211–216.

<http://www.jstor.org.libproxy.ucl.ac.uk/stable/1506874?sid=primo&origin=crossref>

Kite, M. (2006). Collagen products: glues, gelatine, gut membrane and sausage casings. In *Conservation of leather and related materials: Vol. Butterworth-Heinemann series in conservation and museology* (pp. 192–197). Butterworth-Heinemann.

<https://www-dawsonera-com.libproxy.ucl.ac.uk/readonline/9780080454665/startPage/215>

Kite, M., & Thomson, R. (2006). *Conservation of leather and related materials: Vol. Butterworth-Heinemann series in conservation and museology*. Butterworth-Heinemann.
<https://www.dawsonera.com/guard/protected/dawson.jsp?name=https://shib-idp.ucl.ac.uk/shibboleth&dest=http://www.dawsonera.com/depp/reader/protected/external/AbstractView/S9780080454665>

Koob, S. (1987a). Detachable plaster restorations for archaeological ceramics. In *Recent advances in the conservation and analysis of artifacts: jubilee conservation conference papers* (pp. 63–66). Summer Schools Press [for] University of London Institute of Archaeology.

Koob, S. (1987b). Detachable plaster restorations for archaeological ceramics. In *Recent advances in the conservation and analysis of artifacts: jubilee conservation conference papers* (pp. 63–66). Summer Schools Press [for] University of London Institute of Archaeology.

Koob, S. P. (2006a). Cleaning glass. In *Conservation and care of glass objects*. Archetype in association with the Corning Museum of Glass.

Koob, S. P. (2006b). Cleaning glass. In *Conservation and care of glass objects*. Archetype in association with the Corning Museum of Glass.

Koob, S. P. (2009). Paraloid B-72: 25 years of use as a consolidant and adhesive for ceramics and glass. In J. Ambers (Ed.), *Holding it all together: ancient and modern approaches to joining, repair and consolidation* (pp. 113–119). Archetype Publications in association with the British Museum.

Koob, S. P., & Ng, W. Y. (2000). The desalination of ceramics using a semi-automated continuous washing station. *Studies in Conservation*, 45(4), 265–273.
<https://doi.org/10.1179/sic.2000.45.4.265>

Landi, S. (1998). The Ardabil carpet. In *The textile conservator's manual: Vol. Butterworth-Heinemann series in conservation and museology* (2nd ed, pp. 277–285). Butterworth-Heinemann.
<https://www-dawsonera-com.libproxy.ucl.ac.uk/readonline/9780080518749/startPage/296>

Lang, J., & Middleton, A. (Eds.). (2005). *Radiography of cultural material* (2nd ed). Elsevier Butterworth-Heinemann.
<https://www-dawsonera-com.libproxy.ucl.ac.uk/abstract/9780080455600>

- Larson, J. (1997). Sculpture conservation: treatment or reinterpretation? In P. Lindley (Ed.), *Sculpture conservation: preservation or interference?* (pp. 69–81). Scholar Press.
- Larson, J. (1998a). The conservation of stone sculpture in museums. In J. Ashurst & F. G. Dimes (Eds.), *Conservation of building and decorative stone: Vol. Part 2* (pp. 197–207). Butterworth-Heinemann.
<https://www.dawsonera-com.libproxy.ucl.ac.uk/readonline/9780080502908/startPage/408>
- Larson, J. (1998b). The conservation of stone sculpture in museums. In J. Ashurst & F. G. Dimes (Eds.), *Conservation of building and decorative stone: Vol. Part 2* (pp. 197–207). Butterworth-Heinemann.
<https://www.dawsonera-com.libproxy.ucl.ac.uk/readonline/9780080502908/startPage/408>
- López-Polín, L., Ollé, A., Cáceres, I., Carbonell, E., & Bermúdez de Castro, J. M. (2008). Pleistocene human remains and conservation treatments: the case of a mandible from Atapuerca (Spain). *Journal of Human Evolution*, 54(5), 539–545.
<https://doi.org/10.1016/j.jhevol.2007.07.011>
- M. Favaro et al. (2008b). A novel approach to compatible and durable consolidation of limestone. In J. W. Łukasiewicz & P. Niemcewicz (Eds.), *11th International Congress on Deterioration and Conservation of Stone, 15-20 September 2008, Torun, Poland: proceedings: volume 2* (pp. 865–872). Uniwersytetu Mikołaja Kopernika.
- Macchioni, N., Pizzo, B., Capretti, C., & Giachi, G. (2012). How an integrated diagnostic approach can help in a correct evaluation of the state of preservation of waterlogged archaeological wooden artefacts. *Journal of Archaeological Science*, 39(10), 3255–3263.
<https://doi.org/10.1016/j.jas.2012.05.008>
- MacGregor, A. (1985). *Bone, antler, ivory & horn: the technology of skeletal materials since the Roman period*. Croom Helm.
- MacLeod, I. D., & Davies, J. A. (1987). Desalination of glass, stone and ceramics recovered from shipwreck sites. In *Preprints [of the] 8th Triennial Meeting ICOM Committee for Conservation, Sydney, Australia, 6-11 September 1987 (Vol. 3)*. Getty Conservation Institute [on behalf of the ICOM Committee for Conservation].
- Marte, F., Pequignot, A., & von Endt, D. W. (2006). Arsenic in taxidermy collections: history, detection, and management. *Collection Forum*, 21(1–2).
http://www.spnhc.org/media/assets/cofo_2006_V21N12.pdf
- Martinez, B., Pasies, T., & Peiro, M. A. (2011). Reversibility and minimal intervention in the gap-filling process of archaeological glass. *E-Conservation Magazine*, 20.
<http://www.slideshare.net/trosa/reversibility-and-minimal-intervention-in-the-gap-filling-process-of-archaeological-glass-por-betlem-martnez-trinidad-pases-y-m-amparo-peir-en-econservation-n-20-2011-pp-4054>
- Matteini, M., Lalli, C., Tosini, I., Giusti, A., & Siano, S. (2003). Laser and chemical cleaning tests for the conservation of the Porta del Paradiso by Lorenzo Ghiberti. *Journal of Cultural Heritage*, 4, 147–151. [https://doi.org/10.1016/S1296-2074\(02\)01190-1](https://doi.org/10.1016/S1296-2074(02)01190-1)

Michaela Neiro. (2003). Adhesive replacement: potential new treatment for stabilization of archaeological ceramics. *Journal of the American Institute for Conservation*, 42(2), 237-244.

http://www.jstor.org.libproxy.ucl.ac.uk/stable/3180071?origin=crossref&seq=1#page_scan_tab_contents

Michele Marincola. (1998). A standing virgin at the cloisters: the conservation and restoration of a medieval alabaster. *The Metropolitan Museum of Art Bulletin*, 55(3), 38-45. http://www.jstor.org.libproxy.ucl.ac.uk/stable/3258801?origin=crossref&seq=1#page_scan_tab_contents

Mitchell, D. J., & Searle, D. E. (Eds.). (n.d.). *Stone deterioration in polluted urban environments*. Science Publishers.

Muros, V., & Hirx, J. (2004). The use of cyclododecane as a temporary barrier for water-sensitive ink on archaeological ceramics during desalination. *Journal of the American Institute for Conservation*, 43(1), 75-89.

http://www.jstor.org.libproxy.ucl.ac.uk/stable/3179852?origin=crossref&seq=1#page_scan_tab_contents

Natural Sciences Collections Association. (2005). A matter of life and death: natural science collections: why keep them and why fund them?

<http://natsca.org/sites/default/files/publications-full/A-Matter-Of-Life-And-Death.pdf>

Nel, P. (2006). A preliminary investigation into the identification of adhesives on archaeological pottery. *AICCM Bulletin*, 30(1), 27-37.

<https://doi.org/10.1179/bac.2006.30.1.004>

Norton, R. E. (1990). Conservation of artifacts made from plant materials. In *The conservation of artifacts made from plant materials* (pp. 195-286). Getty Conservation Institute.

http://www.getty.edu/conservation/publications_resources/pdf_publications/pdf/cons_artifacts.pdf

Oakley, V. (1990). Vessel glass deterioration at the Victoria and Albert museum: Surveying the collection. *The Conservator*, 14(1), 30-36.

<https://doi.org/10.1080/01410096.1990.9995054>

Oakley, V. (1999). Five years on: a reassessment of aspects involved in the conservation of glass objects for a new gallery at the Victoria and Albert Museum. In N. H. Tennent (Ed.), *The conservation of glass and ceramics: research, practice and training* (pp. 217-228). James & James.

Oddy, A. (Ed.). (1994a). *Restoration: is it acceptable?* British Museum Department of Conservation.

Oddy, A. (Ed.). (1994b). *Restoration: is it acceptable?* British Museum Department of Conservation.

Oddy, A. (Ed.). (1994c). *Restoration: is it acceptable?* British Museum Department of Conservation.

P. Nell et al. (2010a). New conservation, education and research roles for a university Cypriot pottery collection. Museums Australia National Conference 2010. Interesting Times: New Roles for Collections 28 September–2 October 2010 University of Melbourne. https://www.academia.edu/15396397/New_Conse rvation_Education_and_Research_Roles_for_a_University_Cypriot_Pottery_Collection

P. Orlofsky [...et al.]. (2010b). Recording change: 1978-2008: the cleaning of a needlework sampler. In F. Lennard & P. Ewer (Eds.), Textile conservation: advances in practice: Vol. Butterworth-Heinemann series in conservation and museology (pp. 163–171). Butterworth-Heinemann.

Paterakis, A. B. (1987). The deterioration of ceramics by soluble salts and methods for monitoring their removal. In Recent advances in the conservation and analysis of artifacts: jubilee conservation conference papers (pp. 67–72). Summer Schools Press [for] University of London Institute of Archaeology.

Paterakis, A. B. (1998). The desalination of consolidated ceramics. In A. B. Paterakis (Ed.), Glass, ceramics and related materials (pp. 144–153). EVTEK Institute of Art and Design, Dept. of Conservation Studies.

Price, C. A. (1992). Conservation of architectural sculpture. In D. Kahn (Ed.), The Romanesque frieze and its spectator : the Lincoln symposium papers. H. Miller Publishers.

Price, C. A. (2007). Predicting environmental conditions to minimise salt damage at the Tower of London: a comparison of two approaches. Environmental Geology, 52(2), 369–374. <https://doi.org/10.1007/s00254-006-0477-9>

Price, C. A., & Doehne, E. F. (2010). Stone conservation: an overview of current research [2nd edition]: Vol. Research in conservation (2nd ed). Getty Conservation Institute. http://www.getty.edu/conservation/publications_resources/pdf_publications/pdf/stoneconservation.pdf

Price, C. A. & Getty Conservation Institute. (1996). Stone conservation: an overview of current research. Getty Conservation Institute. http://www.getty.edu/conservation/publications_resources/pdf_publications/pdf/stoneconservation_1st.pdf

Price, C., & Brimblecombe, P. (1994). Preventing salt damage in porous materials. In A. Roy & P. Smith (Eds.), Preventive conservation: practice, theory and research : preprints of the contributions to the Ottawa Congress, 12-16 September 1994 (pp. 90–93). International Institute for Conservation of Historic and Artistic Works.

Pye, E. (2001). Caring for the past: issues in conservation for archaeology and museums. James & James.

Rimmer, M., Watkinson, D., & Wang, Q. (2012). The efficiency of chloride extraction from archaeological iron objects using deoxygenated alkaline solutions. Studies in Conservation, 57(1), 29–41. <https://doi.org/10.1179/2047058411Y.0000000005>

Rimmer, M., Watkinson, D., & Wang, Q. (2013). The impact of chloride desalination on the

corrosion rate of archaeological iron. *Studies in Conservation*, 58(4), 326–337.
<https://doi.org/10.1179/2047058412Y.0000000068>

Risser, E. (1997). A New Technique for the Casting of Missing Areas in Glass Restoration. *Journal of Conservation and Museum Studies*, 3. <https://doi.org/10.5334/jcms.3973>

Rodrigues, J. D., & Valero, J. (2003). A brief note on the elimination of dark stains of biological origin. *Studies in Conservation*, 48(1), 17–22.
<http://www.jstor.org.libproxy.ucl.ac.uk/stable/1506820>

Rowe, S., & Rozeik, C. (2008). The uses of cyclododecane in conservation. *Studies in Conservation*, 53(Supplement-2), 17–31.
<https://doi.org/10.1179/sic.2008.53.Supplement-2.17>

Sandra Davison. (1998). Reversible fills for transparent and translucent materials. *Journal of the American Institute for Conservation*, 37(1), 35–47.
http://www.jstor.org.libproxy.ucl.ac.uk/stable/3179910?origin=crossref&seq=1#page_scan_tab_contents

Sease, C., Selwyn, L. S., Zubiate, S., Bowers, D. F., & Atkins, D. R. (1997). Problems with coated silver: whisker formation and possible filiform corrosion. *Studies in Conservation*, 42(1), 1–10. <https://doi.org/10.1179/sic.1997.42.1.1>

Smith, C., & Winkelbauer, H. (2006). Conservation of a Māori eel-trap: practical and ethical issues. *Studies in Conservation*, 51(Supplement-2).
<http://www.maneyonline.com.libproxy.ucl.ac.uk/doi/abs/10.1179/sic.2006.51.Supplement-2.128>

Stephen Koob. (1998). Obsolete fill materials found on ceramics. *Journal of the American Institute for Conservation*, 37(1), 49–67.
http://www.jstor.org.libproxy.ucl.ac.uk/stable/3179911?sid=primo&origin=crossref&seq=1#page_scan_tab_contents

Stephen P. Koob & Corning Museum of Glass. (2006). Conservation and care of glass objects. Archetype in association with the Corning Museum of Glass.

Sweek, T., & Simpson, S. J. (2009). An unfinished Achaemenid sculpture from Persepolis. *The British Museum Technical Research Bulletin*, 3, 83–88.
http://www.academia.edu/3489697/An_unfinished_Achaemenid_sculpture_from_Persepolis

Tetley, H. (2012). Underfoot and overlooked: conservation treatment of eighteenth- and nineteenth-century British carpets in historic houses. *Studies in Conservation*, 57(s1), S295–S304. <https://doi.org/10.1179/2047058412Y.0000000046>

The Convention on Biological Diversity. (n.d.-e). About the Nagoya Protocol.
<https://www.cbd.int/abs/about/>

The Getty Conservation Institute. (n.d.-f). Gels cleaning research (1998-2003).
http://www.getty.edu/conservation/our_projects/science/gels/

Toth, M. (2012). Lessons learned from conserving metal thread embroidery in the Esterházy Collection, Budapest, Hungary. *Studies in Conservation*, 57(s1), S305–S312. <https://doi.org/10.1179/2047058412Y.0000000056>

Turkington, A. V. (Ed.). (2005). *Stone decay in the architectural environment: Vol. Special paper* / Geological Society of America. Geological Society of America.

Watkinson, D. (2013). Conservation, corrosion science and evidence-based preservation strategies for metallic heritage artefacts. In Philippe Dillmann ... [et al.] (Ed.), *Corrosion and conservation of cultural heritage metallic artefacts*. Woodhead Publishing. <http://www.sciencedirect.com.libproxy.ucl.ac.uk/science/article/pii/B9781782421542500025>

Watkinson, D., & Lewis, M. T. (2005). Desiccated storage of chloride-contaminated archaeological iron objects. *Studies in Conservation*, 50(4), 241–252. <https://doi.org/10.1179/sic.2005.50.4.241>

Watkinson, D., Rimmer, M. B., & Kergourlay, F. (2013). Alkaline desalination techniques for archaeological iron. In *Corrosion and Conservation of Cultural Heritage Metallic Artefacts* (pp. 407–433). Elsevier. <https://doi.org/10.1533/9781782421573.5.407>

Webb, A. H., Bawden, R. J., Busby, A. K., & Hopkins, J. N. (1992). Studies on the effects of air pollution on limestone degradation in Great Britain. *Atmospheric Environment. Part B. Urban Atmosphere*, 26(2), 165–181. [https://doi.org/10.1016/0957-1272\(92\)90020-S](https://doi.org/10.1016/0957-1272(92)90020-S)

Wheeler, G. & Getty Conservation Institute. (2005). *Alkoxysilanes and the consolidation of stone: Vol. Research in conservation*. Getty Conservation Institute, Windsor.

Williams, N. (1983). Dismantling and cleaning. In *Porcelain repair and restoration: [a handbook]* (New ed, pp. 30–47). British Museum.

Wills, B. (Ed.). (2001). *Leather wet and dry: current treatments in the conservation of waterlogged and dessicated archaeological leather*. Archetype for the Archaeological Leather Group.

Wolbers, R. (2000). *Cleaning painted surfaces: aqueous methods*. Archetype.

Wolbers, R. (2013). *The use of gels in aqueous conservation of paper*. https://www.youtube.com/watch?v=mu7_nS-zF1c&list=PLNks1HQNOQxS8-7_qZPuRQg6NXnymx71M

Zafiropulos, V., Balas, C., Manousaki, A., Marakis, Y., Maravelaki-Kalaitzaki, P., Melesanaki, K., Pouli, P., Stratoudaki, T., Klein, S., Hildenhagen, J., Dickmann, K., Luk'Yanchuk, B. S., Mujat, C., & Dogariu, A. (2003). Yellowing effect and discoloration of pigments: experimental and theoretical studies. *Journal of Cultural Heritage*, 4, 249–256. [https://doi.org/10.1016/S1296-2074\(02\)01205-0](https://doi.org/10.1016/S1296-2074(02)01205-0)