

CHLD0044: Treatment in Child and Adolescent Mental Health

[View Online](#)

[1]

P. Fonagy, D. Cottrell, J. Phillips, D. Bevington, D. Glaser, and E. Allison, What works for whom?: a critical review of treatments for children and adolescents, Second edition. New York: The Guilford Press, 2015. [Online]. Available: <https://ebookcentral.proquest.com/lib/ucl/detail.action?docID=1760709>

[2]

P. Fonagy, D. Cottrell, J. Phillips, D. Bevington, D. Glaser, and E. Allison, '1. Introduction', in What works for whom?: a critical review of treatments for children and adolescents, Second edition., New York: The Guilford Press, 2015, pp. 1–21. [Online]. Available: <https://contentstore.cla.co.uk/secure/link?id=c2223b80-8f15-e911-80cd-005056af4099>

[3]

E. J. S. Sonuga-Barke et al., 'Nonpharmacological Interventions for ADHD: Systematic Review and Meta-Analyses of Randomized Controlled Trials of Dietary and Psychological Treatments', American Journal of Psychiatry, vol. 170, no. 3, pp. 275–289, Mar. 2013, doi: 10.1176/appi.ajp.2012.12070991.

[4]

A. E. Kazdin, Psychotherapy for children and adolescents: directions for research and practice. New York: Oxford University Press, 2000.

[5]

A. Carr, The handbook of child and adolescent clinical psychology: a contextual approach, Third edition. London: Routledge, 2016. [Online]. Available: <https://doi-org.libproxy.ucl.ac.uk/10.4324/9781315744230>

[6]

H. C. Kraemer, G. T. Wilson, C. G. Fairburn, and W. S. Agras, 'Mediators and Moderators of Treatment Effects in Randomized Clinical Trials', *Archives of General Psychiatry*, vol. 59, no. 10, Oct. 2002, doi: 10.1001/archpsyc.59.10.877.

[7]

J. S. March, 'The future of psychotherapy for mentally ill children and adolescents', *Journal of Child Psychology and Psychiatry*, vol. 50, no. 1-2, pp. 170-179, Jan. 2009, doi: 10.1111/j.1469-7610.2008.02034.x.

[8]

J. R. Weisz, I. N. Sandler, J. A. Durlak, and B. S. Anton, 'Promoting and Protecting Youth Mental Health Through Evidence-Based Prevention and Treatment', *American Psychologist*, vol. 60, no. 6, [Online]. Available:
[http://ovidsp.ovid.com/ovidweb.cgi?T=JS&CSC=Y&NEWS=N&PAGE=fulltext
&AN=00000487-200509000-00005&LSLINK=80&D=ovft](http://ovidsp.ovid.com/ovidweb.cgi?T=JS&CSC=Y&NEWS=N&PAGE=fulltext&AN=00000487-200509000-00005&LSLINK=80&D=ovft)

[9]

N. Midgley, S. Cregeen, C. Hughes, and M. Rustin, 'Psychodynamic Psychotherapy as Treatment for Depression in Adolescence', in *Psychodynamic approaches to psychopathology: 1*, vol. 22,1, New York, NY [u.a.]: Elsevier, 2013, pp. 67-82.

[10]

J. A. Shedler, 'The Efficacy of Psychodynamic Psychotherapy', *American Psychologist*, vol. 65, no. 2, pp. 98-109, [Online]. Available:
[http://ovidsp.ovid.com/ovidweb.cgi?T=JS&CSC=Y&NEWS=N&PAGE=fulltext
&AN=00000487-201002000-00015&LSLINK=80&D=ovft](http://ovidsp.ovid.com/ovidweb.cgi?T=JS&CSC=Y&NEWS=N&PAGE=fulltext&AN=00000487-201002000-00015&LSLINK=80&D=ovft)

[11]

J. S. March, 'The future of psychotherapy for mentally ill children and adolescents', *Journal of Child Psychology and Psychiatry*, vol. 50, no. 1-2, pp. 170-179, Jan. 2009, doi: 10.1111/j.1469-7610.2008.02034.x.

[12]

C. F. Sharpley, 'A review of the neurobiological effects of psychotherapy for depression.', *Psychotherapy: Theory, Research, Practice, Training*, vol. 47, no. 4, pp. 603–615, 2010, doi: 10.1037/a0021177.

[13]

M. B. C. Gibbons et al., 'Unique and common mechanisms of change across cognitive and dynamic psychotherapies.', *Journal of Consulting and Clinical Psychology*, vol. 77, no. 5, pp. 801–813, 2009, doi: 10.1037/a0016596.

[14]

I. M. Goodyer et al., 'Improving mood with psychoanalytic and cognitive therapies (IMPACT): a pragmatic effectiveness superiority trial to investigate whether specialised psychological treatment reduces the risk for relapse in adolescents with moderate to severe unipolar depression: study protocol for a randomised controlled trial', *Trials*, vol. 12, no. 1, Dec. 2011, doi: 10.1186/1745-6215-12-175.

[15]

N. Midgley and E. Kennedy, 'Psychodynamic psychotherapy for children and adolescents: a critical review of the evidence base', *Journal of Child Psychotherapy*, vol. 37, no. 3, pp. 232–260, Dec. 2011, doi: 10.1080/0075417X.2011.614738.

[16]

S. Scott, Q. Spender, M. Doolan, B. Jacobs, and H. Aspland, 'Multicentre controlled trial of parenting groups for childhood antisocial behaviour in clinical practice', *BMJ : British Medical Journal*, vol. 323, no. 7306, 2001, [Online]. Available: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC35270/>

[17]

Scott, Stephen, 'Financial cost of social exclusion: Follow up study of antisocial children into adulthood', *British Medical Journal: BMJ, International edition*; London, vol. 323, no. 7306, pp. 450–61, [Online]. Available: https://search.proquest.com/docview/204055153?rfr_id=info%3Axri%2Fsid%3Aprimo

[18]

R. G. Furrink, 'Video feedback in widescreen: A meta-analysis of family programs', *Clinical Psychology Review*, vol. 28, no. 6, pp. 904–916, Jul. 2008, doi: 10.1016/j.cpr.2008.01.003.

[19]

K. M. O'Brien, C. M. Larson, and A. R. Murrell, 'Chapter 2. Third-wave behavior therapies for children and adolescents: progress, challenges, and future directions', in *Acceptance & mindfulness treatments for children & adolescents: a practitioner's guide*, [Reno, Nev.]: Context Press, 2008, pp. 15–35.

[20]

P. Fonagy and P. Fonagy, *What works for whom?: a critical review of treatments for children and adolescents*, Second edition. New York, New York: The Guilford Press, 2015. [Online]. Available: <https://ebookcentral.proquest.com/lib/ucl/detail.action?docID=1760709>