

GEOGG065: Environmental GIS

View Online



1.

Brewer CA. Designing Better Maps: A Guide for GIS Users. ESRI Press; 2005.

2.

DeMers MN. Fundamentals of Geographic Information Systems. 4th ed. Wiley; 2009.

3.

de Smith M, Longley P, Goodchild M. Geospatial Analysis. 2021.
<https://www.spatialanalysisonline.com/HTML/index.html>

4.

Heywood I, Cornelius S, Carver S. An Introduction to Geographical Information Systems. 3rd ed. Pearson Education; 2006.

5.

Longley P, et al. Geographic Information Systems & Science. 3rd ed. John Wiley & Sons; 2011.

6.

Baily B, Nowell D. Techniques for monitoring coastal change: a review and case study. Ocean & Coastal Management. 1996;32(2):85-95. doi:10.1016/S0964-5691(96)00058-0

7.

Barfoot PJ, Tucker JJ. Geomorphological changes at Blakeney Point. Transactions of the Norfolk and Norwich Naturalists Society. 1980;25(2):49-60.

8.

Bernhardsen T. Geographic Information Systems: An Introduction. 2nd ed. Wiley; 1999.

9.

Bock M. Remote sensing and GIS-based techniques for the classification and monitoring of biotopes: Case examples for a wet grass- and moor land area in Northern Germany. Journal for Nature Conservation. 2003;11(3):145-155. doi:10.1078/1617-1381-00050

10.

Boteva D, Griffiths G, Dimopoulos P. Evaluation and mapping of the conservation significance of habitats using GIS: an example from Crete, Greece. Journal for Nature Conservation. 12(4):237-250. doi:10.1016/j.jnc.2004.09.002

11.

Burningham H. Meso-scale morphological changes in the Loughros More estuary. Proceedings of Littoral 2002: The Changing Coast. 2002.
<http://sheskinmore.wordpress.com/research/>

12.

Dong Z, Wang X, Chen G. Monitoring sand dune advance in the Taklimakan Desert. Geomorphology. 35(3-4):219-231. doi:10.1016/S0169-555X(00)00039-8

13.

Draper D, et al. Application of GIS in plant conservation programmes in Portugal. Biological Conservation. 113(3):337-349. doi:10.1016/S0006-3207(03)00125-3

14.

Ekebom J, Erkkila A. Using aerial photography for identification of marine and coastal habitats under the EU's Habitats Directive. *Aquatic Conservation: Marine and Freshwater Ecosystems*. 13(4):287-304. doi:10.1002/aqc.553

15.

Fromard F, Vega C, Proisy C. Half a century of dynamic coastal change affecting mangrove shorelines of French Guiana. A case study based on remote sensing data analyses and field surveys. *Marine Geology*. 208(2-4):265-280. doi:10.1016/j.margeo.2004.04.018

16.

Leeks GJL, et al. The LOIS river monitoring network: strategy and implementation. *Science of The Total Environment*. 194-195:101-109. doi:10.1016/S0048-9697(96)05356-9

17.

Letsinger SL. Evaluation of Riparian Buffer Zones using GIS and Remote Sensing to Target Watershed Restoration Efforts. 2004.
<http://igs.indiana.edu/WatershedHydrology/RiparianBuffers.cfm>

18.

Koch T. The Map as Intent: Variations on the Theme of John Snow. *Cartographica*. 2004;39(4):1-15. [http://www.ph.ucla.edu/epi/snow/cartographica39\(4\)1_14_2004.pdf](http://www.ph.ucla.edu/epi/snow/cartographica39(4)1_14_2004.pdf)

19.

Maddrell RJ. Managed coastal retreat, reducing flood risks and protection costs, Dungeness Nuclear Power Station, UK. *Coastal Engineering*. 28(1-4):1-15.
doi:10.1016/0378-3839(95)00035-6

20.

Manson FJ, Loneragan NR, Phinn SR. Spatial and temporal variation in distribution of mangroves in Moreton Bay, subtropical Australia: a comparison of pattern metrics and change detection analyses based on aerial photographs. *Estuarine, Coastal and Shelf Science*. 57(4):653-666. doi:10.1016/S0272-7714(02)00405-5

21.

McGregor SJ. An integrated geographic information system approach for modeling the suitability of conifer habitat in an alpine environment. *Geomorphology*. 21(3-4):265-280. doi:10.1016/S0169-555X(97)00066-4

22.

McKenna et al. J. Obsolete Maps and Coastal Management: Case Studies from Northwest Ireland. *Coastal Management*. 2003;31(3):229-246.
<http://search.ebscohost.com/login.aspx?direct=true&AuthType=ip,shib&db=bth&AN=9930623&site=ehost-live&scope=site>

23.

Moore T, et al. An Expert System for Integrated Coastal Zone Management: A Geomorphological Case Study. *Marine Pollution Bulletin*. 37(3-7):361-370. doi:10.1016/S0025-326X(99)00129-0

24.

Nams VO, Mowat G, Panian MA. Determining the spatial scale for conservation purposes – an example with grizzly bears. *Biological Conservation*. 128(1):109-119. doi:10.1016/j.biocon.2005.09.020

25.

Neilson B, Costello MJ. The Relative Lengths of Seashore Substrata Around the Coastline of Ireland as Determined by Digital Methods in a Geographical Information System. *Estuarine, Coastal and Shelf Science*. 49(4):501-508. doi:10.1006/ecss.1999.0507

26.

Duane Nellis M, Harrington JA, Wu J. Remote sensing of temporal and spatial variations in pool size, suspended sediment, turbidity, and Secchi depth in Tuttle Creek Reservoir, Kansas: 1993. *Geomorphology*. 21(3-4):281-293. doi:10.1016/S0169-555X(97)00067-6

27.

Pedersen ÅØ, Nyhuus S, Blindheim T, Krog OMW. Implementation of a GIS-based

management tool for conservation of biodiversity within the municipality of Oslo, Norway. *Landscape and Urban Planning*. 68(4):429-438. doi:10.1016/S0169-2046(03)00148-8

28.

Perotto-Baldiviezo HL, et al. GIS-based spatial analysis and modeling for landslide hazard assessment in steeplands, southern Honduras. *Agriculture, Ecosystems & Environment*. 103(1):165-176. doi:10.1016/j.agee.2003.10.011

29.

Salem BB. Application of GIS to biodiversity monitoring. *Journal of Arid Environments*. 54(1):91-114. doi:10.1006/jare.2001.0887

30.

Sear DA, Newson MD. Environmental change in river channels: a neglected element. Towards geomorphological typologies, standards and monitoring. *Science of The Total Environment*. 310(1-3):17-23. doi:10.1016/S0048-9697(02)00619-8

31.

Thompson S, et al. Identifying potential breeding sites for the stone curlew (*Burhinus oedicephalus*) in the UK. *Journal for Nature Conservation*. 12(4):229-235. doi:10.1016/j.jnc.2004.07.002

32.

Thorbjarnarson J, et al. Regional habitat conservation priorities for the American crocodile. *Biological Conservation*. 128(1):25-36. doi:10.1016/j.biocon.2005.09.013

33.

Walsh SJ, Butler DR, Malanson GP. An overview of scale, pattern, process relationships in geomorphology: a remote sensing and GIS perspective. *Geomorphology*. 21(3-4):183-205. doi:10.1016/S0169-555X(97)00057-3

34.

White K, El Asmar HM. Monitoring changing position of coastlines using Thematic Mapper imagery, an example from the Nile Delta. *Geomorphology*. 29(1-2):93-105. doi:10.1016/S0169-555X(99)00008-2

35.

van der Meulen F, Witter JV, Arens SM. The use of a GIS in assessing the impacts of sea level rise on nature conservation along the Dutch coast: 1990–2090. *Landscape Ecology*. 6(1-2):105-113. doi:10.1007/BF00157750

36.

Vitek JD, Giardino JR, Fitzgerald JW. Mapping geomorphology: A journey from paper maps, through computer mapping to GIS and Virtual Reality. *Geomorphology*. 16(3):233-249. doi:10.1016/S0169-555X(96)80003-1

37.

Band LE. Topographic Partition of Watersheds with Digital Elevation Models. *Water Resources Research*. 22(1):15-24. doi:10.1029/WR022i001p00015

38.

Carmona CP, Röder A, Azcárate FM, Peco B. Grazing management or physiography? Factors controlling vegetation recovery in Mediterranean grasslands. *Ecological Modelling*. 251:73-84. doi:10.1016/j.ecolmodel.2012.12.005

39.

Chen CY, Yu FC. Morphometric analysis of debris flows and their source areas using GIS. *Geomorphology*. 129(3-4):387-397. doi:10.1016/j.geomorph.2011.03.002

40.

Dalton T, Thompson R, Jin D. Mapping human dimensions in marine spatial planning and management: An example from Narragansett Bay, Rhode Island. *Marine Policy*. 34(2):309-319. doi:10.1016/j.marpol.2009.08.001

41.

Dartnell P, et al. Multibeam sonar mapping and modeling of a submerged bryophyte mat in Crater Lake, Oregon. 2008. <http://pubs.usgs.gov/ds/366/>

42.

Kienzle S. The Effect of DEM Raster Resolution on First Order, Second Order and Compound Terrain Derivatives. *Transactions in GIS*. 8(1):83-111. doi:10.1111/j.1467-9671.2004.00169.x

43.

Leonard PB, et al. Remote detection of small wetlands in the Atlantic coastal plain of North America: Local relief models, ground validation, and high-throughput computing. *Forest Ecology and Management*. 284:107-115. doi:10.1016/j.foreco.2012.07.034

44.

Lundblad ER, et al. A Benthic Terrain Classification Scheme for American Samoa. *Marine Geodesy*. 2006;29(2):89-111. doi:10.1080/01490410600738021

45.

Miller SN, et al. The Automated Geospatial Watershed Assessment tool. *Environmental Modelling & Software*. 22(3):365-377. doi:10.1016/j.envsoft.2005.12.004

46.

Naito AT, Cairns DM. Relationships between Arctic shrub dynamics and topographically derived hydrologic characteristics. *Environmental Research Letters*. 6(4). doi:10.1088/1748-9326/6/4/045506

47.

Rozo MG, Nogueira ACR, Truckenbrodt W. The anastomosing pattern and the extensively distributed scroll bars in the middle Amazon River. *Earth Surface Processes and Landforms*. 37(14):1471-1488. doi:10.1002/esp.3249

48.

Rumsby B. Vertical accretion rates in fluvial systems: -a comparison of volumetric and depth-based estimates. *Earth Surface Processes and Landforms*. 25(6):617-631. doi:10.1002/1096-9837(200006)25:6<617::AID-ESP99>3.0.CO;2-Z

49.

Rumsby BT, Macklin MG. Channel and floodplain response to recent abrupt climate change: The tyne basin, Northern England. *Earth Surface Processes and Landforms*. 19(6):499-515. doi:10.1002/esp.3290190603

50.

Sørensen R, Zinko U, Seibert J. On the calculation of the topographic wetness index: evaluation of different methods based on field observations. *Hydrology and Earth System Sciences*. 10(1):101-112. doi:10.5194/hess-10-101-2006

51.

Tarboton DG, Bras RL, Rodriguez-Iturbe I. On the extraction of channel networks from digital elevation data. *Hydrological Processes*. 5(1):81-100. doi:10.1002/hyp.3360050107

52.

Teng J, Vaze J, Tuteja NK, Gallant JC. A GIS-Based Tool for Spatial and Distributed Hydrological Modelling: CLASS Spatial Analyst. *Transactions in GIS*. 12(2):209-225. doi:10.1111/j.1467-9671.2008.01096.x

53.

Wilson MFJ, et al. Multiscale Terrain Analysis of Multibeam Bathymetry Data for Habitat Mapping on the Continental Slope. *Marine Geodesy*. 30(1-2):3-35. doi:10.1080/01490410701295962

54.

Chaaban F, et al. Using ArcGISH Modelbuilder and Aerial Photographs to Measure Coastline Retreat and Advance: North of France. *Journal of Coastal Research*. 2012;28(6):1567-1579.

<http://www.bioone.org/doi/abs/10.2112/JCOASTRES-D-11-00054.1>

55.

Hall ST, Post CJ. Advanced GIS Exercise: Estimating Beach and Dune Erosion in Coastal South Carolina. *Journal of Natural Resources and Life Sciences Education*. 2008;37:49-52.

56.

Wright DJ, Heyman WD. Introduction to the Special Issue: Marine and Coastal GIS for Geomorphology, Habitat Mapping, and Marine Reserves. *Marine Geodesy*. 31(4):223-230. doi:10.1080/01490410802466306

57.

Greco SE, Plant RE. Temporal mapping of riparian landscape change on the Sacramento river, miles 196–218, California, USA. *Landscape Research*. 28(4):405-426. doi:10.1080/0142639032000150149

58.

Estes JE. *Some Applications of Aerial Infrared Imagery*. Allen Press Inc; 1966.

59.

Sheppard CRC, et al. Habitat mapping in the Caribbean for management and conservation: Use and assessment of aerial photography. *Aquatic Conservation: Marine and Freshwater Ecosystems*. 5(4):277-298. doi:10.1002/aqc.3270050404

60.

Taylor JC, Brewer TR, Bird AC. Monitoring landscape change in the National Parks of England and Wales using aerial photo interpretation and GIS. *International Journal of Remote Sensing*. 21(13-14):2737-2752. doi:10.1080/01431160050110269

61.

Kadmon R, Harari-Kremer R. Studying Long-Term Vegetation Dynamics Using Digital Processing of Historical Aerial Photographs. *Remote Sensing of Environment*. 68(2):164-176. doi:10.1016/S0034-4257(98)00109-6

62.

Sutherland J. Error analysis of Ordnance Survey map tidelines, UK. *Proceedings of the ICE - Maritime Engineering*. 165(4):189-197. doi:10.1680/maen.2011.10