

GEOGG065: Environmental GIS

View Online



Baily, B., & Nowell, D. (1996). Techniques for monitoring coastal change: a review and case study. *Ocean & Coastal Management*, 32(2), 85–95.

[https://doi.org/10.1016/S0964-5691\(96\)00058-0](https://doi.org/10.1016/S0964-5691(96)00058-0)

Band, L. E. (n.d.). Topographic Partition of Watersheds with Digital Elevation Models. *Water Resources Research*, 22(1), 15–24. <https://doi.org/10.1029/WR022i001p00015>

Barfoot, P. J., & Tucker, J. J. (1980). Geomorphological changes at Blakeney Point. *Transactions of the Norfolk and Norwich Naturalists Society*, 25(2), 49–60.

Bernhardsen, T. (1999). *Geographic information systems: an introduction* (2nd ed). Wiley.

Bock, M. (2003). Remote sensing and GIS-based techniques for the classification and monitoring of biotopes: Case examples for a wet grass- and moor land area in Northern Germany. *Journal for Nature Conservation*, 11(3), 145–155.

<https://doi.org/10.1078/1617-1381-00050>

Boteva, D., Griffiths, G., & Dimopoulos, P. (n.d.). Evaluation and mapping of the conservation significance of habitats using GIS: an example from Crete, Greece. *Journal for Nature Conservation*, 12(4), 237–250. <https://doi.org/10.1016/j.jnc.2004.09.002>

Brewer, C. A. (2005). *Designing better maps: a guide for GIS users*. ESRI Press.

Burningham, H. (2002). Meso-scale morphological changes in the Loughros More estuary. *Proceedings of Littoral 2002: The Changing Coast; Friends of Sheskinmore*.

<http://sheskinmore.wordpress.com/research/>

Carmona, C. P., Röder, A., Azcárate, F. M., & Peco, B. (n.d.). Grazing management or physiography? Factors controlling vegetation recovery in Mediterranean grasslands. *Ecological Modelling*, 251, 73–84. <https://doi.org/10.1016/j.ecolmodel.2012.12.005>

Chaaban, F., & et al. (2012). Using ArcGISH Modelbuilder and Aerial Photographs to Measure Coastline Retreat and Advance: North of France. *Journal of Coastal Research*, 28(6), 1567–1579. <http://www.bioone.org/doi/abs/10.2112/JCOASTRES-D-11-00054.1>

Chen, C.-Y., & Yu, F.-C. (n.d.). Morphometric analysis of debris flows and their source areas using GIS. *Geomorphology*, 129(3–4), 387–397.

<https://doi.org/10.1016/j.geomorph.2011.03.002>

Dalton, T., Thompson, R., & Jin, D. (n.d.). Mapping human dimensions in marine spatial

planning and management: An example from Narragansett Bay, Rhode Island. *Marine Policy*, 34(2), 309–319. <https://doi.org/10.1016/j.marpol.2009.08.001>

Dartnell, P., & et al. (2008). Multibeam sonar mapping and modeling of a submerged bryophyte mat in Crater Lake, Oregon. US Geological Survey Data Series 366. <http://pubs.usgs.gov/ds/366/>

de Smith, M., Longley, P., & Goodchild, M. (2021). *Geospatial Analysis*. <https://www.spatialanalysisonline.com/HTML/index.html>

DeMers, M. N. (2009). *Fundamentals of geographic information systems* (4th ed). Wiley.

Dong, Z., Wang, X., & Chen, G. (n.d.). Monitoring sand dune advance in the Taklimakan Desert. *Geomorphology*, 35(3–4), 219–231. [https://doi.org/10.1016/S0169-555X\(00\)00039-8](https://doi.org/10.1016/S0169-555X(00)00039-8)

Draper, D., & et al. (n.d.). Application of GIS in plant conservation programmes in Portugal. *Biological Conservation*, 113(3), 337–349. [https://doi.org/10.1016/S0006-3207\(03\)00125-3](https://doi.org/10.1016/S0006-3207(03)00125-3)

Duane Nellis, M., Harrington, J. A., & Wu, J. (n.d.). Remote sensing of temporal and spatial variations in pool size, suspended sediment, turbidity, and Secchi depth in Tuttle Creek Reservoir, Kansas: 1993. *Geomorphology*, 21(3–4), 281–293. [https://doi.org/10.1016/S0169-555X\(97\)00067-6](https://doi.org/10.1016/S0169-555X(97)00067-6)

Ekebom, J., & Erkkila, A. (n.d.). Using aerial photography for identification of marine and coastal habitats under the EU's Habitats Directive. *Aquatic Conservation: Marine and Freshwater Ecosystems*, 13(4), 287–304. <https://doi.org/10.1002/aqc.553>

Estes, J. E. (1966). *Some applications of aerial infrared imagery*. Allen Press Inc.

Fromard, F., Vega, C., & Proisy, C. (n.d.). Half a century of dynamic coastal change affecting mangrove shorelines of French Guiana. A case study based on remote sensing data analyses and field surveys. *Marine Geology*, 208(2–4), 265–280. <https://doi.org/10.1016/j.margeo.2004.04.018>

Greco, S. E., & Plant, R. E. (n.d.). Temporal mapping of riparian landscape change on the Sacramento river, miles 196–218, California, USA. *Landscape Research*, 28(4), 405–426. <https://doi.org/10.1080/0142639032000150149>

Hall, S. T., & Post, C. J. (2008). Advanced GIS Exercise: Estimating Beach and Dune Erosion in Coastal South Carolina. *Journal of Natural Resources and Life Sciences Education*, 37, 49–52.

Heywood, I., Cornelius, S., & Carver, S. (2006). *An introduction to geographical information systems* (3rd ed). Pearson Education.

Kadmon, R., & Harari-Kremer, R. (n.d.). Studying Long-Term Vegetation Dynamics Using Digital Processing of Historical Aerial Photographs. *Remote Sensing of Environment*, 68(2), 164–176. [https://doi.org/10.1016/S0034-4257\(98\)00109-6](https://doi.org/10.1016/S0034-4257(98)00109-6)

Kienzle, S. (n.d.). The Effect of DEM Raster Resolution on First Order, Second Order and

Compound Terrain Derivatives. *Transactions in GIS*, 8(1), 83–111.
<https://doi.org/10.1111/j.1467-9671.2004.00169.x>

Koch, T. (2004). The Map as Intent: Variations on the Theme of John Snow. In *Cartographica* (Vol. 39, Issue 4, pp. 1–15).
[http://www.ph.ucla.edu/epi/snow/cartographica39\(4\)1_14_2004.pdf](http://www.ph.ucla.edu/epi/snow/cartographica39(4)1_14_2004.pdf)

Leeks, G. J. L., & et al. (n.d.). The LOIS river monitoring network: strategy and implementation. *Science of The Total Environment*, 194–195, 101–109.
[https://doi.org/10.1016/S0048-9697\(96\)05356-9](https://doi.org/10.1016/S0048-9697(96)05356-9)

Leonard, P. B., & et al. (n.d.). Remote detection of small wetlands in the Atlantic coastal plain of North America: Local relief models, ground validation, and high-throughput computing. *Forest Ecology and Management*, 284, 107–115.
<https://doi.org/10.1016/j.foreco.2012.07.034>

Letsinger, S. L. (2004). Evaluation of Riparian Buffer Zones using GIS and Remote Sensing to Target Watershed Restoration Efforts. *Indiana Geological Survey*.
<http://igs.indiana.edu/WatershedHydrology/RiparianBuffers.cfm>

Longley, P., & et al. (2011). *Geographic information systems & science* (3rd ed). John Wiley & Sons.

Lundblad, E. R., & et al. (2006). A Benthic Terrain Classification Scheme for American Samoa. *Marine Geodesy*, 29(2), 89–111. <https://doi.org/10.1080/01490410600738021>

Maddrell, R. J. (n.d.). Managed coastal retreat, reducing flood risks and protection costs, Dungeness Nuclear Power Station, UK. *Coastal Engineering*, 28(1–4), 1–15.
[https://doi.org/10.1016/0378-3839\(95\)00035-6](https://doi.org/10.1016/0378-3839(95)00035-6)

Manson, F. J., Loneragan, N. R., & Phinn, S. R. (n.d.). Spatial and temporal variation in distribution of mangroves in Moreton Bay, subtropical Australia: a comparison of pattern metrics and change detection analyses based on aerial photographs. *Estuarine, Coastal and Shelf Science*, 57(4), 653–666. [https://doi.org/10.1016/S0272-7714\(02\)00405-5](https://doi.org/10.1016/S0272-7714(02)00405-5)

McGregor, S. J. (n.d.). An integrated geographic information system approach for modeling the suitability of conifer habitat in an alpine environment. *Geomorphology*, 21(3–4), 265–280. [https://doi.org/10.1016/S0169-555X\(97\)00066-4](https://doi.org/10.1016/S0169-555X(97)00066-4)

McKenna et al., J. (2003). Obsolete Maps and Coastal Management: Case Studies from Northwest Ireland. *Coastal Management*, 31(3), 229–246.
<http://search.ebscohost.com/login.aspx?direct=true&AuthType=ip,shib&db=bth&AN=9930623&site=ehost-live&scope=site>

Miller, S. N., & et al. (n.d.). The Automated Geospatial Watershed Assessment tool. *Environmental Modelling & Software*, 22(3), 365–377.
<https://doi.org/10.1016/j.envsoft.2005.12.004>

Moore, T., & et al. (n.d.). An Expert System for Integrated Coastal Zone Management: A Geomorphological Case Study. *Marine Pollution Bulletin*, 37(3–7), 361–370.
[https://doi.org/10.1016/S0025-326X\(99\)00129-0](https://doi.org/10.1016/S0025-326X(99)00129-0)

- Naito, A. T., & Cairns, D. M. (n.d.). Relationships between Arctic shrub dynamics and topographically derived hydrologic characteristics. *Environmental Research Letters*, 6(4). <https://doi.org/10.1088/1748-9326/6/4/045506>
- Nams, V. O., Mowat, G., & Panian, M. A. (n.d.). Determining the spatial scale for conservation purposes – an example with grizzly bears. *Biological Conservation*, 128(1), 109–119. <https://doi.org/10.1016/j.biocon.2005.09.020>
- Neilson, B., & Costello, M. J. (n.d.). The Relative Lengths of Seashore Substrata Around the Coastline of Ireland as Determined by Digital Methods in a Geographical Information System. *Estuarine, Coastal and Shelf Science*, 49(4), 501–508. <https://doi.org/10.1006/ecss.1999.0507>
- Pedersen, Å. Ø., Nyhuus, S., Blindheim, T., & Krog, O. M. W. (n.d.). Implementation of a GIS-based management tool for conservation of biodiversity within the municipality of Oslo, Norway. *Landscape and Urban Planning*, 68(4), 429–438. [https://doi.org/10.1016/S0169-2046\(03\)00148-8](https://doi.org/10.1016/S0169-2046(03)00148-8)
- Perotto-Baldiviezo, H. L., & et al. (n.d.). GIS-based spatial analysis and modeling for landslide hazard assessment in steeplands, southern Honduras. *Agriculture, Ecosystems & Environment*, 103(1), 165–176. <https://doi.org/10.1016/j.agee.2003.10.011>
- Rozo, M. G., Nogueira, A. C. R., & Truckenbrodt, W. (n.d.). The anastomosing pattern and the extensively distributed scroll bars in the middle Amazon River. *Earth Surface Processes and Landforms*, 37(14), 1471–1488. <https://doi.org/10.1002/esp.3249>
- Rumsby, B. (n.d.). Vertical accretion rates in fluvial systems: -a comparison of volumetric and depth-based estimates. *Earth Surface Processes and Landforms*, 25(6), 617–631. [https://doi.org/10.1002/1096-9837\(200006\)25:6<617::AID-ESP99>3.0.CO;2-Z](https://doi.org/10.1002/1096-9837(200006)25:6<617::AID-ESP99>3.0.CO;2-Z)
- Rumsby, B. T., & Macklin, M. G. (n.d.). Channel and floodplain response to recent abrupt climate change: The tyne basin, Northern England. *Earth Surface Processes and Landforms*, 19(6), 499–515. <https://doi.org/10.1002/esp.3290190603>
- Salem, B. B. (n.d.). Application of GIS to biodiversity monitoring. *Journal of Arid Environments*, 54(1), 91–114. <https://doi.org/10.1006/jare.2001.0887>
- Sear, D. A., & Newson, M. D. (n.d.). Environmental change in river channels: a neglected element. Towards geomorphological typologies, standards and monitoring. *Science of The Total Environment*, 310(1–3), 17–23. [https://doi.org/10.1016/S0048-9697\(02\)00619-8](https://doi.org/10.1016/S0048-9697(02)00619-8)
- Sheppard, C. R. C., & et al. (n.d.). Habitat mapping in the Caribbean for management and conservation: Use and assessment of aerial photography. *Aquatic Conservation: Marine and Freshwater Ecosystems*, 5(4), 277–298. <https://doi.org/10.1002/aqc.3270050404>
- Sørensen, R., Zinko, U., & Seibert, J. (n.d.). On the calculation of the topographic wetness index: evaluation of different methods based on field observations. *Hydrology and Earth System Sciences*, 10(1), 101–112. <https://doi.org/10.5194/hess-10-101-2006>
- Sutherland, J. (n.d.). Error analysis of Ordnance Survey map tidelines, UK. *Proceedings of the ICE - Maritime Engineering*, 165(4), 189–197. <https://doi.org/10.1680/maen.2011.10>

Tarboton, D. G., Bras, R. L., & Rodriguez-Iturbe, I. (n.d.). On the extraction of channel networks from digital elevation data. *Hydrological Processes*, 5(1), 81–100. <https://doi.org/10.1002/hyp.3360050107>

Taylor, J. C., Brewer, T. R., & Bird, A. C. (n.d.). Monitoring landscape change in the National Parks of England and Wales using aerial photo interpretation and GIS. *International Journal of Remote Sensing*, 21(13–14), 2737–2752. <https://doi.org/10.1080/01431160050110269>

Teng, J., Vaze, J., Tuteja, N. K., & Gallant, J. C. (n.d.). A GIS-Based Tool for Spatial and Distributed Hydrological Modelling: CLASS Spatial Analyst. *Transactions in GIS*, 12(2), 209–225. <https://doi.org/10.1111/j.1467-9671.2008.01096.x>

Thompson, S., & et al. (n.d.). Identifying potential breeding sites for the stone curlew (*Burhinus oedicephalus*) in the UK. *Journal for Nature Conservation*, 12(4), 229–235. <https://doi.org/10.1016/j.jnc.2004.07.002>

Thorbjarnarson, J., & et al. (n.d.). Regional habitat conservation priorities for the American crocodile. *Biological Conservation*, 128(1), 25–36. <https://doi.org/10.1016/j.biocon.2005.09.013>

van der Meulen, F., Witter, J. V., & Arens, S. M. (n.d.). The use of a GIS in assessing the impacts of sea level rise on nature conservation along the Dutch coast: 1990–2090. *Landscape Ecology*, 6(1–2), 105–113. <https://doi.org/10.1007/BF00157750>

Vitek, J. D., Giardino, J. R., & Fitzgerald, J. W. (n.d.). Mapping geomorphology: A journey from paper maps, through computer mapping to GIS and Virtual Reality. *Geomorphology*, 16(3), 233–249. [https://doi.org/10.1016/S0169-555X\(96\)80003-1](https://doi.org/10.1016/S0169-555X(96)80003-1)

Walsh, S. J., Butler, D. R., & Malanson, G. P. (n.d.). An overview of scale, pattern, process relationships in geomorphology: a remote sensing and GIS perspective. *Geomorphology*, 21(3–4), 183–205. [https://doi.org/10.1016/S0169-555X\(97\)00057-3](https://doi.org/10.1016/S0169-555X(97)00057-3)

White, K., & El Asmar, H. M. (n.d.). Monitoring changing position of coastlines using Thematic Mapper imagery, an example from the Nile Delta. *Geomorphology*, 29(1–2), 93–105. [https://doi.org/10.1016/S0169-555X\(99\)00008-2](https://doi.org/10.1016/S0169-555X(99)00008-2)

Wilson, M. F. J., & et al. (n.d.). Multiscale Terrain Analysis of Multibeam Bathymetry Data for Habitat Mapping on the Continental Slope. *Marine Geodesy*, 30(1–2), 3–35. <https://doi.org/10.1080/01490410701295962>

Wright, D. J., & Heyman, W. D. (n.d.). Introduction to the Special Issue: Marine and Coastal GIS for Geomorphology, Habitat Mapping, and Marine Reserves. *Marine Geodesy*, 31(4), 223–230. <https://doi.org/10.1080/01490410802466306>