

GEOGG065: Environmental GIS

View Online



Baily, B. and Nowell, D. (1996) 'Techniques for monitoring coastal change: a review and case study', *Ocean & Coastal Management*, 32(2), pp. 85–95. Available at: [https://doi.org/10.1016/S0964-5691\(96\)00058-0](https://doi.org/10.1016/S0964-5691(96)00058-0).

Band, L.E. (no date) 'Topographic Partition of Watersheds with Digital Elevation Models', *Water Resources Research*, 22(1), pp. 15–24. Available at: <https://doi.org/10.1029/WR022i001p00015>.

Barfoot, P.J. and Tucker, J.J. (1980) 'Geomorphological changes at Blakeney Point', *Transactions of the Norfolk and Norwich Naturalists Society*, 25(2), pp. 49–60.

Bernhardsen, T. (1999) *Geographic information systems: an introduction*. 2nd ed. New York: Wiley.

Bock, M. (2003) 'Remote sensing and GIS-based techniques for the classification and monitoring of biotopes: Case examples for a wet grass- and moor land area in Northern Germany', *Journal for Nature Conservation*, 11(3), pp. 145–155. Available at: <https://doi.org/10.1078/1617-1381-00050>.

Boteva, D., Griffiths, G. and Dimopoulos, P. (no date) 'Evaluation and mapping of the conservation significance of habitats using GIS: an example from Crete, Greece', *Journal for Nature Conservation*, 12(4), pp. 237–250. Available at: <https://doi.org/10.1016/j.jnc.2004.09.002>.

Brewer, C.A. (2005) *Designing better maps: a guide for GIS users*. Redlands, Calif: ESRI Press.

Burningham, H. (2002) Meso-scale morphological changes in the Loughros More estuary, *Proceedings of Littoral 2002: The Changing Coast*. Friends of Sheskinmore. Available at: <http://sheskinmore.wordpress.com/research/>.

Carmona, C.P. et al. (no date) 'Grazing management or physiography? Factors controlling vegetation recovery in Mediterranean grasslands', *Ecological Modelling*, 251, pp. 73–84. Available at: <https://doi.org/10.1016/j.ecolmodel.2012.12.005>.

Chaaban, F. and et al (2012) 'Using ArcGISH Modelbuilder and Aerial Photographs to Measure Coastline Retreat and Advance: North of France', *Journal of Coastal Research*, 28(6), pp. 1567–1579. Available at: <http://www.bioone.org/doi/abs/10.2112/JCOASTRES-D-11-00054.1>.

Chen, C.-Y. and Yu, F.-C. (no date) 'Morphometric analysis of debris flows and their source

areas using GIS', *Geomorphology*, 129(3-4), pp. 387-397. Available at: <https://doi.org/10.1016/j.geomorph.2011.03.002>.

Dalton, T., Thompson, R. and Jin, D. (no date) 'Mapping human dimensions in marine spatial planning and management: An example from Narragansett Bay, Rhode Island', *Marine Policy*, 34(2), pp. 309-319. Available at: <https://doi.org/10.1016/j.marpol.2009.08.001>.

Dartnell, P. and et al (2008) Multibeam sonar mapping and modeling of a submerged bryophyte mat in Crater Lake, Oregon. US Geological Survey Data Series 366. Available at: <http://pubs.usgs.gov/ds/366/>.

DeMers, M.N. (2009) *Fundamentals of geographic information systems*. 4th ed. Hoboken, NJ: Wiley.

Dong, Z., Wang, X. and Chen, G. (no date) 'Monitoring sand dune advance in the Taklimakan Desert', *Geomorphology*, 35(3-4), pp. 219-231. Available at: [https://doi.org/10.1016/S0169-555X\(00\)00039-8](https://doi.org/10.1016/S0169-555X(00)00039-8).

Draper, D. and et al (no date) 'Application of GIS in plant conservation programmes in Portugal', *Biological Conservation*, 113(3), pp. 337-349. Available at: [https://doi.org/10.1016/S0006-3207\(03\)00125-3](https://doi.org/10.1016/S0006-3207(03)00125-3).

Duane Nellis, M., Harrington, J.A. and Wu, J. (no date) 'Remote sensing of temporal and spatial variations in pool size, suspended sediment, turbidity, and Secchi depth in Tuttle Creek Reservoir, Kansas: 1993', *Geomorphology*, 21(3-4), pp. 281-293. Available at: [https://doi.org/10.1016/S0169-555X\(97\)00067-6](https://doi.org/10.1016/S0169-555X(97)00067-6).

Ekeboom, J. and Erkkila, A. (no date) 'Using aerial photography for identification of marine and coastal habitats under the EU's Habitats Directive', *Aquatic Conservation: Marine and Freshwater Ecosystems*, 13(4), pp. 287-304. Available at: <https://doi.org/10.1002/aqc.553>.

Estes, J.E. (1966) *Some applications of aerial infrared imagery*. Lawrence, KS: Allen Press Inc.

Fromard, F., Vega, C. and Proisy, C. (no date) 'Half a century of dynamic coastal change affecting mangrove shorelines of French Guiana. A case study based on remote sensing data analyses and field surveys', *Marine Geology*, 208(2-4), pp. 265-280. Available at: <https://doi.org/10.1016/j.margeo.2004.04.018>.

Greco, S.E. and Plant, R.E. (no date) 'Temporal mapping of riparian landscape change on the Sacramento river, miles 196-218, California, USA', *Landscape Research*, 28(4), pp. 405-426. Available at: <https://doi.org/10.1080/0142639032000150149>.

Hall, S.T. and Post, C.J. (2008) 'Advanced GIS Exercise: Estimating Beach and Dune Erosion in Coastal South Carolina', *Journal of Natural Resources and Life Sciences Education*, 37, pp. 49-52.

Heywood, I., Cornelius, S. and Carver, S. (2006) *An introduction to geographical information systems*. 3rd ed. Harlow: Pearson Education.

- Kadmon, R. and Harari-Kremer, R. (no date) 'Studying Long-Term Vegetation Dynamics Using Digital Processing of Historical Aerial Photographs', *Remote Sensing of Environment*, 68(2), pp. 164–176. Available at: [https://doi.org/10.1016/S0034-4257\(98\)00109-6](https://doi.org/10.1016/S0034-4257(98)00109-6).
- Kienzle, S. (no date) 'The Effect of DEM Raster Resolution on First Order, Second Order and Compound Terrain Derivatives', *Transactions in GIS*, 8(1), pp. 83–111. Available at: <https://doi.org/10.1111/j.1467-9671.2004.00169.x>.
- Koch, T. (2004) 'The Map as Intent: Variations on the Theme of John Snow', *Cartographica*. Available at: [http://www.ph.ucla.edu/epi/snow/cartographica39\(4\)1_14_2004.pdf](http://www.ph.ucla.edu/epi/snow/cartographica39(4)1_14_2004.pdf).
- Leeks, G.J.L. and et al (no date) 'The LOIS river monitoring network: strategy and implementation', *Science of The Total Environment*, 194–195, pp. 101–109. Available at: [https://doi.org/10.1016/S0048-9697\(96\)05356-9](https://doi.org/10.1016/S0048-9697(96)05356-9).
- Leonard, P.B. and et al (no date) 'Remote detection of small wetlands in the Atlantic coastal plain of North America: Local relief models, ground validation, and high-throughput computing', *Forest Ecology and Management*, 284, pp. 107–115. Available at: <https://doi.org/10.1016/j.foreco.2012.07.034>.
- Letsinger, S.L. (2004) Evaluation of Riparian Buffer Zones using GIS and Remote Sensing to Target Watershed Restoration Efforts. Indiana Geological Survey. Available at: <http://igs.indiana.edu/WatershedHydrology/RiparianBuffers.cfm>.
- Longley, P. and et al (2011) *Geographic information systems & science*. 3rd ed. Hoboken, N.J.: John Wiley & Sons.
- Lundblad, E.R. and et al (2006) 'A Benthic Terrain Classification Scheme for American Samoa', *Marine Geodesy*, 29(2), pp. 89–111. Available at: <https://doi.org/10.1080/01490410600738021>.
- Maddrell, R.J. (no date) 'Managed coastal retreat, reducing flood risks and protection costs, Dungeness Nuclear Power Station, UK', *Coastal Engineering*, 28(1–4), pp. 1–15. Available at: [https://doi.org/10.1016/0378-3839\(95\)00035-6](https://doi.org/10.1016/0378-3839(95)00035-6).
- Manson, F.J., Loneragan, N.R. and Phinn, S.R. (no date) 'Spatial and temporal variation in distribution of mangroves in Moreton Bay, subtropical Australia: a comparison of pattern metrics and change detection analyses based on aerial photographs', *Estuarine, Coastal and Shelf Science*, 57(4), pp. 653–666. Available at: [https://doi.org/10.1016/S0272-7714\(02\)00405-5](https://doi.org/10.1016/S0272-7714(02)00405-5).
- McGregor, S.J. (no date) 'An integrated geographic information system approach for modeling the suitability of conifer habitat in an alpine environment', *Geomorphology*, 21(3–4), pp. 265–280. Available at: [https://doi.org/10.1016/S0169-555X\(97\)00066-4](https://doi.org/10.1016/S0169-555X(97)00066-4).
- McKenna et al., J. (2003) 'Obsolete Maps and Coastal Management: Case Studies from Northwest Ireland', *Coastal Management*, 31(3), pp. 229–246. Available at: <http://search.ebscohost.com/login.aspx?direct=true&AuthType=ip,shib&db=bth&AN=9930623&site=ehost-live&scope=site>.
- van der Meulen, F., Witter, J.V. and Arens, S.M. (no date) 'The use of a GIS in assessing the impacts of sea level rise on nature conservation along the Dutch coast: 1990–2090',

Landscape Ecology, 6(1–2), pp. 105–113. Available at:
<https://doi.org/10.1007/BF00157750>.

Miller, S.N. and et al (no date) 'The Automated Geospatial Watershed Assessment tool', Environmental Modelling & Software, 22(3), pp. 365–377. Available at:
<https://doi.org/10.1016/j.envsoft.2005.12.004>.

Moore, T. and et al (no date) 'An Expert System for Integrated Coastal Zone Management: A Geomorphological Case Study', Marine Pollution Bulletin, 37(3–7), pp. 361–370. Available at: [https://doi.org/10.1016/S0025-326X\(99\)00129-0](https://doi.org/10.1016/S0025-326X(99)00129-0).

Naito, A.T. and Cairns, D.M. (no date) 'Relationships between Arctic shrub dynamics and topographically derived hydrologic characteristics', Environmental Research Letters, 6(4). Available at: <https://doi.org/10.1088/1748-9326/6/4/045506>.

Nams, V.O., Mowat, G. and Panian, M.A. (no date) 'Determining the spatial scale for conservation purposes – an example with grizzly bears', Biological Conservation, 128(1), pp. 109–119. Available at: <https://doi.org/10.1016/j.biocon.2005.09.020>.

Neilson, B. and Costello, M.J. (no date) 'The Relative Lengths of Seashore Substrata Around the Coastline of Ireland as Determined by Digital Methods in a Geographical Information System', Estuarine, Coastal and Shelf Science, 49(4), pp. 501–508. Available at: <https://doi.org/10.1006/ecss.1999.0507>.

Pedersen, Å.Ø. et al. (no date) 'Implementation of a GIS-based management tool for conservation of biodiversity within the municipality of Oslo, Norway', Landscape and Urban Planning, 68(4), pp. 429–438. Available at:
[https://doi.org/10.1016/S0169-2046\(03\)00148-8](https://doi.org/10.1016/S0169-2046(03)00148-8).

Perotto-Baldiviezo, H.L. and et al (no date) 'GIS-based spatial analysis and modeling for landslide hazard assessment in steeplands, southern Honduras', Agriculture, Ecosystems & Environment, 103(1), pp. 165–176. Available at:
<https://doi.org/10.1016/j.agee.2003.10.011>.

Rozo, M.G., Nogueira, A.C.R. and Truckenbrodt, W. (no date) 'The anastomosing pattern and the extensively distributed scroll bars in the middle Amazon River', Earth Surface Processes and Landforms, 37(14), pp. 1471–1488. Available at:
<https://doi.org/10.1002/esp.3249>.

Rumsby, B. (no date) 'Vertical accretion rates in fluvial systems: -a comparison of volumetric and depth-based estimates', Earth Surface Processes and Landforms, 25(6), pp. 617–631. Available at:
[https://doi.org/10.1002/1096-9837\(200006\)25:6<617::AID-ESP99>3.0.CO;2-Z](https://doi.org/10.1002/1096-9837(200006)25:6<617::AID-ESP99>3.0.CO;2-Z).

Rumsby, B.T. and Macklin, M.G. (no date) 'Channel and floodplain response to recent abrupt climate change: The tyne basin, Northern England', Earth Surface Processes and Landforms, 19(6), pp. 499–515. Available at: <https://doi.org/10.1002/esp.3290190603>.

Salem, B.B. (no date) 'Application of GIS to biodiversity monitoring', Journal of Arid Environments, 54(1), pp. 91–114. Available at: <https://doi.org/10.1006/jare.2001.0887>.

Sear, D.A. and Newson, M.D. (no date) 'Environmental change in river channels: a

neglected element. Towards geomorphological typologies, standards and monitoring', *Science of The Total Environment*, 310(1-3), pp. 17-23. Available at: [https://doi.org/10.1016/S0048-9697\(02\)00619-8](https://doi.org/10.1016/S0048-9697(02)00619-8).

Sheppard, C.R.C. and et al (no date) 'Habitat mapping in the Caribbean for management and conservation: Use and assessment of aerial photography', *Aquatic Conservation: Marine and Freshwater Ecosystems*, 5(4), pp. 277-298. Available at: <https://doi.org/10.1002/aqc.3270050404>.

de Smith, M., Longley, P. and Goodchild, M. (2021) *Geospatial Analysis*. 6th edn. Available at: <https://www.spatialanalysisonline.com/HTML/index.html>.

Sørensen, R., Zinko, U. and Seibert, J. (no date) 'On the calculation of the topographic wetness index: evaluation of different methods based on field observations', *Hydrology and Earth System Sciences*, 10(1), pp. 101-112. Available at: <https://doi.org/10.5194/hess-10-101-2006>.

Sutherland, J. (no date) 'Error analysis of Ordnance Survey map tidelines, UK', *Proceedings of the ICE - Maritime Engineering*, 165(4), pp. 189-197. Available at: <https://doi.org/10.1680/maen.2011.10>.

Tarboton, D.G., Bras, R.L. and Rodriguez-Iturbe, I. (no date) 'On the extraction of channel networks from digital elevation data', *Hydrological Processes*, 5(1), pp. 81-100. Available at: <https://doi.org/10.1002/hyp.3360050107>.

Taylor, J.C., Brewer, T.R. and Bird, A.C. (no date) 'Monitoring landscape change in the National Parks of England and Wales using aerial photo interpretation and GIS', *International Journal of Remote Sensing*, 21(13-14), pp. 2737-2752. Available at: <https://doi.org/10.1080/01431160050110269>.

Teng, J. et al. (no date) 'A GIS-Based Tool for Spatial and Distributed Hydrological Modelling: CLASS Spatial Analyst', *Transactions in GIS*, 12(2), pp. 209-225. Available at: <https://doi.org/10.1111/j.1467-9671.2008.01096.x>.

Thompson, S. and et al (no date) 'Identifying potential breeding sites for the stone curlew (*Burhinus oedicephalus*) in the UK', *Journal for Nature Conservation*, 12(4), pp. 229-235. Available at: <https://doi.org/10.1016/j.jnc.2004.07.002>.

Thorbjarnarson, J. and et al (no date) 'Regional habitat conservation priorities for the American crocodile', *Biological Conservation*, 128(1), pp. 25-36. Available at: <https://doi.org/10.1016/j.biocon.2005.09.013>.

Vitek, J.D., Giardino, J.R. and Fitzgerald, J.W. (no date) 'Mapping geomorphology: A journey from paper maps, through computer mapping to GIS and Virtual Reality', *Geomorphology*, 16(3), pp. 233-249. Available at: [https://doi.org/10.1016/S0169-555X\(96\)80003-1](https://doi.org/10.1016/S0169-555X(96)80003-1).

Walsh, S.J., Butler, D.R. and Malanson, G.P. (no date) 'An overview of scale, pattern, process relationships in geomorphology: a remote sensing and GIS perspective', *Geomorphology*, 21(3-4), pp. 183-205. Available at: [https://doi.org/10.1016/S0169-555X\(97\)00057-3](https://doi.org/10.1016/S0169-555X(97)00057-3).

White, K. and El Asmar, H.M. (no date) 'Monitoring changing position of coastlines using

Thematic Mapper imagery, an example from the Nile Delta', *Geomorphology*, 29(1-2), pp. 93-105. Available at: [https://doi.org/10.1016/S0169-555X\(99\)00008-2](https://doi.org/10.1016/S0169-555X(99)00008-2).

Wilson, M.F.J. and et al (no date) 'Multiscale Terrain Analysis of Multibeam Bathymetry Data for Habitat Mapping on the Continental Slope', *Marine Geodesy*, 30(1-2), pp. 3-35. Available at: <https://doi.org/10.1080/01490410701295962>.

Wright, D.J. and Heyman, W.D. (no date) 'Introduction to the Special Issue: Marine and Coastal GIS for Geomorphology, Habitat Mapping, and Marine Reserves', *Marine Geodesy*, 31(4), pp. 223-230. Available at: <https://doi.org/10.1080/01490410802466306>.