

PSYC0021: Affective Interaction

[View Online](#)

[1]

R. Roy, M. Goatman, and K. Khangura, 'User-centric design and Kansei Engineering', CIRP Journal of Manufacturing Science and Technology, vol. 1, no. 3, pp. 172–178, Jan. 2009, doi: 10.1016/j.cirpj.2008.10.007.

[2]

Marc Hassenzahl, Andrew Monk, 'The Inference of Perceived Usability From Beauty', Human-Computer Interaction, vol. 25, no. 3, pp. 235–260, 2010, [Online]. Available: <http://www.tandfonline.com/doi/abs/10.1080/07370024.2010.500139>

[3]

P. W. Jordan, 'Human factors for pleasure in product use', Applied Ergonomics, vol. 29, no. 1, pp. 25–33, Feb. 1998, doi: 10.1016/S0003-6870(97)00022-7.

[4]

N. Tractinsky, A. S. Katz, and D. Ikar, 'What is beautiful is usable', Interacting with Computers, vol. 13, no. 2, pp. 127–145, Dec. 2000, doi: 10.1016/S0953-5438(00)00031-X.

[5]

D. Norman, 'Introduction to This Special Section on Beauty, Goodness, and Usability', Human-Computer Interaction, vol. 19, no. 4, pp. 311–318, Dec. 2004, doi: 10.1207/s15327051hci1904_1.

[6]

P. W. Jordan, *Designing pleasurable products: an introduction to the new human factors*. Boca Raton, FL: Taylor & Francis, 2000. doi: 10.4324/9780203305683.

[7]

J. McCarthy J, and P. Wright, *Technology as Experience*. [Online]. Available: <https://ieeexplore.ieee.org/book/6267305>

[8]

T. W. Bickmore, R. Fernando, L. Ring, and D. Schulman, 'Empathic Touch by Relational Agents', *IEEE Transactions on Affective Computing*, vol. 1, no. 1, pp. 60–71, Jan. 2010, doi: 10.1109/T-AFFC.2010.4.

[9]

C. Segalin, A. Perina, M. Cristani, and A. Vinciarelli, 'The Pictures We Like Are Our Image: Continuous Mapping of Favorite Pictures into Self-Assessed and Attributed Personality Traits', *IEEE Transactions on Affective Computing*, vol. 8, no. 2, pp. 268–285, Apr. 2017, doi: 10.1109/TAFFC.2016.2516994.

[10]

Y. S. Sefidgar, K. E. MacLean, S. Yohanan, H. F. M. Van der Loos, E. A. Croft, and E. J. Garland, 'Design and Evaluation of a Touch-Centered Calming Interaction with a Social Robot', *IEEE Transactions on Affective Computing*, vol. 7, no. 2, pp. 108–121, 2016, doi: 10.1109/TAFFC.2015.2457893.

[11]

L. Turchet and R. Bresin, 'Effects of Interactive Sonification on Emotionally Expressive Walking Styles', *IEEE Transactions on Affective Computing*, vol. 6, no. 2, pp. 152–164, 2015, doi: 10.1109/TAFFC.2015.2416724.

[12]

A. Tuch, S. Kreibig, S. Roth, J. Bargas-Avila, K. Opwis, and F. Wilhelm, 'The Role of Visual Complexity in Affective Reactions to Webpages: Subjective, Eye Movement, and

Cardiovascular Responses', IEEE Transactions on Affective Computing, vol. 2, no. 4, pp. 230–236, Oct. 2011, doi: 10.1109/T-AFFC.2011.18.

[13]

G. Elkharraz, S. Thumfart, D. Akay, C. Eitzinger, and B. Henson, 'Making Tactile Textures with Predefined Affective Properties', IEEE Transactions on Affective Computing, vol. 5, no. 1, pp. 57–70, 2014, doi: 10.1109/T-AFFC.2013.21.

[14]

R. A. Calvo and D. Peters, Positive computing: technology for wellbeing and human potential. Cambridge, Massachusetts: MIT Press, 2014. [Online]. Available: <https://ieeexplore.ieee.org/book/6981846>

[15]

J. A. Russell and L. F. Barrett, 'Core affect, prototypical emotional episodes, and other things called emotion: Dissecting the elephant.', Journal of Personality and Social Psychology, vol. 76, no. 5, pp. 805–819, 1999, [Online]. Available: <http://ovidsp.ovid.com/ovidweb.cgi?T=JS&CSC=Y&NEWS=N&PAGE=fulltext&AN=00005205-199905000-00009&LSLINK=80&D=ovft>

[16]

C. Petitmengin, 'Describing one's subjective experience in the second person: An interview method for the science of consciousness', Phenomenology and the Cognitive Sciences, vol. 5, no. 3–4, pp. 229–269, Dec. 2006, doi: 10.1007/s11097-006-9022-2.

[17]

K. Boehner, R. DePaula, P. Dourish, and P. Sengers, 'How emotion is made and measured', International Journal of Human-Computer Studies, vol. 65, no. 4, pp. 275–291, 2007, doi: 10.1016/j.ijhcs.2006.11.016.

[18]

K. Isbister, K. Höök, J. Laaksolahti, and M. Sharp, 'The sensual evaluation instrument: Developing a trans-cultural self-report measure of affect', International Journal of Human-Computer Studies, vol. 65, no. 4, pp. 315–328, Apr. 2007, doi:

10.1016/j.ijhcs.2006.11.017.

[19]

E. Hudlicka, 'To feel or not to feel: The role of affect in human-computer interaction', *International Journal of Human-Computer Studies*, vol. 59, no. 1-2, pp. 1-32, Jul. 2003, doi: 10.1016/S1071-5819(03)00047-8.

[20]

M. Bitbol and C. Petitmengin, 'A Defense of Introspection from Within', vol. 8, no. 3, pp. 269-279, 2013, [Online]. Available: <http://constructivist.info/8/3/269.bitbol>

[21]

C. Petitmengin and J.-P. Lachaux, 'Microcognitive science: bridging experiential and neuronal microdynamics', *Frontiers in Human Neuroscience*, vol. 7, 27 AD, doi: 10.3389/fnhum.2013.00617.

[22]

B. Petreca, S. Baurley, and N. Bianchi-Berthouze, 'How do designers feel textiles?', in 2015 *International Conference on Affective Computing and Intelligent Interaction (ACII)*, IEEE, Sep. 2015, pp. 982-987. doi: 10.1109/ACII.2015.7344695.

[23]

P. Ekman, 'What Scientists Who Study Emotion Agree About', *Perspectives on Psychological Science*, vol. 11, no. 1, pp. 31-34, Jan. 2016, doi: 10.1177/1745691615596992.

[24]

S. K. D' Mello, 'On the Influence of an Iterative Affect Annotation Approach on Inter-Observer and Self-Observer Reliability', *IEEE Transactions on Affective Computing*, vol. 7, no. 2, pp. 136-149, 2016, doi: 10.1109/TAFFC.2015.2457413.

[25]

C. Harmon-Jones, B. Bastian, and E. Harmon-Jones, 'The Discrete Emotions Questionnaire: A New Tool for Measuring State Self-Reported Emotions', PLOS ONE, vol. 11, no. 8, Aug. 2016, doi: 10.1371/journal.pone.0159915.

[26]

M. Obrist, S. A. Seah, and S. Subramanian, 'Talking about tactile experiences', in Proceedings of the SIGCHI Conference on Human Factors in Computing Systems - CHI '13, ACM Press, 2013, pp. 1659–1668. doi: 10.1145/2470654.2466220.

[27]

D. Küster and A. Kappas, 'Measuring Emotions Online: Expression and Physiology', in Cyberemotions, J. A. Holyst, Ed., Cham: Springer International Publishing, 2017, pp. 71–93. doi: 10.1007/978-3-319-43639-5_5.

[28]

I. B. Mauss and M. D. Robinson, 'Measures of emotion: A review', Cognition & Emotion, vol. 23, no. 2, pp. 209–237, Feb. 2009, doi: 10.1080/02699930802204677.

[29]

E. Kroupi, J.-M. Vesin, and T. Ebrahimi, 'Subject-Independent Odor Pleasantness Classification Using Brain and Peripheral Signals', IEEE Transactions on Affective Computing, vol. 7, no. 4, pp. 422–434, Oct. 2016, doi: 10.1109/TAFFC.2015.2496310.

[30]

M. Nardelli, G. Valenza, A. Greco, A. Lanata, and E. P. Scilingo, 'Recognizing Emotions Induced by Affective Sounds through Heart Rate Variability', IEEE Transactions on Affective Computing, vol. 6, no. 4, pp. 385–394, Oct. 2015, doi: 10.1109/TAFFC.2015.2432810.

[31]

M. Kusserow, O. Amft, and G. Troster, 'Modeling arousal phases in daily living using wearable sensors', IEEE Transactions on Affective Computing, vol. 4, no. 1, pp. 93–105, Jan. 2013, doi: 10.1109/T-AFFC.2012.37.

[32]

M. D. van der Zwaag, J. H. Janssen, and J. H. D. M. Westerink, 'Directing Physiology and Mood through Music: Validation of an Affective Music Player', *IEEE Transactions on Affective Computing*, vol. 4, no. 1, pp. 57–68, doi: 10.1109/T-AFFC.2012.28.

[33]

Y. Abdelrahman, E. Velloso, T. Dingler, A. Schmidt, and F. Vetere, 'Cognitive Heat', *Proceedings of the ACM on Interactive, Mobile, Wearable and Ubiquitous Technologies*, vol. 1, no. 3, pp. 1–20, Sep. 2017, doi: 10.1145/3130898.

[34]

Y. Gao, N. Bianchi-Berthouze, and H. Meng, 'What Does Touch Tell Us about Emotions in Touchscreen-Based Gameplay?', *ACM Transactions on Computer-Human Interaction*, vol. 19, no. 4, pp. 1–30, Dec. 2012, doi: 10.1145/2395131.2395138.

[35]

M. J. Hertenstein, R. Holmes, M. McCullough, and D. Keltner, 'The communication of emotion via touch.', *Emotion*, vol. 9, no. 4, pp. 566–573, 2009, [Online]. Available: <http://ovidsp.ovid.com/ovidweb.cgi?T=JS&CSC=Y&NEWS=N&PAGE=fulltext&AN=00130470-200908000-00017&LSLINK=80&D=ovft>

[36]

H. Aviezer, Y. Trope, and A. Todorov, 'Body Cues, Not Facial Expressions, Discriminate Between Intense Positive and Negative Emotions', *Science*, vol. 338, no. 6111, pp. 1225–1229, Nov. 2012, doi: 10.1126/science.1224313.

[37]

A. Kleinsmith and N. Bianchi-Berthouze, 'Affective Body Expression Perception and Recognition: A Survey', *IEEE Transactions on Affective Computing*, vol. 4, no. 1, pp. 15–33, Jan. 2013, doi: 10.1109/T-AFFC.2012.16.

[38]

G. Huisman, A. Darriba Frederiks, B. Van Dijk, D. Hevlen, and B. Krose, 'The TaSSt: Tactile

sleeve for social touch', in 2013 World Haptics Conference (WHC), IEEE, Apr. 2013, pp. 211–216. doi: 10.1109/WHC.2013.6548410.

[39]

A. Vinciarelli et al., 'Bridging the Gap between Social Animal and Unsocial Machine: A Survey of Social Signal Processing', IEEE Transactions on Affective Computing, vol. 3, no. 1, pp. 69–87, Jan. 2012, doi: 10.1109/T-AFFC.2011.27.

[40]

A. Vinciarelli and G. Mohammadi, 'A Survey of Personality Computing', IEEE Transactions on Affective Computing, vol. 5, no. 3, pp. 273–291, Jul. 2014, doi: 10.1109/TAFFC.2014.2330816.

[41]

A. Gallace and C. Spence, 'The science of interpersonal touch: An overview', Neuroscience & Biobehavioral Reviews, vol. 34, no. 2, pp. 246–259, 2010, doi: 10.1016/j.neubiorev.2008.10.004.

[42]

G. L. Clore and J. Palmer, 'Affective guidance of intelligent agents: How emotion controls cognition', Cognitive Systems Research, vol. 10, no. 1, pp. 21–30, 2009, doi: 10.1016/j.cogsys.2008.03.002.

[43]

G. L. Clore, A. J. Schiller, and A. Shaked, 'Affect and cognition: three principles', Current Opinion in Behavioral Sciences, vol. 19, pp. 78–82, Feb. 2018, doi: 10.1016/j.cobeha.2017.11.010.

[44]

Andrew Ortony, Donald A. Norman, and William Revelle, 'Affect and Proto-Affect in Effective Functioning', in Who Needs Emotions?, J.-M. Fellous and M. A. Arbib, Eds, Oxford University Press, 2005, pp. 173–202. doi: 10.1093/acprof:oso/9780195166194.003.0007.

[45]

J. Chandler and N. Schwarz, 'How extending your middle finger affects your perception of others: Learned movements influence concept accessibility', *Journal of Experimental Social Psychology*, vol. 45, no. 1, pp. 123–128, Jan. 2009, doi: 10.1016/j.jesp.2008.06.012.

[46]

A. Tajadura-Jiménez, M. Basia, O. Deroy, M. Fairhurst, N. Marquardt, and N. Bianchi-Berthouze, 'As Light as your Footsteps', in *Proceedings of the 33rd Annual ACM Conference on Human Factors in Computing Systems - CHI '15*, ACM Press, 2015, pp. 2943–2952. doi: 10.1145/2702123.2702374.

[47]

J. H. Janssen, J. N. Bailenson, W. A. Ijsselstein, and J. H. D.M. Westerink, 'Intimate Heartbeats: Opportunities for Affective Communication Technology', *IEEE Transactions on Affective Computing*, vol. 1, no. 2, pp. 72–80, Jul. 2010, doi: 10.1109/T-AFFC.2010.13.

[48]

G. L. Clore, A. J. Schiller, and A. Shaked, 'Affect and cognition: three principles', *Current Opinion in Behavioral Sciences*, vol. 19, pp. 78–82, Feb. 2018, doi: 10.1016/j.cobeha.2017.11.010.

[49]

H. D. Critchley and S. N. Garfinkel, 'The influence of physiological signals on cognition', *Current Opinion in Behavioral Sciences*, vol. 19, pp. 13–18, Feb. 2018, doi: 10.1016/j.cobeha.2017.08.014.

[50]

T. Poppa and A. Bechara, 'The somatic marker hypothesis: revisiting the role of the "body-loop" in decision-making', *Current Opinion in Behavioral Sciences*, vol. 19, pp. 61–66, Feb. 2018, doi: 10.1016/j.cobeha.2017.10.007.

[51]

M. S. Fanselow, 'Emotion, motivation and function', *Current Opinion in Behavioral Sciences*, vol. 19, pp. 105–109, Feb. 2018, doi: 10.1016/j.cobeha.2017.12.013.

[52]

J. P. Forgas, 'Mood Effects on Cognition: Affective Influences on the Content and Process of Information Processing and Behavior', in *Emotions and Affect in Human Factors and Human-Computer Interaction*, Elsevier, 2017, pp. 89–122. doi: 10.1016/B978-0-12-801851-4.00003-3.

[53]

D. A. Sauter, 'The Nonverbal Communication of Positive Emotions: An Emotion Family Approach', *Emotion Review*, vol. 9, no. 3, pp. 222–234, Jul. 2017, doi: 10.1177/1754073916667236.

[54]

E. Politou, E. Alepis, and C. Patsakis, 'A survey on mobile affective computing', *Computer Science Review*, vol. 25, pp. 79–100, Aug. 2017, doi: 10.1016/j.cosrev.2017.07.002.

[55]

S. K. DMello, N. Dowell, and A. Graesser, 'Unimodal and Multimodal Human Perception of Naturalistic Non-Basic Affective States during Human-Computer Interactions', *IEEE Transactions on Affective Computing*, vol. 4, no. 4, pp. 452–465, Oct. 2013, doi: 10.1109/T-AFFC.2013.19.

[56]

A. Gruebler and K. Suzuki, 'Design of a Wearable Device for Reading Positive Expressions from Facial EMG Signals', *IEEE Transactions on Affective Computing*, vol. 5, no. 3, pp. 227–237, Jul. 2014, doi: 10.1109/TAFFC.2014.2313557.

[57]

K. Wac and C. Tsiourti, 'Ambulatory Assessment of Affect: Survey of Sensor Systems for Monitoring of Autonomic Nervous Systems Activation in Emotion', *IEEE Transactions on Affective Computing*, vol. 5, no. 3, pp. 251–272, Jul. 2014, doi: 10.1109/TAFFC.2014.2332157.

[58]

R. Beale and C. Creed, 'Affective interaction: How emotional agents affect users', *International Journal of Human-Computer Studies*, vol. 67, no. 9, pp. 755–776, Sep. 2009, doi: 10.1016/j.ijhcs.2009.05.001.

[59]

M. Spadafora, V. Chahuneau, N. Martelaro, D. Sirkin, and W. Ju, 'Designing the Behavior of Interactive Objects', in *Proceedings of the TEI '16: Tenth International Conference on Tangible, Embedded, and Embodied Interaction - TEI '16*, ACM Press, 2016, pp. 70–77. doi: 10.1145/2839462.2839502.

[60]

A. Hamacher, N. Bianchi-Berthouze, A. G. Pipe, and K. Eder, 'Believing in BERT: Using expressive communication to enhance trust and counteract operational error in physical Human-robot interaction', in *2016 25th IEEE International Symposium on Robot and Human Interactive Communication (RO-MAN)*, IEEE, Aug. 2016, pp. 493–500. doi: 10.1109/ROMAN.2016.7745163.

[61]

M. Coeckelbergh, 'Are Emotional Robots Deceptive?', *IEEE Transactions on Affective Computing*, vol. 3, no. 4, pp. 388–393, Winter 2012, doi: 10.1109/T-AFFC.2011.29.

[62]

K. Liu, J. Tolins, J. E. Fox Tree, M. Neff, and M. A. Walker, 'Two Techniques for Assessing Virtual Agent Personality', *IEEE Transactions on Affective Computing*, vol. 7, no. 1, pp. 94–105, 2016, doi: 10.1109/TAFFC.2015.2435780.

[63]

A. Cerekovic, O. Aran, and D. Gatica-Perez, 'Rapport with Virtual Agents: What Do Human Social Cues and Personality Explain?', *IEEE Transactions on Affective Computing*, vol. 8, no. 3, pp. 382–395, 2017, doi: 10.1109/TAFFC.2016.2545650.

[64]

C. J. Stanton and C. J. Stevens, 'Don't Stare at Me: The Impact of a Humanoid Robot's Gaze upon Trust During a Cooperative Human-Robot Visual Task', *International Journal of Social Robotics*, vol. 9, no. 5, pp. 745–753, Nov. 2017, doi: 10.1007/s12369-017-0422-y.

[65]

H. Kamide and T. Arai, 'Perceived Comfortableness of Anthropomorphized Robots in U.S. and Japan', *International Journal of Social Robotics*, vol. 9, no. 4, pp. 537–543, 2017, doi: 10.1007/s12369-017-0409-8.

[66]

T. Hirano et al., 'How Do Communication Cues Change Impressions of Human-Robot Touch Interaction?', *International Journal of Social Robotics*, vol. 10, no. 1, pp. 21–31, Jan. 2018, doi: 10.1007/s12369-017-0425-8.

[67]

A. M. Rosenthal-von der Pütten and N. C. Krämer, 'Individuals' Evaluations of and Attitudes Towards Potentially Uncanny Robots', *International Journal of Social Robotics*, vol. 7, no. 5, pp. 799–824, Nov. 2015, doi: 10.1007/s12369-015-0321-z.

[68]

S. Hutson, S. L. Lim, P. J. Bentley, N. Bianchi-Berthouze, and A. Bowling, 'Investigating the Suitability of Social Robots for the Wellbeing of the Elderly', in *Affective Computing and Intelligent Interaction*, vol. 6974, S. D'Mello, A. Graesser, B. Schuller, and J.-C. Martin, Eds, Berlin, Heidelberg: Springer Berlin Heidelberg, 2011, pp. 578–587. doi: 10.1007/978-3-642-24600-5_61.

[69]

J. Gratch and S. Marsella, 'A domain-independent framework for modeling emotion', *Cognitive Systems Research*, vol. 5, no. 4, pp. 269–306, 2004, doi: 10.1016/j.cogsys.2004.02.002.

[70]

S. C. Marsella and J. Gratch, 'EMA: A process model of appraisal dynamics', *Cognitive Systems Research*, vol. 10, no. 1, pp. 70–90, 2009, doi: 10.1016/j.cogsys.2008.03.005.

[71]

E. Hudlicka, 'Computational Modeling of Cognition–Emotion Interactions: Theoretical and Practical Relevance for Behavioral Healthcare', in *Emotions and Affect in Human Factors and Human-Computer Interaction*, Elsevier, 2017, pp. 383–436. doi: 10.1016/B978-0-12-801851-4.00016-1.

[72]

M. Jeon, 'Emotions in Driving', in *Emotions and Affect in Human Factors and Human-Computer Interaction*, Elsevier, 2017, pp. 437–474. doi: 10.1016/B978-0-12-801851-4.00017-3.

[73]

C. Segalin, A. Perina, M. Cristani, and A. Vinciarelli, 'The Pictures We Like Are Our Image: Continuous Mapping of Favorite Pictures into Self-Assessed and Attributed Personality Traits', *IEEE Transactions on Affective Computing*, vol. 8, no. 2, pp. 268–285, Apr. 2017, doi: 10.1109/TAFFC.2016.2516994.

[74]

L. Pessoa, 'Do Intelligent Robots Need Emotion?', *Trends in Cognitive Sciences*, vol. 21, no. 11, pp. 817–819, doi: 10.1016/j.tics.2017.06.010.